

DEPARTMENT OF THE INTERIOR

U.S. GEOLOGICAL SURVEY

Selected Reports, Abstracts, and Maps on Alaska

Released during 1982, Indexed by

Quadrangle or General Geographic Area

compiled by

Edwin L. Cruz¹

Open-File Report 85-362

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards and stratigraphic nomenclature.

1 Menlo Park

1985

INTRODUCTION

This Open-File Report lists by quadrangle or other geographic area U.S. Geological Survey, U.S. Bureau of Mines, State of Alaska Division of Geological and Geophysical Surveys reports and maps, and other selected articles, abstracts, reports, and maps on the geology, geophysics, and mineral and water resources of Alaska which were published or released in 1982. Also included are a few pre-1982 reports that were omitted from other indexes of this series. Quadrangle or other area symbols (see names and abbreviations listing on page II and quadrangle map locations on page III) following each title indicate the area(s) of study included in that report. A slash and asterisk annotation (/*) following an area designation indicates that the entry mentions selected mineral resources, mineral occurrences, or elemental geochemical evaluations.

Reports that deal with regional tectonic hypotheses, broad regional syntheses, Alaska in general, or with areas that could not be identified with specific quadrangles are entered under "Alaska General". Reports and maps that deal with offshore areas, some of which may include part of one or more onshore quadrangles, are listed under "Offshore Areas". The "Alaska General" and the "Offshore Areas" listings appear before the alphabetically arranged quadrangle listings.

This index of 1982 geological literature on the State of Alaska and adjacent offshore areas is intended to bring up to date previous indexes of this series (see listing on pages IV-V). However, note that this index, unlike its predecessors, also includes selected articles, abstracts, and maps from other sources as well as government publications.

ABBREVIATIONS OF ALASKA QUADRANGLE
NAMES AND GENERAL GEOGRAPHIC AREAS

	Page		Page		Page
AG	Alaska General.....1	HG	Hagemeister Is.....95	PE	Petersburg.....169
OF	Offshore Areas.....18	HR	Harrison Bay.....96	PS	Philip Smith Mts (Brooks**).....170
AD	Adak.....31	HE	Healy.....100	PH	Point Hope.....171
AF	Afognak.....32	HC	Holy Cross.....102	PL	Point Lay.....173
AR	Ambler River.....34	HP	Hooper Bay.....103	PA	Port Alexander....174
AM	Amukta.....36	HW	Howard Pass.....104	PM	Port Moller.....176
AN	Anchorage.....37	HU	Hughes.....106	PI	Pribilof Is.....*
AC	Arctic.....40	IB	Icy Bay.....107	PR	Prince Rupert....177
AK	Atka.....41	ID	Iditarod.....109	RI	Rat Islands.....178
AL	Atlin.....*	IK	Ikpikpuk River....110	RB	Ruby.....179
AT	Attu.....42	IL	Iliamna.....112	RM	Russian Mission...180
BI	Baird Inlet.....43	JU	Juneau.....114	SG	Sagavanirktok.....181
BM	Baird Mts.....44	KG	Kaguyak.....115	SA	Samalga Island....182
BW	Barrow.....45	KH	Kantishna River...116	SU	Seguam.....183
BA	Barter Island.....48	KR	Karluk.....117	SE	Selawik.....184
BV	Beaver.....50	KT	Kateel River.....119	SV	Seldovia.....185
BP	Beechey Point.....51	KN	Kenai.....120	SR	Seward.....188
BN	Bendeleben.....54	KC	Ketchikan.....123	SF	Shishmaref.....190
BG	Bering Glacier.....55	KL	Killik River.....125	SH	Shungnak.....191
BH	Bethel.....57	KK	Kiska.....128	SN	Simeonof Island...192
BT	Bettles.....58	KD	Kodiak.....129	SI	Sitka.....193
BD	Big Delta.....59	KZ	Kotzebue.....130	SK	Skagway.....197
BR	Black River.....*	KB	Kuskokwim Bay....131	SM	Sleetmute.....198
BL	Black.....60	KW	Kwiguk.....132	SO	Solomon.....199
BS	Blying Sound.....61	LC	Lake Clark.....133	SL	St Lawrence.....200
BC	Bradfield Canal....62	LH	Lime Hills.....134	ST	St Matthew.....201
BB	Bristol Bay.....63	LG	Livengood.....135	SC	St Michael.....202
CA	Candle.....64	LR	Lookout Ridge....137	SB	Stepovak Bay.....203
CM	Cape Mendenhall....65	MA	Marshall.....139	SD	Sumdum.....204
CH	Chandalar.....66	MC	McCarthy.....140	SP	Survey Pass.....205
CL	Chandler Lake.....67	MG	McGrath.....141	SW	Sutwik Island....207
CY	Charley River.....69	MR	Meade River.....142	TB	Table Mtn.....209
CG	Chignik.....70	MD	Medfra.....144	TR	Taku River.....*
CS	Christian.....72	MZ	Melozitna.....*	TL	Talkeetna.....210
CI	Circle.....73	MI	Middleton Island..145	TK	Talkeetna Mts....212
CB	Cold Bay (Fort Randall**)....74	MU	Misheguk Mtn.....147	TC	Tanacross.....213
CO	Coleen.....75	MF	Mt Fairweather....149	TN	Tanana.....214
CV	Cordova.....76	MH	Mt Hayes.....152	TA	Taylor Mts.....215
CR	Craig.....78	MK	Mt Katmai.....154	TE	Teller.....216
DL	De Long Mts.....79	MM	Mt McKinley.....156	TS	Teshekpuk.....217
DP	Demarcation Point..80	ML	Mt Michelson.....157	TI	Trinity Island....220
DI	Dillingham.....82	MS	Mt St Elias.....159	TY	Tyonek.....221
DE	Dixon Entrance....83	NB	Nabesna.....160	UG	Ugashik.....223
EA	Eagle.....84	NK	Naknek.....161	UT	Umiat.....225
FB	Fairbanks.....85	NT	Noatak.....162	UK	Umnak.....227
FP	False Pass.....90	NM	Nome.....163	UL	Unalakleet.....228
FI	Flaxman Island....91	NR	Norton Bay.....164	UN	Unalaska.....229
FY	Fort Yukon.....*	NL	Nulato.....165	UM	Unimak.....*
GI	Gareloï Island.....*	NI	Nunivak Island....166	UR	Utukok River.....230
GO	Goodnews Bay (Goodnews**).....93	NG	Nushagak Bay.....167	VA	Valdez.....231
GU	Gulkana.....94	OF	Offshore Areas....18	WA	Wainwright.....233
		OP	Ophir.....168	WI	Wiseman.....235
				YA	Yakutat.....237

* - No references for quadrangle

** - Former quadrangle name

**TOPOGRAPHIC DIVISION
ROCKY MOUNTAIN MAPPING CENTER
DENVER, COLORADO**

ALASKA

Index map showing names
of 1:250,000-scale quadrangles

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



Other indexes in this series

- Cobb, E. H., 1974, Geological Survey maps (other than topographic maps) on Alaska indexed by quadrangle: U.S. Geological Survey Open-File Report 74-84, 38 p.
- Cobb, E. H., 1974, Geological Survey Open-File Reports on Alaska indexed by quadrangle: U.S. Geological Survey Open-File Report 74-7, 116 p.
- Cobb, E. H., 1974, Geological Survey published reports on Alaska, 1884-1914, indexed by quadrangle: U.S. Geological Survey Open-File Report 74-345, 126 p.
- Cobb, E. H., 1974, Geological Survey published reports on Alaska, 1915-1939, indexed by quadrangle: U.S. Geological Survey Open-File Report 74-335, 159 p.
- Cobb, E. H., 1974, Geological Survey published reports on Alaska, 1940-1959, indexed by quadrangle: U.S. Geological Survey Open-File Report 74-261, 71 p.
- Cobb, E. H., 1974, Geological Survey published reports on Alaska, 1960-1973, indexed by quadrangle: U.S. Geological Survey Open-File Report 74-210, 163 p.
- Cobb, E. H., 1974, Reports of the Alaska Division of Geological and Geophysical Surveys and predecessor agencies, 1913-1973, indexed by quadrangle: U.S. Geological Survey Open-File Report 74-209, 112 p.
- Cobb, E. H., 1974, Selected U.S. Bureau of Mines reports on Alaska indexed by quadrangle: U.S. Geological Survey Open-File Report 74-52, 40 p.
- Cobb, E. H., 1975, Geological Survey and selected U.S. Bureau of Mines and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1974, indexed by quadrangle: U.S. Geological Survey Open-File Report 75-128, 46 p.
- Cobb, E. H., 1976, Geological Survey and selected U.S. Bureau of Mines and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1975 indexed by quadrangle: U.S. Geological Survey Open-File Report 76-332, 95 p.
- Cobb, E. H., 1977, Selected Geological Survey and U.S. Bureau of Mines and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1976, indexed by quadrangle: U.S. Geological Survey Open-File Report 77-177, 115 p.
- Cobb, E. H., 1978, Selected Geological Survey and U.S. Bureau of Mines and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1977, indexed by quadrangle: U.S. Geological Survey Open-File Report 78-283, 96 p.
- Cobb, E. H., 1979, Selected Geological Survey and U.S. Bureau of Mines and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1978, indexed by quadrangle: U.S. Geological Survey Open-File Report 79-706, 187 p.

Cobb, E. H., 1980, Selected Geological Survey and U.S. Bureau of Mines and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1979, indexed by quadrangle: U.S. Geological Survey Open-File Report 80-291, 103 p.

Cobb, E. H., 1981, Selected Geological Survey and U.S. Bureau of Mines and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1980, indexed by quadrangle: U.S. Geological Survey Open-File Report 81-442, 164 p.

Cobb, E. H., 1982, Selected Geological Survey and U.S. Bureau of Mines and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1981, indexed by quadrangle: U.S. Geological Survey Open-File Report 82-384, 164 p.

ALASKA GENERAL

Abadie, V. H., III, 1982, Tertiary Kenai Group, Cook Inlet, Alaska tectonic and depositional model applied to Barranca Formation (Upper Triassic), central Sonora, Mexico (abs): American Association of Petroleum Geologists Bulletin, v. 66, no. 5., p. 542.

AG

Ager, T. A., and Bradbury, Platt, 1982, Quaternary history of vegetation and climate of the Yukon Delta - Norton Sound area, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 78-80.

AG, SC

Alaska Geographic Society, 1982, Alaska's glaciers: Alaska Geographic, v. 9, no. 1, 144 p.

AG

Barker, Fred, and Arth, J. G., 1982, "Central Gneiss Complex" of the Coast range batholith: The roots of a high-K, calc-alkaline arc?: Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 439.

AG, KC

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981, Critical and strategic minerals in Alaska - cobalt, the platinum-group metals, and chromite: U.S. Bureau of Mines Information Circular 8869, 8 p.
AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*, PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*

Barrash, Warren, and Venkatakrishna, Ramesh, 1982, Timing of late Cenozoic volcanic and tectonic events along the western margin of the North American plate: Geological Society of America Bulletin, v. 93, no. 10, p. 977-989.

AG

Bois, C., Bouche, P., and Pelet, R., 1982, Global geologic history and distribution of hydrocarbon reserves: American Association of Petroleum Geologists Bulletin, v. 66, no. 9, p. 1248-1270.

AG, OF

Brigham, J. K., and Miller, G. H., 1982, Late Cenozoic history of high sea level stands and Pleistocene temperature estimates, northwestern Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 451-452.

AG

Bowsher, A. L., ed., 1981, Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, 165 p.

AG, OF

ALASKA GENERAL

Buland, Ray, and Taggart, James, 1981, A mantle wave magnitude for the St. Elias, Alaska, earthquake of 28 February, 1979: Seismological Society of America Bulletin, v. 71, no. 4, p. 1143-1159.
AG, MS

Campbell, W. L., and Van Trump, George, Jr., 1982, Catalog of available clear mylar templates used to determine latitude and longitude of sample localities between latitudes of $51^{\circ}00'$ and $71^{\circ}30'$ at the scale of 1:63,360, and between the latitude of $49^{\circ}00'$ and $71^{\circ}30'$ north or south at the scale of 1:250,000: U.S. Geological Survey Open-File Report 82-723, 5 p.
AG

Campbell, W. L., and Van Trump, George, Jr., 1982, Clear mylar templates used to measure latitude and longitude of sample localities at scales of 1:63,360 and 1:250,000 between the latitudes of $49^{\circ}00'$ and $71^{\circ}30'$ north or south: U.S. Geological Survey Open-File Report 82-724, 6 pl., 210 p., xerographic clear film.

AG

Cobb, E. H., 1981, Placer gold occurrences in Alaska: U.S. Geological Survey Open-File Report 81-1326, 33 p., scale 1:2,500,000.
AG/*

Cobb, E. H., 1982, Lode gold and silver occurrences in Alaska: U.S. Geological Survey Open-File Report 82-406, 31 p., scale 1:2,500,000.
AG/*

Cobb, E. H., 1982, Occurrences of copper minerals in Alaska: U.S. Geological Survey Open-File Report 82-1029, 33 p., scale 1:2,500,000.
AG/*

Cobb, E. H., 1982, Occurrences of molybdenum minerals in Alaska: U.S. Geological Survey Open-File Report 82-798, 9 p., scale 1:2,500,000.
AG/*

Cobb, E. H., 1982, Occurrences of tungsten minerals in Alaska: U.S. Geological Survey Open-File Report 82-785, 12 p., scale 1:2,500,000
AG/*

Cobb, E. H., 1982, Reports on Alaska published by the U.S. Geological Survey in 1980, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 154-165.
AG

Cobb, E. H., 1982, Selected Geological Survey, U.S. Bureau of Mines, and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1981, indexed by quadrangle: U.S. Geological Survey Open-File Report 82-384, 128 p.
AG

ALASKA GENERAL

Cobb, E. H., and St. Aubin, D. R., 1982, Occurrences of selected critical and strategic mineral commodities in Alaska: U.S. Geological Survey Open-File Report 82-719, 24 p., scale 1:2,500,000.
AG/*

Collignon, M. A., 1982, Outer Continental Shelf Oil and Gas Information Program, Alaska Index: U. S. Geological Survey Open-File Report 82-18, 81 p.
AG, OF

Collins, K. M., and Stadnychenko, Anne, 1981, Gulf of Alaska and Lower Cook Inlet Summary Report 2 June 1981: U.S. Geological Survey Open-File Report 81-607, 49 p.
AG, OF, BG, IB, YA

Coney, P. J., 1981, Accretionary tectonics in western North America: Arizona Geological Society Digest, v. 14, p. 23-37.
AG

Connor, C. L., 1982, Pollen evidence for a mid-Wisconsin interstadial event in south-central Alaskan lacustrine sediments (abs.): Geological Association of Canada, Mineralogical Association of Canada, Program with Abstracts, v. 7, May 1982, p. 43.
AG

Coonrad, W. L., ed., 1982, The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, 178 p.
AG

Cowan, D. S., 1982, Geological evidence for post-40 m.y.b.p. large scale northwestward displacement of part of southeastern Alaska: Geology, v. 10, no. 6, p. 309-313.
AG, PA, SI

Csejtey, Bela, Jr., Cox, D. P., Evarts, R. C., Stricker, G. D., and Foster, H. L., 1982, The Cenozoic Denali fault system and the Cretaceous accretionary development of southern Alaska: Journal of Geophysical Research, v. 87, no. B5, p. 3741-3754.
AG

ALASKA GENERAL

Csejtey, Bela, Jr., Cox, D. P., Evarts, R. C., Stricker, G. D., and Mullen, M. W., 1982, The Denali fault system--The case for minor rather than major Cenozoic lateral displacement, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 102-106.

AG, HE

Detterman, R. L., 1982, Late Mesozoic and Tertiary stratigraphy for the Alaska Peninsula (abs.): Alaska Geological Society Symposium, Anchorage, 1982, Program with Abstracts, p. 5.

AG

Dickenson, W. R., 1982, Compositions of sandstones in circum-Pacific subduction complexes and fore-arc basins: American Association of Petroleum Geologists Bulletin, v. 66, no. 2, p. 121-137.

AG

Dixon, J. S., 1982, Mesozoic-Cenozoic tectonic evolution of western North America - alternative to the orocline (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 7, p. 964.

AG

Dolton, G. L., Carlson, K. H., Charpentier, R. R., Coury, A. B., Crovelli, R. A., Frezon, S. E., Khan, A. S., Lister, J. H., McMullin, R. H., Pike, R. S., Powers, R. B., Scott, E. W., and Varnes, K. L., 1981, Estimates of undiscovered recoverable conventional resources of oil and gas in the United States: U.S. Geological Survey Circular 860, 87 p.

AG, OF

Engdahl, E. R., Dewey, J. W., and Billington, Selena, 1982, Evidence for contortion of the subducted plate in the central Aleutians (abs.): Eos (American Geophysical Union Transactions), v. 63, no. 18, p. 439.

AG, OF

Engdahl, E. R., Dewey, J. W., and Fujita, Kazuya, 1982, Earthquake location in island arcs: Physics of the Earth and Planetary Interiors, v. 30, no. 2/3, p. 145-150.

AG, OF

Evenson, E. B., Stephens, G. C., Curtin, G. C., and Tripp, R. B., 1982, Geochemical exploration using englacial debris, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 108-110.

AG, MH

Fisher, M. A., 1982, Geology of Norton Basin, northern Bering Sea (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 569.

AG, OF, NM, SC, SO

ALASKA GENERAL

Fisher, M. A., 1982, Petroleum geology of Norton Basin, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 286-301.
AG, OF, BL, NM, NR, SL, SC, SO, UL

Fisher, M. A., and Holmes, M. L., 1982, Geology and petroleum potential of the Norton Basin area, Alaska (abs.): Alaska Geological Society Symposium, Anchorage, AK, 1982, Program with Abstracts, p. 31-32.
OF

Frohlich, Cliff, Billington, Selena, Engdahl, E. R., and Malahoff, Alexander, 1982, Detection and location of earthquakes in the central Aleutian subduction zone using island and ocean bottom seismograph stations: Journal of Geophysical Research, v. 87, no. B8, p. 6853-6864.
AG, OF

Fujita, Kazuya, Engdahl, E. R., and Sleep, N. H., 1981, Subduction zone calibration and teleseismic relocation of thrust zone events in the central Aleutian Islands: Seismological Society of America Bulletin, v. 71, no. 6, p. 1805-1828.
AG, OF

Gedney, Larry, and Estes, Steven, 1982, A recent earthquake on the Denali fault in the southeast Alaska Range: Alaska Division of Geological and Geophysical Surveys Geologic Report 73, p. 51-54.
AG, NB

Godson, R. H., compiler, 1982, Composite magnetic anomaly map of the United States: Part B - Alaska and Hawaii: U.S. Geological Survey Open-File Report 82-970, 21 p., scale 1:2,500,000, 2 sheets.
AG

Grantz, Arthur, Barnes, D. F., Biswas, N. N., Brosge, W. P., Bruns, T. R., Cady, J. W., Chapman, R. M., Dillon, J. T., Hamilton, T. D., Jones, D. L., Lachenbruch, A. H., Mull, C. G., Page, R. A., Patton, W. W., Jr., Plafker, G., Stone, D. B., and Winkler, G. R., 1982, A continental ocean transect (Corridor A-3) across central Alaska from the Pacific to the Arctic (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 501.
AG, OF

Grantz, Arthur, Carlson, C., Jones, D. L., Plafker, George, Yorath, C. J., and Woodsworth, G. J., 1982, Development of the continental margin of North America from the Queen Charlotte Islands to the Gulf of Alaska: Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 501.
AG, OF

Gryc, George, 1982, Petroleum exploration in the National Petroleum Reserve in Alaska, in U.S. Geological Survey, U.S. Geological Survey activities, fiscal year 1981: U.S. Geological Survey Circular 875, p. 14-21.
AG, BP, BW, HR, IK, KL, LR, TS, UT, WA

ALASKA GENERAL

- Hamilton, T. D., 1982, A late Pleistocene glacial chronology for the southern Brooks Range: Stratigraphic record and regional significance: Geological Society of America Bulletin, v. 93, no. 8, p. 700-716.
AG, BV, BT, CH, HE, HU, MH, SP, WI
- Hamilton, T. D., Calkin, P. E., and Ellis, J. M., 1982, Holocene climatic change, alluviation, and cirque-glacier expansion in the Brooks Range, Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 505-506.
AG
- Hamilton, T. D., and Hopkins, D. M., 1982, Correlation of northern Alaskan glacial deposits - A provisional stratigraphic framework, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 15-18.
AG, NM, SO
- Hamilton, T. D., and Obi, C. M., 1981, Pingos in the Brooks Range, northern Alaska U.S.A.: Arctic and Alpine Research, v. 14, no. 1, p. 13-20.
AG
- Hess, G. R., and Nelson, C. H., 1982, Geology report for proposed Norton Sound OCS sand and gravel lease sale: U.S. Geological Survey Open-File Report 82-997, 48 p.
AG, OF
- Hillhouse, J. W., and Gromme, C. S., 1982, Limits to northward drift of the Paleocene Cantwell Formation, central Alaska: Geology, v. 10, no. 10, p. 552-556.
AG, HE
- Hitzman, M. W., 1982, The metamorphic petrology of the southwestern Brooks Range, Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 173.
AG
- Hopkins, D. M., 1982, Abortive glaciations at high altitudes indicated by glacio-marine deposits, Gubik Formation, northern Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 80.
AG
- Hopkins, D. M., 1982, Offshore permafrost studies and shoreline history as an aid to predicting offshore permafrost conditions--1980-81 (abs.): (OCSEAP) Alaska Office Newsletter, no. 15, p. 78
AG, OF
- Huck, R. W., and Rawlinson, S. E., 1982, Peat resource inventory of south-central Alaska, a data report: Alaska Division of Geological and Geophysical Surveys Open-File Report 150, 88 p.
AG, AN, DI, TL, TY

Hudson, Travis, and Plafker, George, 1982, Paleogene metamorphism of an accretion flysch terrane, eastern Gulf of Alaska: Geological Society of America Bulletin, v. 93, no. 12, p. 1280-1290.
AG

Huffman, A. C., Kirk, A. R., and Molenaar, C. M., 1982, Uranium investigations--northeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 41-43.
AG/*, DP/*, ML/*

Jackson, J. B., and Dorrier, R. T., 1980, Outer Continental Shelf oil and gas activities in the Gulf of Alaska (including Lower Cook Inlet) and their onshore impacts: A summary report, September, 1980: U.S. Geological Survey Open-File Report 80-1028, 78 p.
AG, AF, IB, IL, MI, SV

Jackson, J. B., Golden, B. F., Stadnychenko, Anne, and Kolasinski, Sharon, 1981, Outer Continental Shelf oil and gas information program--Arctic summary report: U.S. Geological Survey Open-File Report 81-621, 137 p.
AG, OF

Jackson, J. B., and Pretz, B. C., 1982, Outer Continental Shelf oil and gas information program--Update 1, May 1982, OCS and onshore oil and gas activities in the Arctic--A summary report, October 1981: U.S. Geological Survey Open-File Report 82-19, 76 p.
AG, OF

Jess, G. R., and Nelson, C. H., 1982, Geology report for proposed Norton Sound OCS sand and gravel lease sale: U.S. Geological Survey Open-File Report 82-997, 48 p.
AG, OF

Jones, D. L., Cox, Allan, Coney, Peter, and Beck, Myrl, 1982, The growth of western North America: Scientific American, v. 247, no. 5, p. 70-84.
AG

Jones, D. L., and Silberling, N. J., 1982, Mesozoic stratigraphy - the key to tectonic analysis of southern and central Alaska, in Leviton, A. E., and others, eds., 1982, Frontiers of geological exploration of western North America: San Francisco, Calif., American Association of Petroleum Geologists, Pacific Division, p. 139-153.
AG

Jones, D. L., and Silberling, N. J., 1982, Stratigraphic analysis of accreted terranes in the Cordillera of western North America (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 523.
AG

ALASKA GENERAL

- Jones, D. L., Silberling, N. J., Berg, H. C., and Plafker, George, 1982, Tectonostratigraphic terrane map of Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 1, 3-5.
AG
- Jones, D. L., Silberling, N. J., and Coney, P. J., 1982, Timing of major accretionary events in Alaska (abs.): Eos (American Geophysical Union Transactions), v. 63, no. 45, p. 913-914.
AG
- Jones, D. L., Silberling, N. J., Gilbert, Wyatt, and Coney, Peter, 1982, Character, distribution, and tectonic significance of accretionary terranes in the central Alaska Range: Journal of Geophysical Research, v. 87, no. 5, p. 3709-3717.
AG
- Karl, S. M., 1982, Geochemical and depositional environments of Upper Mesozoic radiolarian cherts from the northeastern Pacific rim and from Pacific DSDP cores (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 525.
AG. OF
- Karl, S. M., Decker, J. E., and Johnson, B. R., 1982, Discrimination of Wrangellia and the Chugach terrane in the Kelp Bay Group on Chichagof and Baranof Islands, southeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 124-128.
AG, SI
- Karlstrom, T. N. V., 1981, Detailed Holocene records of paleoclimate from western North America, marine-terrestrial correlations and glacioeustatic implications (abs.), in Mahaney, W. C., ed., (1981), Quaternary paleoclimate: Norwich, England, Geo Abstracts, p. 45-46.
AG
- Kienle, Juergen, and Swanson, S. E., 1982, Plate subduction and volcanism in the eastern Aleutian arc: 1, seismicity (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 529-530.
AG
- Kienzle, J. K., 1981, Seismic technology and permafrost, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 63-65.
AG, TS

ALASKA GENERAL

Lachenbruch, A. H., Sass, J. H., Lawver, L. A., Brewer, M. C., and Moses, T. H., Jr., 1982, Depth and temperature of permafrost on the Alaskan Arctic Slope: preliminary results: U.S. Geological Survey Open-File Report 82-1039, 30 p.

AG

Lawver, L. A., 1981, Geothermal gradients on the North Slope, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 81-83.

AG, BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA

McCarthy, J., Scholl, D. W., Mann, D., Vallier, T. L., and Stevenson, A. J., 1982, Mechanism of accretion along the Aleutian Trench (abs.): Eos (American Geophysical Union Transactions), v. 63, no. 45, p. 1115.

AG, OF

McLean, Hugh, 1982, Lithologic diversity of Paleogene strata in the Aleutian Islands: insights into ensimatic-arc development (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 214.

AG

Minsch, J. H., Stover, C. W., Dunbar, P. K., and Baldwin, F. W., 1982, Earthquakes in the United States, January-March 1981: U.S. Geological Survey Circular 871-A, p. A1-A33.

AG

Molenaar, C. M., 1982, Depositional history and seismic stratigraphy of Lower Cretaceous rocks, National Petroleum Reserve, Alaska and adjacent areas (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 608.

AG

Molenaar, C. M., Huffman, A. C., and Kirk, A. R., 1982, Cretaceous - Lower Tertiary depositional relations, northeastern Alaska (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 608.

AG, ML

Moll, E. J., and Patton, W. W., Jr., 1982, Preliminary report on the Late Cretaceous and early Tertiary volcanic and related plutonic rocks in western Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 73-76.

AG, MD, OP, UN

Molnia, B. F., Schwab, William, and Fischer, P. J., 1982, Parallel linear scours on the Alaskan continental margin (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 569.

AG, OF

ALASKA GENERAL

- Monger, J. W. H., Price, R. A., and Templeman-Kluit, D. J., 1982, Tectonic accretion and the origin of the two major metamorphic and plutonic welts in the Canadian Cordillera: *Geology*, v. 10, no. 2, p. 70-75.
AG
- Moore, G. W., 1982, Tertiary dismemberment of western North America (abs.): *American Association of Petroleum Geologists Bulletin*, v. 66, no. 7, p. 977.
AG
- Moore, M. G., 1982, Depositional environments and processes of Calico Bluff Formation (Carboniferous), east-central Alaska (abs.): *American Association of Petroleum Geologists Bulletin*, v. 66, no. 5, p. 608.
AG, EA
- Moore, T. E., and Nilsen, T. H., 1982, Fluvial sedimentology of the Upper Devonian and Lower Mississippian(?) Kanayut Conglomerate, Brooks Range, Alaska (abs.): *Geological Society of America Abstracts with Programs*, v. 14, no. 4, p. 218.
AG
- Morrone, J. F., 1982, Bibliography of Alaskan geologic maps by 1:250,000 quadrangle: *U.S. Geological Survey Open-File Report 82-195*, 70 p.
AG
- Nelson, C. H., 1982, Late Pleistocene - Holocene transgressive sedimentation in deltaic and non-deltaic areas of the northeastern Bering epicontinental shelf: *Geologie en Mijnbouw*, v. 61, no. 1, p. 5-18.
AG, OF
- Nelson, C. H., Dupre, William, Field, Michael, and Howard, J. D., 1982, Variation in sand body types on the eastern Bering Sea epicontinental shelf: *Geologie en Mijnbouw*, v. 61, no. 1, p. 37-48.
AG, OF
- Nilsen, T. H., 1981, Upper Devonian and Lower Mississippian redbeds, Brooks Range, Alaska, in Miall, A. D., ed., *Sedimentation and tectonics in alluvial basins*: *Geological Association of Canada Paper 23*, p. 187-219.
AG
- Nokleberg, W. J., Berg, H. C., Lange, I. M., Grybeck, Donald, and Jones, D. L., 1982, Relation of metallogenesis to accreted tectonostratigraphic terranes in Alaska (abs.): *American Association of Petroleum Geologists Bulletin*, v. 66, no. 7, p. 979.
AG
- Nye, C. J., 1982, The Wrangell volcanoes: voluminous volcanism accompanying microplate accretion (abs.): *Geological Society of America Abstracts with Programs*, v. 14, no. 4, p. 221.
AG, MC, VA

O'Leary, R. M., and McDanal, S. K., 1982, Alaskan geochemical field laboratories, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 11-12.

AG

Overstreet, W. C., and Chapman, R. M., 1982, Memorial to John Beaver Mertie, Jr., 1888-1980: Geological Society of America Memorials, v. 12, 8 p.

AG

Page, R. A., Hassler, M. H., Stephens, C. D., and Criley, E. E., 1982, Focal depth of aftershocks of the 1979 St. Elias, Alaska, earthquake (abs.): Eos (American Geophysical Union Transactions), v. 63, no. 45, p. 1039.

AG, MS

Panuska, B. C., and Decker, John, 1982, Paleomagnetic pilot study of the Gravina-Nutzotin belt, Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 223.

AG, PE

Patchett, P. J., and White, W. M., 1982, Hf-Nd-Sr isotopes in island arcs (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 538.

AG

Patton, W. W., Jr., and Gilbert, W. G., 1982, Tectonics of west-central Alaska and the adjoining Bering Sea region (abs.): Alaska Geological Society Symposium, Anchorage, Alaska, 1982, Program with Abstracts, p. 35.

AG, OF

Patton, W. W., Jr., and Moll, E. J., 1982, Structural and stratigraphic sections along a transect between the Alaska Range and Norton Sound, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 76-78.

AG, MG, MD, MM, NR, NL, OP, RU, TL, UL

Pavlis, T. L., 1982, A metamorphosed, pre-Jurassic subduction complex(?) in the western Chugach Mountains, Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 224.

AG

Payne, T. G., 1982, Use of Apple II in mapping geology of coastal plain of National Petroleum Reserve Alaska (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 10, p. 1706.

AG

Pelton, J. R., and Page, R. A., 1982, Focal depth estimates from long-period P-waveform modeling of selected Alaskan teleseisms (abs.): Eos (American Geophysical Union Transactions), v. 63, no. 45, p. 1039.

AG

ALASKA GENERAL

Perkins, J. A., and Sims, J. D., 1981, Relationships between varve thickness and climatic parameters and paleoclimatic reconstruction: U.S. Geological Survey Open-File Report 81-952, 37 p.
AG, JU, KN, SK

Plafker, George, 1981, Late Cenozoic glaciomarine deposits of the Yakataga Formation, Alaska, in Hambrey, M. J., and Harland, W. B., eds., 1981, Earth's pre-Pleistocene glacial record: New York, Cambridge University Press, p. 694-699.
AG

Plafker, George, and Bruns, T. R., 1982, Late Cenozoic subduction - rather than accretion - at the eastern end of the Aleutian Arc (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 589.
AG

Plafker, George, Hudson, Travis, Meyer, Rubin, and Dixon, K. L., 1982, Holocene marine terraces and uplift history in the Yakataga seismic gap near Icy Cape, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 111-115.
AG, BG, IB

Plumley, P. W., and Coe, R. S., 1982, Paleomagnetic evidence for reorganization of the north Cordilleran borderland in late Paleozoic time (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 224.
AG

Rawlinson, S. E., and Hardy, S. B., 1982, Peat resource map of Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 152, 1 p., scale 1:2,500,000.
AG

Reed, B. L., Miesch, A. T., and Lanphere, M. A., 1982, Jurassic magmatic arc in the Alaska-Aleutian Range batholith--Chemical variations and polarity (abs.): Alaska Geological Society Symposium, Anchorage, Alaska, 1982, Program with Abstracts, p. 5-6.
AG

Reed, B. L., Miesch, A. T., and Lanphere, M. A., 1982, Plutonic rocks of Jurassic age in the Alaska-Aleutian Range batholith: Chemical variations and polarity (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 226-227.
AG

Reed, K. M., ed., 1982, The U.S. Geological Survey in Alaska, 1982 programs: U.S. Geological Survey Circular 867, 107 p.
AG

ALASKA GENERAL

Rosenblum, Sam, and Mosier, E. L., 1982, Europium-rich monazite in Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 9-11.

AG

Rubenstone, J. L., O'Brien, T. F., and Citron, G. P., 1982, Low-grade metamorphism controlled by eruptive setting in Aleutian Paleogene volcanic rocks (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 604.

AG, AT

Scholl, D. W., Cooper, A. K., Engdahl, E. R., Hein, J. R., Marlow, M. S., Marsh, B., McLean, Hugh, Vallier, T. L., Vath, S., and Patton, W. W., Jr., 1982, The Aleutian-Bering shelf transect A-1 (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 611.

AG, OF

Scholl, D. W., and Vallier, T. L., 1982, Two-stage igneous, structural, and sedimentary evolution of the Aleutian Ridge - Implications for petroleum and mineral resources (abs.): Alaska Geological Society Symposium, Anchorage, 1982, Program with Abstracts, p. 14-15.

AG, OF

Scholl, D. W., Vallier, T. L., and Stevenson, A. J., 1982, First-order effects of Tertiary interactions between the Pacific and North American plates - Evidence from the Aleutian Ridge (abs.): Eos (American Geophysical Union Transactions), v. 63, no. 45, p. 913.

AG, OF

Scholl, D. W., Vallier, T. L., and Stevenson, A. J., 1982, Sedimentation and deformation in the Amlia fracture zone sector of the Aleutian Trench: Marine Geology, v. 48, no. 1/2, p. 105-134.

AG, OF

Scholl, D. W., von Huene, Roland, and Grantz, Art, 1982, Alaskan geodynamics (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 611.

AG

Shew, Nora, and Wilson, F. H., 1982, Radiometric age file for Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 12-13.

AG

Silberling, N. J., Wardlaw, B. R., and Berg, H. C., 1982, New paleontologic age determinations from the Taku terrane, southeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 117-119.
AG, KC, PR

Smith, P. A., and Brigham, J. K., 1982, Amino-acid stratigraphic studies, Beaufort Sea shelf, northern Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 620-621.
AG, OF

Specht, R. N., Brown, A. E., Carlisle, J. H., and Selman, C. H., 1982, Prudhoe Bay field - geophysical case history (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 634.
AG, BP

Stephens, C. D., Astrue, M. C., Pelton, J. R., Fogelman, K. A., Page, R. A., Lahr, J. C., Allan, M. A., and Helton, S. M., 1982, Catalog of earthquakes in southern Alaska, April-June 1978: U.S. Geological Survey Open-File Report 82-488, 37 p.
AG, OF

Stephens, C. D., and Lahr, J. C., 1982, Seismic studies in southern and southeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska--Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 91-93.
AG, OF, IB, MI, SV

Stephens, C. D., Lahr, J. C., and Rogers, J. A., 1982, Review of earthquake activity and current status of seismic monitoring in the region of the Bradley Lake Hydroelectric Project, southern Kenai Peninsula, Alaska: November 27, 1980-November 30, 1981: U.S. Geological Survey Open-File Report 82-417, 26 p.
AG, BS, KN, SV, SR

Stephens, C. D., and Page, R. A., 1982, Seismic activity in the northern Gulf of Alaska since 1974, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 115-121.
AG, OF

Stevens, C. H., 1982, The Early Permian Thysanophyllum coral belt: another clue to Permian plate-tectonic reconstructions: Geological Society of America Bulletin, v. 93, no. 8, p. 798-803.

AG

ALASKA GENERAL

Stone, D. B., 1982, Triassic paleomagnetic data and paleolatitudes for Wrangellia, Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 73, p. 55-62.
AG

Stone, D. B., and Panuska, B. C., 1982, Paleolatitudes of southern Alaskan displaced terranes (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 237.
AG

Stover, C. W., Minsch, J. H., Smith, P. K., and Baldwin, F. W., 1982, Earthquakes in the United States, October-December 1980: U.S. Geological Survey Circular 853-D, p. D1-D33.
AG

Stover, C. W., Minsch, J. H., Dunbar, P. K., and Reagor, B. G., 1982, Earthquakes in the United States, April-June 1981: U.S. Geological Survey Circular 871-B, p. B1-B33.
AG

Stover, C. W., Minsch, J. H., Dunbar, P. K., and Baldwin, G. W., 1982, Earthquakes in the United States, July-September 1981: U.S. Geological Survey Circular 871-C, p. C1-C34.
AG

Swanson, S. E., and Kienle, Juergen, 1982, Plate subduction and volcanism in the eastern Aleutian arc: 2, petrology (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 628.
AG, MK

Sweeney, J. F., Balkwill, H. R., Grantz, Art, May, S. D., Mayr, U., and Sobczak, L. W., 1982, The continental margin of North America in the Canada Basin of the Arctic Ocean (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 628.
AG, OF

Tailleur, I. L., 1982, Minimum radiometric age for Norian rocks, Late Triassic, northern Alaska, in Odin, G. S., ed., 1982, Numerical dating in stratigraphy, Pt. II: New York, Wiley, p. 934-938.
AG

Thenhaus, P. C., Ziony, J. I., Diment, W. H., Hopper, M. G., Perkins, D. M., Hanson, S. L., and Algermissen, S. T., 1982, Probabilistic estimates of maximum seismic horizontal ground motion on rock in Alaska and the adjacent Outer Continental Shelf, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 5-9.
AG, OF

Trautwein, C. M., Greenlee, D. D., and Orr, D. G., 1982, Digital data base application to porphyry copper mineralization in Alaska - A case study summary: U.S. Geological Survey Open-File Report 82-801, 14 p.
AG

Triplehorn, D. M., 1982, Stream-channel migration controlled by resistant peat or coal beds (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 240.
AG

U.S. Geological Survey, 1982, Geological Survey research 1981: U.S. Geological Survey Survey Professional Paper 1275, 402 p.
AG

U.S. Geological Survey, 1981, Index of Landsat worldwide reference system (WRS): U.S. Geological Survey, scale 1:10,000,000.
AG

U.S. Geological Survey, 1982, 1982 annual report on Alaska's mineral resources: U.S. Geological Survey Circular 884, 59 p.
AG

U.S. Geological Survey, 1982, Publications of the Geological Survey, 1981: U.S. Geological Survey, 327 p.
AG

U.S. Geological Survey, 1982, U.S. Geological Survey activities, fiscal year 1981: U.S. Geological Survey Circular 875, 161 p.
AG

U.S. Geological Survey, 1981, Water resources data for Alaska, water year 1980: U.S. Geological Survey Water Data Report AK-80-1, 373 p.
AG

U.S. Geological Survey, 1982, Water resources data, Alaska, water year 1981: Water Data Report AK-81-1, 395 p.
AG

von Huene, Roland, Detterman, R. L., Fisher, M. A., Moore, J. C., and Pulpan, H., 1982, Aleutian arc-trench system from the Kodiak shelf to the Kuskokwim Mountains, Alaska-Transect A-2 (abs. no. 11815): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 639.
AG, OF

von Huene, Roland, Riddihough, R., and Sanchez Rubio, G., 1982, Active Neogene margin of North America (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 639.
AG

ALASKA GENERAL

Westgate, J. A., 1982, Discovery of a large-magnitude, late Pleistocene volcanic eruption in Alaska: *Science*, v. 218, no. 4574, p. 789-790.
AG

White, E. R., 1982, Reports on Alaska published by U.S. Geological Survey authors in outside publications, 1980, in Coonrad, W. L., ed., *The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844*, p. 166-173.
AG

Williams, J. R., 1982, Design review, Trans-Alaska Oil Pipeline, 1974-1976: *U.S. Geological Survey Open-File Report 82-225*, 140 p.
AG

Wilson, F. H., and Shew, Nora, 1982, Apparent episodicity of magmatic activity deduced from radiometric age determinations, in Coonrad, W. L., ed., *The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844*, p. 13-15.
AG

Winter, T. C., 1982, Bibliography of U.S. Geological Survey studies of lakes and reservoirs - The first 100 years: *U.S. Geological Survey Circular 859*, 35 p.
AG

Yeend, W. E., 1982, Placers and placer mining, in Coonrad, W. L., ed., *The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844*, p. 64.
AG, CI

Yorath, C. J., Woodsworth, G. J., Currie, R. G., Hyndman, R. D., Riddihough, R. P., and Rogers, G. C., 1982, The Pacific continental margin - Queen Charlotte Is. and Coast Mountains, British Columbia (abs.): *Geological Society of America Abstracts with Programs*, v. 14, no. 7, p. 651.
AG

OFFSHORE AREAS

Alpha, T. R., Eitreim, Stephen, and Morley, J. A., 1981, Barrow Canyon, Alaska oblique map: U.S. Geological Survey Open-File Report 81-1296, 1 sheet.
OF, BW

Alpha, T. R., Scholl, D. W., and Vallier, T. L., 1982, Amlia corridor, Alaska oblique map: U.S. Geological Survey Open-File Report 82-138, scale 1:1,000,000.
OF, AD, AM, AK, SA, SU, UK

Austin, W. A., Molnia, B. F., and Schwab, W. G., 1982, Bathymetric map of the north Aleutian Shelf, Bristol Bay, Alaska: U.S. Geological Survey Open-File Report 82-1035, 1 sheet.
OF, BB

Baldauf, J. G., 1982, Identification of the Holocene-Pleistocene boundary in the Bering Sea by diatoms: *Boreas*, v. 11, no. 1, p. 113-118.
OF

Barnes, Ivan, Plafker, George, White, L. D., and Armstrong, A. K., 1982, Potential natural gas in the Gulf of Alaska indicated by calcite depleted in carbon-13, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 143-146.
OF

Barnes, P. W., 1982, Marine ice-pushed boulder ridge, Beaufort Sea, Alaska: Arctic, v. 35, no. 2, p. 312-316.
OF

Barnes, P. W., and Reimnitz, Erk, 1982, Geologic processes and hazards of the Beaufort and Chukchi Sea shelf and coastal regions--1980-81 (abs.): (OCSEAP) Alaska Office Newsletter, no. 15, Oct. 15, 1982, p. 79.
OF

Barnes, P. W., and Reimnitz, Erk, 1982, Net flow of near-bottom water on the inner Beaufort Sea Shelf as determined from seabed drifters: U.S. Geological Survey Open-File Report 82-717, 10 p.
OF, BP, FI, HR

Barnes, P. W., Reimnitz, Erk, and Fox, Dennis, 1982, Ice rafting of fine-grained sediment, a sorting and transport mechanism, Beaufort Sea, Alaska: *Journal of Sedimentary Petrology*, v. 52, no. 2, p. 493-502.
OF

Bois, C., Bouche, P., and Pelet, R., 1982, Global geologic history and distribution of hydrocarbon reserves: *American Association of Petroleum Geologists Bulletin*, v. 66, no. 9, p. 1248-1270.
AG, OF

OFFSHORE AREAS

Bolm, J. G., McCulloh, T. H., and Stewart, R. J., 1982, Diagenesis of sandstones in Lower Cook Inlet Basin, Alaska and its implication for Mesozoic petroleum plays (abs.): Alaska Geological Society Symposium, Anchorage, Alaska, 1982, Program with Abstracts, p. 8.
AG, OF

Bowsher, A. L., ed., 1981, Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, July 16-17, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, 165 p.
AG, OF

Brouwers, E. M., 1982, Re-evaluation of Cytheracean ostracode species identified by Painter (1965) from localities in the northeastern Pacific Ocean and Chukchi Sea: U.S. Geological Survey Open-File Report 82-736, 35 p.
OF

Brouwers, E. M., 1982, Tabulation of the ostracode assemblages and associated fauna and flora from the Van Veen samples taken in the northeast Gulf of Alaska, R/V Discoverer cruise DC2-80-EG, June 1980: U.S. Geological Survey Open-File Report 82-390, 68 p.
OF, IB, YA

Brouwers, E. M., 1982, Tabulation of the ostracode assemblages and associated organisms from selected bottom grab samples taken in the northeast Gulf of Alaska, F.R.S. Townsend Cromwell Cruise EGAL-75KC: Part II: U.S. Geological Survey Open-File Report 82-949, 95 p.
OF, IB, YA, BG, CV, MI

Bruns, T. R., ed., 1982, Hydrocarbon resource report for proposed OCS lease sale 88--Southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, 133 p.
AG, OF

Bruns, T. R., 1982, Structure and petroleum potential of the continental margin between Cross Sound and Icy Bay, northern Gulf of Alaska: U.S. Geological Survey Open-File Report 82-929, 64 p.
OF, BG, IB, MS, SK, YA

Bruns, T. R., and Plafker, George, 1982, Geology, structure, and petroleum potential of the southeastern Alaska and northern Gulf of Alaska continental margins, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 9-52.
OF, BG, BS, CV, CR, DE, IB, MI, MF, PA, SR, SI, YA

OFFSHORE AREAS

Cacchione, D. A., Drake, D. E., and Wiberg, Patricia, 1982, Velocity and bottom-stress measurements in the bottom boundary layers, outer Norton Sound, Alaska: *Geologie en Mijnbouw*, v. 61, no. 1, p. 71-78.
OF

Carlson, P. R., Bruns, T. R., Molnia, B. F., and Schwab, W. C., 1982, Submarine valleys in the northeastern Gulf of Alaska: characteristics and probable origin: *Marine Geology*, v. 47, no. 3/4, p. 217-242.
OF

Carlson, P. R., Herman, A. K., Johnson, K. A., and Fischer, J. M., 1982, Submarine canyons flanking Navarin Basin, Bering Sea, in Coonrad, W. L., ed.: The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 139-141.
OF

Carlson, P. R., and Karl, H. A., 1982, High-resolution seismic reflection profiles: Navarin Basin Province, northern Bering Sea, 1981: U.S. Geological Survey Open-File Report 82-786, 6 p., 1 sheet.
OF

Carlson, P. R., Karl, H. A., Fischer, J. M., and Edwards, B. D., 1982, Geologic hazards in Navarin Basin Province, northern Bering Sea, in Offshore Technology Conference, 14th, Houston, Texas, 1982, (Proceedings) Paper OTC 4 4172, p. 73-78.
OF

Carlson, P. R., Karl, H. A., and Quinterno, Paula, 1982, Sedimentologic processes in world's largest submarine canyons, Bering Sea, Alaska (abs.): *Geological Society of America Abstracts with Programs*, v. 14, no. 7, p. 459-460.
OF

Carlson, P. R., and Schwab, W. C., 1982, Northern Gulf of Alaska environmental geology, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait: U.S. Geological Survey Open-File Report 82-928, p. 73-86.
OF, BS, CV, IB, MI, MF, PA, SI, YA

Collignon, M. A., 1982 Outer Continental Shelf Oil and Gas Information Program, Alaska Index: U. S. Geological Survey Open-File Report 82-18, 81 p.
AG, OF

Collins, K. M., and Stadnychenko, Anne, 1981, Gulf of Alaska and Lower Cook Inlet Summary Report 2 June 1981: U.S. Geological Survey Open-File Report 81-607, 49 p.
AG, OF, BG, IB, YA

OFFSHORE AREAS

Coonrad, W. L., ed., 1982, The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, 178 p.
AG, OF

Cooper, A. K., and Marlow, M. S., 1982, Deep-water basins of the Bering Sea: Tectonics and hydrocarbon potential (abs.): Alaska Geological Society Symposium, Anchorage, Alaska, 1982, Programs with Abstracts, p. 16-17.
OF

Cooper, A. K., Marlow, M. S., and O'Brien, Thomas, 1982, Sonobuoy seismic data collected during 1982 in the Bering Sea: U.S. Geological Survey Open-File Report 82-625, 8 p.
OF

Dinter, D. A., 1982, Holocene marine sediments on the Middle and Outer Continental Shelf of the Beaufort Sea north of Alaska: U.S. Geological Survey Miscellaneous Investigations Map I-1182-B, 5 p., scale 1:500,000, 2 sheets.
OF, BW, BA, BP, DP, FI, HR, TS

Dolton, G. L., Carlson, K. H., Charpentier, R. R., Coury, A. B., Crovelli, R. A., Frezon, S. E., Khan, A. S., Lister, J. H., McMullin, R. H., Pike, R. S., Powers, R. B., Scott, E. W., and Varnes, K. L., 1981, Estimates of undiscovered recoverable conventional resources of oil and gas in the United States: U.S. Geological Survey Circular 860, 87 p.
AG, OF

Dunton, K. H., Reimnitz, Erk, and Schonberg, Susan, 1982, An Arctic kelp community in the Alaskan Beaufort Sea: Arctic, v. 35, no. 4, p. 465-484.
OF, HR

Eittreim, Stephen, Grantz, Arthur, and Greenberg, Jonathan, 1982, Active geologic processes in Barrow Canyon, northeast Chukchi Sea: Marine Geology, v. 50, no. 1/2, p. 61-76.
OF, BW

Engdahl, E. R., Dewey, J. W., and Billington, Selena, 1982, Evidence for contortion of the subducted plate in the central Aleutians (abs.): Eos (American Geophysical Union Transactions), v. 63, no. 18, p. 439.
AG, OF

Engdahl, E. R., Dewey, J. W., and Fujita, Kazuya, 1982, Earthquake location in island arcs: Physics of the Earth and Planetary Interiors, v. 30, no. 2/3, p. 145-150.
AG, OF

Fischer, J. M., Carlson, P. R., and Karl, H. A., 1982, Bathymetric map of Navarin Basin province, northern Bering Sea: U. S. Geological Survey Open-File Report 82-1038, 11 p., scale 1:1,000,000.
OF

OFFSHORE AREAS

Fisher, M. A., 1982, Geology of Norton Basin, northern Bering Sea (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 569.
AG, OF

Fisher, M. A., 1982, Petroleum geology of Norton Basin, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 286-301.
OF, BL, KZ, NM, NR, NL, SL, SC, SF, SO, UL

Fisher, M. A., 1982, Preliminary interpretation of geophysical data over the projected offshore location of the Kaltag fault, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 136-139.
AG, OF, BL, SL

Fisher, M. A., Childs, J. R., and Magistrale, H. W., 1982, Free air gravity map, Norton Basin, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1460, scale 1:250,000.
OF

Fisher, M. A., and Holmes, M. L., 1982, Geology and petroleum potential of the Norton Basin area, Alaska (abs.): Alaska Geological Society Symposium, Anchorage, Alaska, 1982, Program with Abstracts, p. 31-32.
OF

Fisher, M. A., Patton, W. W., Jr., and Holmes, M. L., 1982, Geology of Norton Basin and continental shelf beneath northwestern Bering Sea, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 255-285.
OF, BN, HP, KZ, NM, NR, NL, PH, SL, ST, SC, SP, SO, TE, UN

Fisher, M. A., Patton, W. W., Jr., and Holmes, M. L., 1982, Geology and petroleum potential of Alaska's Norton Basin area: Oil and Gas Journal, v. 80, no. 18, p. 343-370.
OF, BL, BN, HP, KZ, NM, NR, NL, PH, SL, ST, SC, SF, SO, TE, UL

Frohlich, Cliff, Billington, Selena, Engdahl, E. R., and Malahoff, Alexander, 1982, Detection and location of earthquakes in the central Aleutian subduction zone using island and ocean bottom seismograph stations: Journal of Geophysical Research, v. 87, no. B8, p. 6853-6864.
AG, OF

Fujita, Kazuya, Engdahl, E. R., and Sleep, N. H., 1981, Subduction zone calibration and teleseismic relocation of thrust zone events in the central Aleutian Islands: Seismological Society of America Bulletin, v. 71, no. 6, p. 1805-1828.
AG, OF

OFFSHORE AREAS

Grantz, Arthur, Barnes, D. F., Biswas, N. N., Brosge, W. P., Bruns, T. R., Cady, J. W., Chapman, R. M., Dillon, J. T., Hamilton, T. D., Jones, D. L., Lachenbruch, A. H., Mull, C. G., Page, R. A., Patton, W. W., Jr., Plafker, George, Stone, D. B., and Winkler, G. R., 1982, A continental ocean transect (Corridor A-3) across central Alaska from the Pacific to the Arctic (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 501.
AG, OF

Grantz, Arthur, Carlson, C., Jones, D. L., Plafker, George, Yorath, C. J., and Woodsworth, G. J., 1982, Development of the continental margin of North America from the Queen Charlotte Islands to the Gulf of Alaska: Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 501.
AG, OF

Grantz, Arthur, Dinter, D. A., Hill, Edwin, and Chase, T. E., 1982, Map showing tracklines of high-resolution Uniboom seismic-reflection profiles collected August 31 through September 21, 1980, in the Chukchi Sea, Alaska: U.S. Geological Survey Open-File Report 82-527, scale 1:1,000,000.
OF, KZ, NT, PH, PL, SF

Grantz, Arthur, Dinter, D. A., Hill, E. R., Hunter, R. E., May, S. D., McMullin, R. H., and Phillips, R. L., 1982, Geologic framework, hydrocarbon potential, and environmental conditions for exploration and development of proposed oil and gas lease sale 85 in the central and northern Chukchi Sea--A summary report: U.S. Geological Survey Open-File Report 82-1053, 89 p.
OF

Grantz, Arthur, Dinter, D. A., Hill, E. R., May, S. D., McMullin, R. H., Phillips, R. L., and Reimnitz, Erk, 1982, Geologic framework, hydrocarbon potential, and environmental conditions for exploration and development of proposed oil and gas lease sale 87 in Beaufort and northeast Chukchi Seas - A summary report: U.S. Geological Survey Open-File Report 82-482, 71 p.
OF, BW, BA, BP, FI, HR, MR, TS, WA

Grantz, Arthur, Mann, D. M., and May, S. D., 1982, Tracklines of multichannel seismic-reflection data collected by the U.S. Geological Survey in the Beaufort and Chukchi Seas in 1977 for which profiles and stack tapes are available: U.S. Geological Survey Open-File Report 82-735, scale 1:650,000 approx.
OF, BW, BA, BP, DP, FI, HR, PH, SF, WA

Grantz, Arthur, and May, S. D., 1982, A preliminary look at the geologic structure of the United States Chukchi shelf (abs.): Alaska Geological Society Symposium, Anchorage, Alaska, 1982, Program with Abstracts, p. 46-48.
OF

OFFSHORE AREAS

- Grantz, Arthur, May, S. D., and Mann, D. M., 1982, Tracklines of multichannel seismic reflection data collected in the Beaufort and Chukchi Seas in 1977 for which demultiplexed field tapes are available from the U.S. Geological Survey: U.S. Geological Survey Open-File Report 82-651, scale 1:500,000. OF, BW, BA, BP, FI, HR, PH, SF
- Hammond, R. D., and Gaither, J. R., 1982, Anomalous seismic character - Bering Sea (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 576-577. OF
- Hampton, M. A., 1982, Shallow faulting, bottom instability, and movement of sediment in Lower Cook Inlet and western Gulf of Alaska (abs.): (OCSEAP) Alaska Office Newsletter, no. 15, Oct. 15, 1982, p. 59-64. OF, AF, BS, IL, KG, KD, SV
- Hampton, M. A., 1982, Synthesis report: Environmental geology of Kodiak Shelf, Alaska: U.S. Geological Survey Open-File Report 82-59, 76 p. OF, AF, KG, KD, TI
- Hampton, M. A., 1982, Synthesis report: Environmental geology of Lower Cook Inlet, Alaska: U. S. Geological Survey Open-File Report 82-197, 55 p. OF, AF, IL, KN, SV
- Hampton, M. A., and Kvenvolden, K. A., 1981, Geology and geochemistry of gascharged sediment on Kodiak Shelf, Alaska: Geo-Marine Letters, v. 1, no. 2, p. 141-147. OF, KD
- Hanley, P. T., and Wade, W. W., 1982, Developing the petroleum resources of Bering Sea - technology, economics, and geology (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 7, p. 970. OF
- Harbert, W. P., Scholl, D. W., Mann, D. M., Vallier, T. L., and Stevenson, A. J., 1982, Geologic and tectonic history of Atka Basin, Aleutian Ridge (abs.): Eos (American Geophysical Union Transactions), v. 63, no. 45, p. 1115. OF, AK
- Hess, G. R., and Nelson, C. H., 1982, Geology report for proposed Norton Sound OCS sand and gravel lease sale: U.S. Geological Survey Open-File Report 82-997, 48 p. AG, OF
- Holmes, M. L., and Thor, D. R., 1982, Distribution of gas-charged sediment in Norton Sound and Chirikov Basin, northeastern Bering Sea: Geologie en Mijnbouw, v. 61, no. 1, p. 79-89. OF

OFFSHORE AREAS

- Hopkins, D. M., 1982, Offshore permafrost studies and shoreline history as an aid to predicting offshore permafrost conditions--1980-81 (abs.): (OCSEAP) Alaska Office Newsletter, no. 15, p. 78.
AG, OF
- Howard, J. D., and Nelson, C. H., 1982, Sedimentary structures on a delta-influenced shallow shelf, Norton Sound, Alaska: Geologie en Mijnbouw, v. 61, no. 1, p. 29-36.
OF
- Hunter, R. E., Thor, D. R., and Swisher, M. L., 1982, Depositional and erosional features of the inner shelf, northeastern Bering Sea: Geologie en Mijnbouw, v. 61, no. 1, p. 49-62.
OF
- Jackson, J. B., Golden, B. F., Stadnychenko, Anne, and Kolasinski, Sharon, 1981, Outer Continental Shelf oil and gas information program--Arctic summary report: U.S. Geological Survey Open-File Report 81-621, 137 p.
AG, OF
- Jackson, J. B., and Kurz, F. N., 1982, Gulf of Alaska and Lower Cook Inlet summary report 3, June 1982, second revision of OCS oil and gas activities in the Gulf of Alaska (including Lower Cook Inlet) and their onshore impacts--A summary report, September 1980: U.S. Geological Survey Open-File Report 82-20, 79 p.
OF, AF, CV, IL, KR, KN, SV, TY, UG
- Jackson, J. B., and Pretz, B. C., 1982, Outer Continental Shelf oil and gas information program--Update 1, May 1982, OCS and onshore oil and gas activities in the Arctic--A summary report, October 1981: U.S. Geological Survey Open-File Report 82-19, 76 p.
AG, OF
- Jess, G. R., and Nelson, C. H., 1982, Geology report for proposed Norton Sound OCS sand and gravel lease sale: U.S. Geological Survey Open-File Report 82-997, 48 p.
AG, OF
- Karl, H. A., and Carlson, P. R., 1982, Location and description of sediment samples: Navarin Basin province, Bering Sea, 1980-81: U.S. Geological Survey Open-File Report 82-958, 6 p., scale 1:1,000,000, 2 sheets.
OF
- Karl, H. A., Carlson, P. R., and Lamb, Beth, 1982, Sediment waves in the head of Navarinsky, Pervenets, and Zhemchug Canyons, northwestern Bering Sea, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 141-143.
OF

OFFSHORE AREAS

Karl, S. M., 1982, Geochemical and depositional environments of Upper Mesozoic radiolarian cherts from the northeastern Pacific rim and from Pacific DSDP cores (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 525.
AG, OF

Magoon, L. B., and Claypool, G. E., 1981, Petroleum geology of Cook Inlet basin, Alaska - An exploration model: American Association of Petroleum Geologists Studies in Geology 12, p. 355-374.
OF, AF, IL, KN, SV, TY

Marlow, M. S., and Cooper, A. K., 1982, Hydrocarbon potential of sedimentary basins of the Bering Sea shelf (abs.): Alaska Geological Society Symposium, Anchorage, Alaska, 1982, Program with Abstracts, p. 12-14.
OF

Marlow, M. S., Cooper, A. K., Smith, G. L., and Chase, T. E., 1982, Multichannel seismic-reflection profiles collected in 1980 in the northern Bering Sea: U.S. Geological Survey Open-File Report 82-1090, 3 p.
OF

McCarthy, J., Scholl, D. W., Mann, D. M., Vallier, T. L., and Stevenson, A. J., 1982, Mechanism of accretion along the Aleutian Trench (abs.): Eos (American Geophysical Union Transactions), v. 63, no. 45, p. 1115.
AG, OF

McCoy, Scott, Jr., 1982, Gulf of Alaska: a cold bath (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 603.
OF

McDougall, Kristin, 1982, Microfaunal analysis of Late Quaternary deposits of the northern Bering Sea: Geologie en Mijnbouw, v. 61, no. 1, p. 19-27.
OF

McMullin, R. H., 1982, Resource assessment, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 68-72.
OF, AF, BG, IB, IL, MK, SV, YA

Milton, D. J., 1981, Methane hydrate in the sea floor - a significant resource? in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 73-80.
AG, OF

Molnia, B. F., 1982, Erosion, deposition, faulting, and instability of shelf sediments, eastern Gulf of Alaska (abs.): (OCSEAP) Alaska Office Newsletter, no. 15, p. 55-58.
OF

OFFSHORE AREAS

- Molnia, B. F., and Rappeport, M. L., 1982, Mosaic of pockmarked sea-floor area near the Alsek River, northeastern Gulf of Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 146-148.
OF, YA
- Molnia, B. F., Schwab, William, and Fischer, P. J., 1982, Parallel linear scours on the Alaskan continental margin (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 569.
AG, OF
- Nelson, C. H., 1982, Late Pleistocene - Holocene transgressive sedimentation in deltaic and non-deltaic areas of the northeastern Bering epicontinental shelf: Geologie en Mijnbouw, v. 61, no. 1, p. 5-18.
AG, OF
- Nelson, C. H., Dupré, William, Field, Michael, and Howard, J. D., 1982, Variation in sand body types on the eastern Bering Sea epicontinental shelf: Geologie en Mijnbouw, v. 61, no. 1, p. 37-48.
AG, OF
- Nelson, C. H., Field, M. E., Cacchione, D. A., Nilsen, T. H., and Drake, D. E., 1982, Ripples and sand waves in Norton Basin--Bed form activity and scour potential: U.S. Geological Survey Open-File Report 80-659, 19 p.
OF
- Nelson, C. H., and Nio, Swie-Djin, 1982, The northeastern Bering shelf: New perspectives of epicontinental shelf processes and depositional products - an introduction: Geologie en Mijnbouw, v. 61, no. 1, p. 2-4.
OF
- Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA
- Nio, Swie-Djin, and Nelson, C. H., 1982, The North Sea and northeastern Bering Sea: A comparative study of the occurrences and geometry of sand bodies of two shallow epicontinental shelves: Geologie en Mijnbouw, v. 61, no. 1, p. 105-114.
OF
- Olsen, H. W., Clukey, E. C., and Nelson, C. H., 1982, Geotechnical characteristic of bottom sediment in the northeastern Bering Sea: Geologie en Mijnbouw, v. 61, no. 1, p. 91-103.
OF

OFFSHORE AREAS

Patton, W. W., Jr., and Gilbert, W. G., 1982, Tectonics of west-central Alaska and the adjoining Bering Sea region (abs.): Alaska Geological Society Symposium, Anchorage, Alaska, 1982, Program with Abstracts, p. 35.
AG, OF

Rappeport, M. L., and Cacchione, D. A., 1982, Sediment dynamics, drag partitioning and tidal flow characteristics within a field of large sand waves, lower Cook Trough, Cook Inlet, Alaska (abs.): Eos (American Geophysical Union Transactions), v. 63, no. 45, p. 981.
OF, IL, SV

Reimnitz, Erk, Barnes, P. W., Rearic, D. M., Minkler, P. W., Kempema, E. W., and Reiss, T. E., 1982, Marine geological investigations in the Beaufort Sea in 1981 and preliminary interpretations for regions from the Canning River to the Canadian border: U.S. Geological Survey Open-File Report 82-974, 67 p.

OF, BA, BP, DP, FI, HR

Reimnitz, Erk, and Kempema, Edward, 1982, Dynamic ice-wallow relief of northern Alaska's nearshore: Journal of Sedimentary Petrology, v. 52, no. 2, p. 451-461.
OF

Reimnitz, Erk, and Kempema, E. W., 1982, High rates of bedload transport measured from infilling rate of large strudel-scour craters in the Beaufort Sea, Alaska: U.S. Geological Survey Open-File Report 82-588, 19 p.
OF, BP, HR

Reimnitz, Erk, Kempema, Edward, and Ross, C. R., 1982, Observations on the mode and rate of decay of an artificial ice island in the Alaskan Beaufort Sea: Offshore Technology Conference, 14th, Houston, Tex., 1982, Proceedings, Paper OTC 4310, p. 121-125.
OF

Samuels, W. B., Hopkins, Dorothy, and Lanfear, K. J., 1982, An oilspill risk analysis for the Beaufort Sea, Alaska (proposed sale 71) Outer Continental Shelf lease area: U.S. Geological Survey Open-File Report 82-13, 111 p.
OF, BP, FI, HR, TS

Samuels, W. B., LaBelle, R. P., and Amstutz, D. E., 1982, Oilspill trajectory modelling in Alaskan waters (abs.): Eos (American Geophysical Union Transactions), v. 63, no. 4, p. 109.
OF

Scholl, D. W., Cooper, A. K., Engdahl, E., Hein, J. R., Marlow, M. S., Marsh, B., McLean, Hugh, Vallier, T. L., Vath, S., and Patton, W. W., Jr., 1982, The Aleutian-Bering shelf transect A-1 (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 611.
AG, OF

OFFSHORE AREAS

Scholl, D. W., and Vallier, T. L., 1982, Two-stage igneous, structural, and sedimentary evolution of the Aleutian Ridge - Implications for petroleum and mineral resources (abs.): Alaska Geological Society Symposium, Anchorage, Alaska, 1982, Program with Abstracts, p. 14-15.
AG, OF

Scholl, D. W., Vallier, T. L., and Stevenson, A. J., 1982, First-order effects of Tertiary interactions between the Pacific and North American plates - Evidence from the Aleutian Ridge (abs.): Eos (American Geophysical Union Transactions), v. 63, no. 45, p. 913.
AG, OF

Stephens, C. D., Astrue, M. C., Pelton, J. R., Fogleman, K. A., Page, R. A., Lahr, J. C., Allan, M. A., and Helton, S. M., 1982, Catalog of earthquakes in southern Alaska, April-June 1978: U.S. Geological Survey Open-File Report 82-488, 37 p.
AG, OF

Stephens, C. D., and Lahr, J. C., 1982, Seismic studies in southern and southeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska--Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 91-93.
OF, IB, MI, SV

Stephens, C. D., and Page, R. A., 1982, Seismic activity in the northern Gulf of Alaska since 1974, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 115-121.
AG, OF

Smith, P. A., and Brigham, J. K., 1982, Amino-acid stratigraphic studies, Beaufort Sea shelf, northern Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 620-621.
AG, OF

Sweeney, J. F., Balkwill, H. R., Grantz, Arthur, May, S. D., Mayr, U., and Sobczak, L. W., 1982, The continental margin of North America in the Canada Basin of the Arctic Ocean (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 628.
AG, OF

Thenhaus, P. C., Ziony, J. I., Diment, W. H., Hopper, M. G., Perkins, D. M., Hanson, S. L., and Algermissen, S. T., 1982, Probabilistic estimates of maximum seismic horizontal ground motion on rock in Alaska and the adjacent Outer Continental Shelf, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 5-9.
AG, OF

OFFSHORE AREAS

U.S. Geological Survey, Conservation Division, 1981, Arctic Outer Continental Shelf orders governing oil and gas lease operations: U.S. Geological Survey, variously paged.
OF

von Huene, Roland, Detterman, R. L., Fisher, M., Moore, J. C., and Pulpan, H., 1982, Aleutian arc-trench system from the Kodiak Shelf to the Kuskokwim Mountains, Alaska--Transect A-2 (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 639.
AG, OF

ADAK QUADRANGLE

Alpha, T. R., Scholl, D. W., and Vallier, T. L., 1982, Amlia corridor, Alaska oblique map: U.S. Geological Survey Open-File Report 82-138, scale 1:1,000,000.
AD, AM, AK, OF, SA, SU, UK

Kay, S. M., and Kay, R. W., 1982, Mafic mineralogy in calc-alkaline Aleutian volcanic rocks: evidence for primitive magmas and magma mixing (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 526.
AD, AK, KK, RI

Myers, J. D., Marsh, B. D., and Sinha, A. K., 1982, Intra- and inter-volcanic center isotopic variations: Adak and Atka, Aleutian Islands, Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 573.
AD, AK

AFOGNAK QUADRANGLE

- Boyce, R. L., 1982, Depositional systems in Naknek Formation, Late Jurassic, Lower Cook Inlet, Alaska (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 551.
AF, IL, KN
- Bolm, J. G., McCulloh, T. H., and Stewart, R. J., 1982 Diagenesis of sandstones in Lower Cook Inlet Basin, Alaska and its implication for Mesozoic petroleum plays (abs.): Alaska Geological Society Symposium, Anchorage, Alaska, 1982, Program with Abstracts, p. 8.
OF, AF, IL, KN, SV
- Fisher, M. A., and Magoon, L. B., 1982, Geology, structure, and petroleum potential of the Lower Cook Inlet-Shelikof Strait region, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 53-67.
AF, AN, IL, KR, KN, KD, MK, SV, TY, UG
- Hampton, M. A., 1982, Lower Cook Inlet environmental geology, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 95-105.
AF, IL, KN, MK, SV
- Hampton, M. A., 1982, Shelikof Strait environmental geology, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OSC Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U. S. Geological Survey Open-File Report 82-928, p. 106-114.
OF, AF, KR, KD, MK
- Hampton, M. A., 1982, Synthesis report: Environmental geology of Kodiak Shelf, Alaska: U.S. Geological Survey Open-File Report 82-59, 76 p.
OF, AF, KG, KD, TI
- Hampton, M. A., 1982, Synthesis report: Environmental geology of Lower Cook Inlet, Alaska: U.S. Geological Survey Open-File Report 82-197, 55 p.
AF, IL, KN, SV
- Imlay, R. W., 1981 (1982), Late Jurassic ammonites from Alaska: U.S. Geological Survey Professional Paper 1190, 40 p., 12 plates.
AF, AN, CG, IL, KR, MC, MK, ML, SV, SW, UG
- Jackson, J. B., and Dorrier, R. T., 1980, Outer Continental Shelf oil and gas activities in the Gulf of Alaska (including Lower Cook Inlet) and their onshore impacts: A summary report, September, 1980: U.S. Geological Survey Open-File Report 80-1028, 78 p.
AG, AF, IB, IL, MI, SV

AFOGNAK QUADRANGLE

Jackson, J. B., and Kurz, F. N., 1982, Gulf of Alaska and Lower Cook Inlet summary report 3, June 1982, second revision of OCS oil and gas activities in the Gulf of Alaska (including Lower Cook Inlet) and their onshore impacts--A summary report, September 1980: U.S. Geological Survey Open-File Report 82-20, 79 p.

OF, AF, CV, IL, KR, KN, SV, TY, UG

Magoon, L. B., and Claypool, G. E., 1981, Petroleum geology of Cook Inlet basin, Alaska - An exploration model: Tulsa, Okla., American Association of Petroleum Geologists Studies in Geology 12, p. 355-374.

OF, AF, IL, KN, SV, TY

McMullin, R. H., 1982, Resource assessment, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 68-72.

OF, AF, BG, IB, IL, MK, SV, YA

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.

OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

Rappeport, M. L., 1982, An analysis of oceanographic and meteorological conditions for central Lower Cook Inlet, Alaska: U.S. Geological Survey Open-File Report 82-128, 47 p.

AF, IL, KN, SV

AMBLER RIVER QUADRANGLE

Armstrong, A. K., 1982, Petrography and cathode luminescence of carbonate rocks at Bornite, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 38-40.

AR/*

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981, Critical and strategic minerals in Alaska - cobalt, the platinum-group metals, and chromite: U.S. Bureau of Mines Information Circular 8869, 8 p.
AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*, PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*

Childers, J. M., and Kernodle, D. R., 1981, Hydrologic reconnaissance of the Noatak River Basin, Alaska: U.S. Geological Survey Water Resources Investigation 81-1005, 38 p.

AR, BM, HW, MU, NT

Childers, Joseph, and Kernodle, D. R., 1982, Hydrologic reconnaissance of the Kobuk River basin, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 80-81.

AR, BM, HU, SH, SP

Hitzman, M. W., Smith, T. E., and Proffett, J. M., 1982, Bedrock geology of the Ambler district, southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 75, scale 1:125,000, 2 sheets.

AR, HU, SH, SP

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

Nilsen, T. H., and Moore, T. E., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central and western Brooks Range, Alaska - Report of 1981 field season: U.S. Geological Survey Open-File Report 82-674, 63 p.
AC, AG, AR, BM, CL, DL, HW, KL, MU, NT, PS, SP, TB, WI

Nilsen, T. H., Moore, T. E., Balin, D. F., and Johnson, S. Y., 1982, Sedimentology and stratigraphy of the Kanayut conglomerate, central Brooks Range, Alaska - Report of 1980 field season: U.S. Geological Survey Open-File Report 82-199, 85 p.
AC, AG, AR, CH, CL, DP, HW, KL, ML, PS, SP, TB, TS, WI

AMBLER RIVER QUADRANGLE

Peterson, G. R., Bleiwas, D. I., and Thomas, P. R., 1981, Cobalt availability, domestic - a minerals availability system assessment: U.S. Bureau of Mines Information Circular 8848, 31 p.
AR/*, SI/*

AMUKTA QUADRANGLE

Alpha, T. R., Scholl, D. W., and Vallier, T. L., 1982, Amlia corridor, Alaska
oblique map: U.S. Geological Survey Open-File Report 82-138, scale
1:1,000,000.
OF, AD, AM, AK, SA, SU, UK

ANCHORAGE QUADRANGLE

Bartsch-Winkler, Susan, 1982, Physiography, texture, and bedforms in Knik Arm, Upper Cook Inlet, Alaska, during June and July 1980: U.S. Geological Survey Open-File Report 82-464, 6 p., scale 1:63,360.
AN, TY

Burns, L. E., 1982, Gravity and aeromagnetic modelling of a large gabbroic body near the Border Ranges fault, southern Alaska: U.S. Geological Survey Open-File Report 82-460, 72 p., scale 1:250 000, 3 sheets.
AG, AN, VA

Cameron, C. C., Malterer, T. J., Rawlinson, S. E., and Hardy, S. B., 1981, Surficial geology and peat resources map of the Houston area, Susitna Valley, Alaska: U.S. Geological Survey Open-File Report 81-1301, scale 1:15,840, 2 sheets.
AN

Cameron, C. C., Malterer, T. J., Rawlinson, S. E., and Hardy, S. B., 1981, Surficial geology and peat resources map of the Rogers Creek area, Susitna Valley, Alaska: U.S. Geological Survey Open-File Report 81-1302, scale 1:15,840, 3 sheets.
AN

Conwell, C. N., Triplehorn, D. M., and Gerrell, V. M., 1982, Coals of the Anchorage quadrangle: Alaska Division of Geological and Geophysical Surveys Special Report 17, 8 p., scale 1:250,000, 4 sheets.
AN

Cowing, D. J., and Emanuel, Richard, 1982, Water resources studies of the Anchorage area, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 117.
AN

Deeter, Gary, and George, R. S., 1982, Hydrologic data from test well and low-flow investigations in the middle reach of the Eagle River valley, Alaska, 1980-81: U.S. Geological Survey Open-File Report 82-362, 13 p.
AN

Emanuel, R. P., and Cowing, D. H., 1982, Hydrology for land-use planning: The Potter Creek area, Anchorage, Alaska: U.S. Geological Survey Water Resources Investigations Open-File Report 82-86, 2 sheets.
AN

Fisher, M. A., and Magoon, L. B., 1982, Geology, structure, and petroleum potential of the Lower Cook Inlet-Shelikof Strait region, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 53-67.
AF, AN, IL, KR, KN, KD, MK, SV, TY, UG

ANCHORAGE QUADRANGLE

Huck, R. W., and Rawlinson, S. E., 1982, Peat resource inventory of south-central Alaska, a data report: Alaska Division of Geological and Geophysical Surveys Open-File Report 150, 88 p.
AG, AN, DI, TL, TY

Imlay, R. W., 1981 (1982), Late Jurassic ammonites from Alaska: U.S. Geological Survey Professional Paper 1190, 40 p., 12 plates.
AF, AN, CG, IL, KR, MC, MK, ML, SV, SW, UG

Imlay, R. W., 1982, Late Bajocian ammonites from southern Alaska: U.S. Geological Survey Professional Paper 1189, 19 p., 7 plates.
AN, GO, IL, KN

Mayo, L. R., and Trabant, D. C., 1982, Geodetic tri-section, altitude, and ice-radar surveying techniques used at Knik Glacier, Alaska, and summary of 1979, 1980, and 1981 data: U.S. Geological Survey Open-File Report 82-685, 32 p.
AN

Merritt, R. D., Eakins, G. R., and Clough, J. G., 1982, Coal investigation of the Susitna Lowland, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 142, 84 p., 4 pl.
AN, TL, TM, TY

Nelson, G. L., 1982, Vertical movement of ground water under the Merrill Field landfill, Anchorage, Alaska: U.S. Geological Survey Open-File Report 82-1016, 24 p.
AN

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

Rasmussen, L. A., and Meier, M. F., 1982, Continuity equation model of the predicted drastic retreat of Columbia Glacier, Alaska: U.S. Geological Survey Professional Paper 1258-A, p. A1-A23.
AN, CV, SR, VA

Rawlinson, S. E., Huck, R. W., and Hardy, S. B., 1982, Peat resource map, Anchorage B-8 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 150L, scale 1:31,680.
AN

Rawlinson, S. E., Huck, R. W., and Hardy, S. B., 1982, Peat resource map, Anchorage C-8 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 150J, scale 1:31,680.
AN

ANCHORAGE QUADRANGLE

Rawlinson, S. E., Huck, R. W., and Hardy, S. B., 1982, Peat resource map, western Anchorage D-8 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 150H, scale 1:31,680.
AN

Scott, K. M., 1982, Erosion and sedimentation in the Kenai River, Alaska: U.S. Geological Survey Professional Paper 1235, 35 p.
AN, KN, SR

Sikonia, W. G., 1982, Finite element glacier dynamics model applied to Columbia Glacier, Alaska: U.S. Geological Survey Professional Paper 1258-B, p. B1-B74.
AN, CV, SR, VA

Updike, R. G., 1982, Engineering geologic facies of the Bootlegger Cove Formation, Anchorage, Alaska (abs.): Geological Society of America Programs with Abstracts, v. 14, no. 7, p. 636.
AN

Updike, R. G., Cole, D. A., Jr., and Ulery, Cathy, 1982, Shear moduli and damping ratios for the Bootlegger Cove formation as determined by resonant-column testing: Alaska Division of Geological and Geophysical Surveys Geologic Report 73, p. 7-12.
AN

Wescott, E. M., and Witte, W. K., 1982, Gravity survey of the Lower Susitna basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 162, 7 p., scale 1:63,360, 2 sheets.
AN, TY

ARCTIC QUADRANGLE

Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA

Hillhouse, J. W., and Gromme, Sherman, 1982, Cretaceous overprint revealed by paleomagnetic study in the northern Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 43-46.
AC, CL, KL, SP

Mull, C. G., Tailleur, I. L., Mayfield, C. F., Ellersieck, Inyo, and Curtis, S. M., 1982, New Upper Paleozoic and Lower Mesozoic stratigraphic units, central and western Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 348-362.
AC, CL, DL, HW, KL, MU, ML, PS, PH

Nilsen, T. H., Brosge W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

Nilsen, T. H., and Moore, T. E., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central and western Brooks Range, Alaska - Report of 1981 field season: U.S. Geological Survey Open-File Report 82-674, 63 p.
AG, AC, AR, BM, CL, DL, HW, KL, MU, NT, PS, SP, TB, WI

Nilsen, T. H., Moore, T. E., Balin, D. F., and Johnson, S. Y., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central Brooks Range, Alaska - Report of 1980 field season: U.S. Geological Survey Open-File Report 82-199, 85 p.
AG, AC, AR, CH, CL, DP, HW, KL, ML, PS, SP, TB, TS, WI

ATKA QUADRANGLE

Alpha, T. R., Scholl, D. W., and Vallier, T. L., 1982, Amlia corridor, Alaska oblique map: U.S. Geological Survey Open-File Report 82-138, scale 1:1,000,000.
OF, AD, AM, AK, SA, SU, UK

Baker, D. R., and Eggler, D. H., 1982, Anhydrous phase relations of island arc high-alumina basalts from 1 bar to 20 kbar (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 437.
AK

Friesen, W. B., 1982, Petrography of igneous rocks from Amlia Island, Aleutian Island Arc, Alaska: U.S. Geological Survey Open-File Report 82-302, 31 p.
AK, SU

Harbert, W. P., Scholl, D. W., Mann, D. M., Vallier, T. L., and Stevenson, A. J., 1982, Geologic and tectonic history of Atka Basin, Aleutian Ridge (abs.): Eos (American Geophysical Union Transactions), v. 63, no. 45, p. 1115.
OF, AK

Kay, S. M., and Kay, R. W., 1982, Mafic mineralogy in calc-alkaline Aleutian volcanic rocks: evidence for primitive magmas and magma mixing (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 526.
AD, AK, KK, RI

Myers, J. D., Marsh, B. D., and Sinha, A. K., 1982, Intra- and inter-volcanic center isotopic variations: Adak and Atka, Aleutian Islands, Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 573.
AD, AK

ATTU QUADRANGLE

Rubenstone, J. L., O'Brien, T. F., and Citron, G. P., 1982, Low-grade metamorphism controlled by eruptive setting in Aleutian Paleogene volcanic rocks (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 604.

AG, AT

BAIRD INLET QUADRANGLE

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982,
Hydrocarbon reservoir and sourc-rock characteristics from selected areas
of southwestern Alaska: Alaska Division of Geological and Geophysical
Surveys Professional Report 77, 35 p., 7 sheets.
AG, BI, BM, BN, BT, BL, CA, CM, KI, GO, HG, HC, HP, ID, KT, KZ, KB, KW,
MA, NT, NM, NR, NL, NI, OP, RM, SC, SE, SF, SH, SL, SO, TA, TE, UL

BAIRD MOUNTAINS QUADRANGLE

Childers, J. M., and Kernodle, D. R., 1981, Hydrologic reconnaissance of the Noatak River basin, Alaska: U.S. Geological Survey Water Resources Investigation 81-1005, 38 p.
AR, BM, HW, MU, NT

Childers, Joseph, and Kernodle, D. R., 1982, Hydrologic reconnaissance of the Kobuk River basin, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 80-81.
AR, BM, HU, SH, SP

Jansons, Uldis, 1982, Cobalt content in samples from the Omar copper prospect, Baird Mountains, Alaska: U.S. Bureau of Mines Mineral Land Assessment Report MLA 109-82, 16 p.
BM/*

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA, NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

Mayfield, C. F., Silberman, M. L., and Tailleur, I. L., 1982, Precambrian metamorphic rocks from the Hub Mountain terrane, Baird Mountains quadrangle, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 18-22.
BM

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

Nilsen, T. H., and Moore, T. E., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central and western Brooks Range, Alaska - Report of 1981 field season: U.S. Geological Survey Open-File Report 82-674, 63 p.
AG, AC, AR, BM, CL, DL, HW, KL, MU, NT, PS, SP, TB, WI

BARROW QUADRANGLE

Alpha, T. R., Eittreim, Stephen, and Morley, J. A., 1981, Barrow Canyon, Alaska oblique map: U.S. Geological Survey Open-File Report 81-1296, 1 sheet.
OF, BW

Bird, K. J., 1982, Catalog of digital log data for Government-drilled wells in and adjacent to the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-800, 31 p.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA, CL

Bird, K. J., 1982, Machine-generated displays of well logs and lithology from 12 wells on the North Slope of Alaska: U.S. Geological Survey Open-File Report 82-290, 5 p., 12 sheets.
BW, HR, IK, LR, MR, SG

Bird, K. J., 1982, Rock unit reports of 228 wells drilled on the North Slope, Alaska: U.S. Geological Survey Open-File Report 82-278, 108 p.
BW, HR, IK, KL, LR, TS, UT, UR, WA, BP, CL, FI, ML, SG

Blanchard, D. C., and Tailleur, I. L., 1982, Preliminary geothermal isograd map, National Petroleum Reserve in Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 46-48.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA

Blanchard, D. C., and Tailleur, I. L., 1982, Temperatures and interval geothermal-gradient determinations from wells in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-391, 82 p.
BW, HR, KL, LR, MR, TS, UT, WA

Bowsher, A. L., ed., 1981, Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, 165 p.
AG, OF, BP, BW, HR, TS, WA,

Carter, R. D., 1982, National Petroleum Reserve in Alaska data release, 1980, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 48-49.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA

Dinter, D. A., 1982, Holocene marine sediments on the Middle and Outer Continental Shelf of the Beaufort Sea north of Alaska: U.S. Geological Survey Miscellaneous Investigations Map I-1182-B, 5 p., scale 1:500,000, 2 sheets.
OF, BW, BA, BP, DP, FI, HR, TS

BARROW QUADRANGLE

Eittreim, Stephen, Grantz, Arthur, and Greenberg, Jonathan, 1982, Active geologic processes in Barrow Canyon, northeast Chukchi Sea: Marine Geology, v. 50, no. 1/2, p. 61-76.
OF, BW

Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA

Grantz, Arthur, Dinter, D. A., Hill, E. R., May, S. D., McMullin, R. H., Phillips, R. L., and Reimnitz, Erk, 1982, Geologic framework, hydrocarbon potential, and environmental conditions for exploration and development of proposed oil and gas lease sale 87 in Beaufort and northeast Chukchi Seas - A summary report: U.S. Geological Survey Open-File Report 82-482, 71 p.
OF, BW, BA, BP, FI, HR, MR, TS, WA

Grantz, Arthur, Mann, D. M., and May, S. D., 1982, Tracklines of multichannel seismic-reflection data collected by the U.S. Geological Survey in the Beaufort and Chukchi Seas in 1977 for which profiles and stack tapes are available: U.S. Geological Survey Open-File Report 82-735, scale 1:650,000 approx.
OF, BW, BA, BP, DP, FI, HR, PH, PL, SF, WA

Grantz, Arthur, May, S. D., and Mann, D. M., 1982, Tracklines of multichannel seismic reflection data collected in the Beaufort and Chukchi Seas in 1977 for which demultiplexed field tapes are available from the U.S. Geological Survey: U.S. Geological Survey Open-File Report 82-651, scale 1:500,000.
OF, BW, BA, BP, FI, HR, PH, SF

Gryc, George, 1982, Petroleum exploration in the National Petroleum Reserve in Alaska, in U.S. Geological Survey, U.S. Geological Survey activities, fiscal year 1981: U.S. Geological Survey Circular 875, p. 14-21.
AG, BP, BW, HR, IK, KL, LR, TS, UT, WA

Kharaka, Y. K., Sloan, C. E., and Carothers, W. W., 1981, Chemical composition of formation waters from the North Slope of Alaska - Implications for the formation of clathrates, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 61-62.
BW, BP

Lachenbruch, A. H., Sass, J. H., Marshall, B. V., and Moses, T. H., Jr., 1982, Thermal regime of permafrost at Prudhoe Bay, Alaska: U.S. Geological Survey Open-File Report 82-535, 77 p.
BW, BP, PH

BARROW QUADRANGLE

- Lantz, R. J., 1981, An examination of reservoir conditions of the Barrow gas fields in relation to gas hydrate formation, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 73-80.
BW
- Lawver, L. A., 1981, Geothermal gradients on the North Slope, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 81-83.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Moore, D. W., 1981, Presence of gas hydrates, South and East Barrow fields, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 99-109.
BW
- Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI
- Payne, T. G., 1981, Possible gas hydrate effect on recovery of oil and gas from reservoirs in East Barrow field, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 110-113.
BW
- Payne, T. G., 1982, Use of microcomputer in mapping depth of stratigraphic horizons in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-1054, 42 p.
BW, TS
- Pratt, R. M., 1981, Gas hydrate evaluation and recommendations, National Petroleum Reserve - Alaska, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 114-143.
BW, HR, TS, WA
- Timmcke, T. A., 1981, Palynology of the Lower Cretaceous Pebble Shale Unit, Point Barrow, Alaska: U.S. Geological Survey Open-File Report 81-1304, 114 p.
BW

BARTER ISLAND QUADRANGLE

Acevedo, William, Walder, Donald, Gaydos, Leonard, and Wray, James, 1982, Vegetation and land cover, Arctic National Wildlife Refuge coastal plain Alaska: U.S. Geological Survey Miscellaneous Investigations I-1443, scale 1:250,000.
BA, DP, FI, ML

Dinter, D. A., 1982, Holocene marine sediments on the Middle and Outer Continental Shelf of the Beaufort Sea north of Alaska: U.S. Geological Survey Miscellaneous Investigations Map I-1182-B, 5 p., scale 1:500,000, 2 sheets.
OF, BW, BA, BP, DP, FI, HR, TS

Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA

Grantz, Arthur, Dinter, D. A., Hill, E. R., May, S. D., McMullin, R. H., Phillips, R. L., and Reimnitz, Erk, 1982, Geologic framework, hydrocarbon potential, and environmental conditions for exploration and development of proposed oil and gas lease sale 87 in Beaufort and northeast Chukchi Seas - A summary report: U.S. Geological Survey Open-File Report 82-482, 71 p.
OF, BW, BA, BP, FI, HR, MR, TS, WA

Grantz, Arthur, Mann, D. M., and May, S. D., 1982, Tracklines of multichannel seismic-reflection data collected by the U.S. Geological Survey in the Beaufort and Chukchi Seas in 1977 for which profiles and stack tapes are available: U.S. Geological Survey Open-File Report 82-735, scale 1:650,000 approx.
OF, BW, BA, BP, DP, FI, HR, PH, SF, WA

Grantz, Arthur, May, S. D., and Mann, D. M., 1982, Tracklines of multichannel seismic reflection data collected in the Beaufort and Chukchi Seas in 1977 for which demultiplexed field tapes are available from the U.S. Geological Survey: U.S. Geological Survey Open-File Report 82-651, scale 1:500,000.
OF, BW, BA, BP, FI, HR, PH, SF

Kempema, Ed, Reimnitz, Erk, and Barnes, Peter, 1981, Marine geologic studies in the Beaufort Sea, Alaska, 1980; location, data type, and records obtained: U. S. Geological Survey Open-File Report 81-241, 3 p., 6 sheets.
BA, BP, FI, HR

Minkler, P. W., Reimnitz, Erk, and Barnes, P. W., 1982, A summary of U.S. Geological Survey marine geological data collected in the Beaufort Sea, Alaska, July through August 1981: U.S. Geological Survey Open-File Report 82-586, 10 p.
BA, BP, FI, HR

BARTER ISLAND QUADRANGLE

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.

AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

Reimnitz, Erk, Barnes, P. W., Rearic, D. M., Minkler, P. W., Kempema, E. W., and Reiss, T. E., 1982, Marine geological investigations in the Beaufort Sea in 1981 and preliminary interpretations for regions from the Canning River to the Canadian border: U.S. Geological Survey Open-File Report 82-974, 67 p.

OF, BA, BP, DP, FI, HR

BEAVER QUADRANGLE

Hamilton, T. D., 1982, A late Pleistocene glacial chronology for the southern Brooks Range: Stratigraphic record and regional significance: Geological Society of America Bulletin, v. 93, no. 8, p. 700-716.
AG, BV, BT, CH, HU, MH, SP, WI

BEECHEY POINT QUADRANGLE

Barnes, P. W., and Minkler, P. W., 1982, Sedimentation in the vicinity of a causeway groin, Beaufort Sea, Alaska: U.S. Geological Survey Open-File Report 82-615, 12 p.

BP

Barnes, P. W., and Reimnitz, Erk, 1982, Net flow of near-bottom water on the inner Beaufort Sea Shelf as determined from seabed drifters: U.S. Geological Survey Open-File Report 82-717, 10 p.

OF, BP, FI, HR

Barnes, P. W., Reiss, T. E., and Reimnitz, Erk, 1982, Sediment content of nearshore fast ice - Fall 1980, Beaufort Sea, Alaska: U.S. Geological Survey Open-File Report 82-716, 18 p.

BP, HR, FI

Barnes, P. W., and Reiss, Thomas, 1982, Erosion and migration of an artificial sand and gravel island, Niakuk III, Beaufort Sea, Alaska: U.S. Geological Survey Open-File Report 82-608, 9 p.

BP

Bird, K. J., 1982, Rock unit reports of 228 wells drilled on the North Slope, Alaska: U.S. Geological Survey Open-File Report 82-278, 108 p.

BW, BP, CL, FI, HR, IK, KL, LR, ML, SG, TS, UT, UR, WA,

Bowsher, A. L., ed., 1981, Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, 165 p.

BW, HR, TS, WA, AG, OF, BP

Dinter, D. A., 1982, Holocene marine sediments on the Middle and Outer Continental Shelf of the Beaufort Sea north of Alaska: U.S. Geological Survey Miscellaneous Investigations Map I-1182-B, 5 p., scale 1:500,000, 2 sheets.

OF, BW, BA, BP, DP, FI, HR, TS

Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.

AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA

BEECHEY POINT QUADRANGLE

Grantz, Arthur, Dinter, D. A., Hill, E. R., May, S. D., McMullin, R. H., Phillips, R. L., and Reimnitz, Erk, 1982, Geologic framework, hydrocarbon potential, and environmental conditions for exploration and development of proposed oil and gas lease sale 87 in Beaufort and northeast Chukchi Seas - A summary report: U.S. Geological Survey Open-File Report 82-482, 71 p.
OF, BW, BA, BP, FI, HR, MR, TS, WA

Grantz, Arthur, Mann, D. M., and May, S. D., 1982, Tracklines of multichannel seismic-reflection data collected by the U.S. Geological Survey in the Beaufort and Chukchi Seas in 1977 for which profiles and stack tapes are available: U.S. Geological Survey Open-File Report 82-735, scale 1:650,000 approx.

OF, BW, BA, BP, DP, FI, HR, PH, SF, WA

Grantz, Arthur, May, S. D., and Mann, D. M., 1982, Tracklines of multichannel seismic reflection data collected in the Beaufort and Chukchi Seas in 1977 for which demultiplexed field tapes are available from the U.S. Geological Survey: U.S. Geological Survey Open-File Report 82-651, scale 1:500,000.
OF, BW, BA, BP, FI, HR, PH, SF

Gryc, George, 1982, Petroleum exploration in the National Petroleum Reserve in Alaska, in U.S. Geological Survey, U.S. Geological Survey activities, fiscal year 1981: U.S. Geological Survey Circular 875, p. 14-21.
AG, BP, BW, HR, IK, KL, LR, TS, UT, WA

Hardwick, Peter, and Carman, G. E., 1982, Geology of Kuparuk River oil field, Alaska (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 577.
BP

Kempema, Ed, Reimnitz, Erk, and Barnes, Peter, 1981, Marine geology studies in the Beaufort Sea, Alaska, 1980; location, data type, and records obtained: U.S. Geological Survey Open-File Report 81-241, 3 p., 6 sheets, and 5 rolls of microfilm of shipboard records.
OF, BI, BP, FI, HR

Kharaka, Y. K., Sloan, C. E., and Carothers, W. W., 1981, Chemical composition of formation waters from the North Slope of Alaska - Implications for the formation of clathrates, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 61-62.
BW, BP

Lachenbruch, A. H., Sass, J. H., Marshall, B. V., and Moses, T. H., Jr., 1982, Thermal regime of permafrost at Prudhoe Bay, Alaska: U.S. Geological Survey Open-File Report 82-535, 77 p.
BW, BP, PH

BEECHEY POINT QUADRANGLE

Melvin, John, and Knight, A. S., 1982, Lithofacies, diagenesis, and porosity, Ivishak Sandstone, Prudhoe Bay area, Alaska (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 605-606.
BP

Minkler, P. W., Reimnitz, Erk, and Barnes, P. W., 1982, A summary of U.S. Geological Survey marine geological data collected in the Beaufort Sea, Alaska, July through August 1981: U.S. Geological Survey Open-File Report 82-586, 10 p.
BA, BP, FI, HR

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

Reimnitz, Erk, Barnes, P. W., Rearic, D. M., Minkler, P. W., Kempema, E. W., and Reiss, T. E., 1982, Marine geological investigations in the Beaufort Sea in 1981 and preliminary interpretations for regions from the Canning River to the Canadian border: U.S. Geological Survey Open-File Report 82-974, 67 p.
OF, BA, BP, DP, FI, HR

Reimnitz, Erk, and Kempema, E. W., 1982, High rates of bedload transport measured from infilling rate of large strudel-scour craters in the Beaufort Sea, Alaska: U.S. Geological Survey Open-File Report 82-588, 19 p.
OF, BP, HR

Samuels, W. B., Hopkins, Dorothy, and Lanfear, K. J., 1982, An oilspill risk analysis for the Beaufort Sea, Alaska (proposed sale 71) Outer Continental Shelf lease area: U.S. Geological Survey Open-File Report 82-13, 111 p.
OF, BP, FI, HR, TS

Specht, R. N., Brown, A. E., Carlisle, J. H., and Selman, C. H., 1982, Prudhoe Bay field - geophysical case history (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 634.
AG, BP

Williams, J. R., 1982, Design review - Trans-Alaska Oil Pipeline, 1974-1976: U. S. Geological Survey Open-File Report 82-225, 139 p.
BP, BT, BD, CH, FB, GU, LG, MH, PS, SG, VA, WI

BENDELEBEN QUADRANGLE

Fisher, M. A., Patton, W. W., Jr., and Holmes, M. L., 1982, Geology of Norton Basin and continental shelf beneath northwestern Bering Sea, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 255-285.

OF, BN, HP, KZ, NM, NR, NL, PH, SL, ST, SC, SP, SO, TE, UL

King, H. D., Sutley, S. J., and McDougal, C. M., 1982, Analytical data for minus-80-mesh stream-sediment samples collected during 1981 from the Solomon and Bendeleben quadrangles, Alaska: U.S. Geological Survey Open-File Report 82-964, 46 p., scale 1:250,000, 2 sheets.

BN/*, SO/*

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.

BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA, NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

BERING GLACIER QUADRANGLE

Brouwers, E. M., 1982, Tabulation of the ostracode assemblages and associated organisms from selected bottom grab samples taken in the northeast Gulf of Alaska, F.R.S. Townsend Cromwell Cruise EGAL-75KC: Part II: U.S. Geological Survey Open-File Report 82-949, 95 p.
OF, IB, YA, BG, CV, MI

Bruns, T. R., 1982, Structure and petroleum potential of the Continental Margin between Cross Sound and Icy Bay, northern Gulf of Alaska: U.S. Geological Survey Open-File Report 82-929, 64 p.
OF, BG, IB, MS, SK, YA

Bruns, T. R., and Plafker, George, 1982, Geology, structure, and petroleum potential of the southeastern Alaska and northern Gulf of Alaska Continental Margins, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 9-52.
AG, OF, BG, BS, CV, CR, DE, IB, MI, MF, PA, SR, SI, YA

Buland, Ray, and Taggart, James, 1981, A mantle wave magnitude for the St. Elias, Alaska, earthquake of 28 February 1979: Seismological Society of America Bulletin, v. 71, no. 4, p. 1143-1159.
BG, MS

Collins, K. M., and Stadnychenko, Anne, 1981, Gulf of Alaska and Lower Cook Inlet Summary Report 2 June 1981: U.S. Geological Survey Open-File Report 81-607, 49 p.
OF, BG, IB, YA

Lee, H. J., and Schwab, W. C., 1982, Geotechnical investigations related to geological hazards: northern Gulf of Alaska, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait: U.S. Geological Survey Open-File Report 82-928, p. 87-94.
BG, BS, CV, IB, MI, MF, YA

McMullin, R. H., 1982, Resource assessment, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 68-72.
OF, AF, BG, IB, IL, MK, SV, YA

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

BERING GLACIER QUADRANGLE

Plafker, George, Hudson, Travis, Meyer, Rubin, and Dixon, K. L., 1982,
Holocene marine terraces and uplift history in the Yakataga seismic gap
near Icy Cape, Alaska, in Coonrad, W. L., ed., The United States
Geological Survey in Alaska: Accomplishments during 1980: U.S.
Geological Survey Circular 844, p. 111-115.
AG, BG, IB

BETHEL QUADRANGLE

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982,
Hydrocarbon reservoir and source-rock characteristics from selected areas
of southwestern Alaska: Alaska Division of Geological and Geophysical
Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA,
NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

BETTLES QUADRANGLE

Alaska Division of Geological and Geophysical Surveys, 1982, Aeromagnetic map of Bettles quadrangle: Alaska Division of Geological and Geophysical Surveys Open-File Report 179, scale 1:250,000.
BT

Hamilton, T. D., 1982, A late Pleistocene glacial chronology for the southern Brooks Range: Stratigraphic record and regional significance: Geological Society of America Bulletin, v. 93, no. 8, p. 700-716.
AG, BV, BT, CH, HE, HU, MH, SP, WI

Williams, J. R., 1982, Design review - Trans-Alaska Oil Pipeline, 1974-1976: U. S. Geological Survey Open-File Report 82-225, 139 p.
BP, BT, BD, CH, FB, GU, LG, MH, PS, SG, VA, WI

BIG DELTA QUADRANGLE

Ager, T. A., 1982, Pollen studies of Quaternary-age lake sediments in the Tanana Valley, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 64-67.
BD, FB, MH

Churkin, Michael, Jr., Foster, H. L., Chapman, R. M., and Weber, F. R., 1982, Terranes and suture zones in east central Alaska: Journal of Geophysical Research, v. 87, no. 5, p. 3718-3730.
BD, CR, CI, EA, LG, TC

Williams, J. R., 1982, Design review - Trans-Alaska Oil Pipeline, 1974-1976: U. S. Geological Survey Open-File Report 82-225, 139 p.
BP, BT, BD, CH, FB, GU, LG, MH, PS, SG, VA, WI

BLACK QUADRANGLE

Fisher, M. A., 1982 Petroleum geology of Norton Basin, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 286-301.
AG, OF, BL, NM, NR, SL, ST, SC, SO, UL

Fisher, M. A., 1982, Preliminary interpretation of geophysical data over the projected offshore location of the Kaltag fault, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 136-139.
OF, BL, SL

Fisher, M. A., Patton, W. W., Jr., and Holmes, M. L., 1982, Geology of Norton Basin and continental shelf beneath northwestern Bering Sea, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 255-285.

OF, BN, BL, HP, KZ, NM, NR, NL, PH, SL, ST, SC, SH, SO, TE, UL

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA, NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

BLYING SOUND QUADRANGLE

Bruns, T. R., and Plafker, George, 1982, Geology, structure, and petroleum potential of the southeastern Alaska and northern Gulf of Alaska continental margins, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 9-52.

OF, BG, BS, CV, CR, DE, IB, MI, MF, PA, SR, SI, YA

Carlson, P. R., and Schwab, W. C., 1982, Northern Gulf of Alaska environmental geology, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait: U.S. Geological Survey Open-File Report 82-928, p. 73-86.

OF, BS, CV, IB, MI, MF, PA, SI, YA

Lee, H. J., and Schwab, W. C., 1982, Geotechnical investigations related to geological hazards: northern Gulf of Alaska, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait: U.S. Geological Survey Open-File Report 82-928, p. 87-94.

BG, BS, CV, IB, MI, MF, YA

Plafker, George, Bruns, T. R., Winkler, G. R., and Tysdal, R. G., 1982, Cross section of the eastern Aleutian Arc, from Mount Spurr to the Aleutian Trench near Middleton Island, Alaska: Geological Society of America Map and Chart Series MC-28P.

BS KN, MI, SR, TY

Stephens, C. D., Lahr, J. C., and Rogers, J. A., 1982, Review of earthquake activity and current status of seismic monitoring in the region of the Bradley Lake Hydroelectric Project, southern Kenai Peninsula, Alaska: November 27, 1980-November 30, 1981: U.S. Geological Survey Open-File Report 82-417, 26 p.

AG, BS, KN, SV, SR

Tysdal, R. G., and Case, J. E., 1982, Metalliferous mineral resource potential of the Seward and Blying Sound quadrangles, southern Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-880-H, 23 p., scale 1:250,000, 2 sheets.

BS/*, SR/*

BRADFIELD CANAL QUADRANGLE

Burrell, P. D., Cobb, E. H., and Brew, D. A., 1982, Geologic bibliography of the Petersburg project area, Alaska: U.S. Geological Survey Open-File Report 82-483, 30 p.
BC, CR, KC, PE, PA, SD

Elliott, R. L., and Koch, R. D., 1981, Mines, prospects, and selected metalliferous mineral occurrences in the Bradfield Canal quadrangle, Alaska: U.S. Geological Survey Open-File Report 81-728B, 24 p., scale 1:250,000.
BC/*

BRISTOL BAY QUADRANGLE

Albert, N. R. D., 1982, Preliminary map showing reconnaissance photogeologic interpretation of SLAR imagery of the Bristol Bay, Ugashik, and Karluk quadrangles, Alaska: U.S. Geological Survey Open-File Report 82-141, scale 1:250,000, 5 sheets.

BB, KR, UG

Austin, W. A., Molnia, B. F., and Schwab, W. G., 1982, Bathymetric map of the north Aleutian Shelf, Bristol Bay, Alaska: U.S. Geological Survey Open-File Report 82-1035, 1 sheet.

OF, BB

Detra, D. E., Detterman, R. L., Cox, D. P., Wilson, F. H., and Theodore, T. G., 1982, Reconnaissance geochemical studies in the Bristol Bay, Ugashik, and Karluk quadrangles, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 87-88.

BB, KR, UG

Miller, J. W., and Jones, D. L., 1981, A field guide to some common megafossils from post-Callovian Mesozoic rocks of the Alaska Peninsula: U.S. Geological Survey Open-File Report 81-745, 16 p., 5 plates, 1 sheet.

BB, CG, CB, IL, KR, MK, NK, PM, UG

CANDLE QUADRANGLE

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981,
Critical and strategic minerals in Alaska - cobalt, the platinum-group
metals, and chromite: U.S. Bureau of Mines Information Circular 8869,
8 p.
AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*,
PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982,
Hydrocarbon reservoir and source-rock characteristics from selected areas
of southwestern Alaska: Alaska Division of Geological and Geophysical
Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA,
NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

CAPE MENDENHALL QUADRANGLE

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982,
Hydrocarbon reservoir and source-rock characteristics from selected areas
of southwestern Alaska: Alaska Division of Geological and Geophysical
Surveys Professional Report 77, 35 p., 7 sheets.

BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA,
NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

CHANDALAR QUADRANGLE

Brosge, W. P., and Patton, W. W., Jr., 1982, Regional bedrock geologic maps along the Dalton Highway, Yukon Crossing to Toolik, Alaska: U.S. Geological Survey Open-File Report 82-1071, 11 p., scale 1:500,000.
CH, CL, KL, PS, SP, WI

Dillon, J. T., 1982, Source of lode- and placer-gold deposits of the Chandalar and upper Koyukuk districts, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 158, 1 plate, scale 1:250,000.
CH/*, WI/*

Hamilton, T. D., 1982, A late Pleistocene glacial chronology for the southern Brooks Range: Stratigraphic record and regional significance: Geological Society of America Bulletin, v. 93, no. 8, p. 700-716.
AG, BV, BT, CH, HE, HU, MH, SP, WI

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

Nilsen, T. H., Moore, T. E., Balin, D. F., and Johnson, S. Y., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central Brooks Range, Alaska - Report of 1980 field season: U.S. Geological Survey Open-File Report 82-199, 85 p.
AG, AC, AR, CH, CL, DP, HW, KL, ML, PS, SP, TB, TS, WI

Williams, J. R., 1982, Design review - Trans-Alaska Oil Pipeline, 1974-1976: U. S. Geological Survey Open-File Report 82-225, 139 p.
BP, BT, BD, CH, FB, GU, LG, MH, PS, SG, VA, WI

CHANDLER LAKE QUADRANGLE

- Barton, H. N., Odland, S. K., O'Leary, R. M., and Day, G. W., 1982, Geochemical data for the Killik River and Chandler Lake quadrangles, Alaska: U. S. Geological Survey Open-File Report 82-1026, 53 p. CL, KL.
- Bird, K. J., 1982, Catalog of digital log data for Government-drilled wells in and adjacent to the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-800, 31 p. BW, CL, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Bird, K. J., 1982, Rock unit reports of 228 wells drilled on the North Slope, Alaska: U.S. Geological Survey Open-File Report 82-278, 108 p. BP, BW, CL, FI, HR, IK, KL, LR, ML, SG, TS, UT, UR, WA
- Brosge, W. P., and Patton, W. W., Jr., 1982, Regional bedrock geologic maps along the Dalton Highway, Yukon Crossing to Toolik, Alaska: U.S. Geological Survey Open-File Report 82-1071, 11 p., scale 1:500,000. CH, CL, KL, PS, SP, WI
- Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet. AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA
- Hickman, R. G., 1982, Probable surficial gravity slide associated with regional thrusts near Anaktuvuk Pass, central Brooks Range, Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 172. CL
- Hillhouse, J. W., and Grommé, Sherman, 1982, Cretaceous overprint revealed by paleomagnetic study in the northern Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 43-46. AC, CL, KL, SP
- Molenaar, C. M., Egbert, R. M., and Krystnik, L. F., 1982, Depositional facies and reservoir potential of the Fortress Mountain Formation, central North Slope, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 32-33. CL, HW, KL, MU
- Mull, C. G., Tailleur, I. L., Mayfield, C. F., Ellersieck, Inyo, and Curtis, S., 1982, New Upper Paleozoic and Lower Mesozoic stratigraphic units, central and western Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 348-362. AC, CL, DL, HW, KL, MU, ML, PS, PH

CHANDLER LAKE QUADRANGLE

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.

AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UR, WA, WI

Nilsen, T. H., and Moore, T. E., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central and western Brooks Range, Alaska - Report of 1981 field season: U.S. Geological Survey Open-File Report 82-674, 63 p.

AG, AC, AR, BM, CL, DL, HW, KL, MU, NT, PS, SP, TB, WI

Nilsen, T. H., Moore, T. E., Balin, D. F., and Johnson, S. Y., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central Brooks Range, Alaska - Report of 1980 field season: U.S. Geological Survey Open-File Report 82-199, 85 p.

AG, AC, AR, CH, CL, DP, HW, KL, ML, PS, SP, TB, TS, WI

CHARLEY RIVER QUADRANGLE

Churkin, Michael, Jr., Foster, H. L., Chapman, R. M., and Weber, F. R., 1982, Terranes and suture zones in east-central Alaska: *Journal of Geophysical Research*, v. 87, no. 5, p. 3718-1730.
BD, CY, CI, EA, LG, TC

Churkin, Michael, Jr., Trexler, J. H., and Carter, Claire, 1982, Graptolites discovered in the Woodchopper Volcanics, in Coonrad, W. L., ed., *The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844*, p. 53-56.
CY

Young, G. M., 1982, The late Proterozoic Tindir Group, east-central Alaska: Evolution of a continental margin: *Geological Society of America Bulletin*, v. 93, no. 8, p. 759-783
CY

CHIGNIK QUADRANGLE

Case, J. E., Cox, D. P., Detra, D. E., Detterman, R. L., and Wilson, F. H., 1982, Aeromagnetic survey of the Chignik and Sutwik Island quadrangles in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 88-89.
CG, SW

Cox, D. P., Detra, D. E., and Detterman, R. L., 1981, Mineral Resource Maps of the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053-K, scale 1:250,000, 2 sheets.
CG/*, SW/*

Detterman, R. L., Case, J. E., Cox, D. P., Detra, D. E., Miller, T. P., and Wilson, F. H., 1981, The Alaska Mineral Resource Assessment Program -- Background information to accompany folio of geologic and resource maps of the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Circular 802, 16 p.
CG/*, SW/*

Detterman, R. L., Miller, T. P., Yount, M. E., and Wilson, F. H., 1981, Geologic map of the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Investigation Series Map I-1229, scale 1:250,000.
BB, CG, SW

Detterman, R. L., Miller, T. P., Yount, M. E., and Wilson, F. H., 1981, Quaternary geologic map of the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Investigation Series Map I-1292, scale 1:250,000.
CG, SW

Detterman, R. L., Yount, M. E., and Case, J. E., 1981, Megafossil sample locality map, checklists, and stratigraphic sections of the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053-N, scale 1:250,000, 2 sheets.
CG, SW

Imlay, R. W., 1981 (1982), Late Jurassic ammonites from Alaska: U.S. Geological Survey Professional Paper 1190, 40 p., 12 plates.
AF, AN, CG, IL, KR, MC, MK, ML, SV, SW, UG

Miller, J. W., and Jones, D. L., 1981, A field guide to some common megafossils from post-Callovian Mesozoic rocks of the Alaska Peninsula: U.S. Geological Survey Open-File Report 81-745, 16 p., 5 plates, 1 sheet.
BB, CG, CB, IL, KR, MK, NK, PM, UG

CHIGNIK QUADRANGLE

Wilson, F. H., Gaum, W. C., and Herzon, P. L., 1981 (1982), Maps and tables showing geochronology and whole-rock geochemistry, Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053-M, scale 1:250,000, 3 sheets.
BB, CG, SW

Wilson, F. H., and Shew, Nora, 1982, Apparent episodicity of magmatic activity deduced from radiometric age determinations, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 13-15.
AG, CG, FP, KD, PM, SN, SB, SW

CHRISTIAN QUADRANGLE

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

CIRCLE QUADRANGLE

Churkin, Michael, Jr., Foster, H. L., Chapman, R. M., and Weber, F. R., 1982, Terranes and suture zones in east central Alaska: *Journal of Geophysical Research*, v. 87, no. 5, p. 3718-3730.
BD, CR, CI, EA, LG, TC

Cushing, G. W., and Foster, H. L., 1982, Recumbent folding in the northeastern Yukon-Tanana Upland, Alaska (abs.): *Geological Society of America Abstracts with Programs*, v. 14, no. 4, p. 158.
CI

Cushing, G. W., Foster, H. L., Laird, Jo, and Burack, A. C., 1982, Description and preliminary interpretation of folds and faults in a small area in the Circle B-4 and B-5 quadrangles, Alaska, in Coonrad, W. L., ed., *The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844*, p. 56-58.
CI

Kowalik, W. S., 1982, The use of Landsat data in exploration for limonitic outcrops in the Circle quadrangle, Alaska: *U.S. Geological Survey Open-File Report 82-529*, 13 p.
CI/*

Tripp, R. B., Detra, D. E., and Nishi, J. M., 1982, Mineralized zones in bedrock near Miller Creek, Circle quadrangle, in Coonrad, W. L., ed., *The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844*, p. 62.
CI/*

Weber, F. R., and Foster, H. L., 1982, Tertiary(?) conglomerate and Quaternary faulting in the Circle quadrangle, Alaska, in Coonrad, W. L., ed., *The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844*, p. 58-61.
CI

Yeend, W. E., 1982, Placers and placer mining, Circle District, in Coonrad, W. L., ed., *The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844*, p. 64.
AG/*, CI/*

COLD BAY QUADRANGLE

Jacob, K. H., and McCann, W. R., 1982, Strong ground motions in two seismic gaps: Shumagin Islands, Alaska, and northern Lesser Antilles, Caribbean: U.S. Geological Survey Open-File Report 82-139, 22 p.
CB, FP, PM, SN, SB, UN

Miller, J. W., and Jones, D. L., 1981, A field guide to some common megafossils from post-Callovian Mesozoic rocks of the Alaska Peninsula: U.S. Geological Survey Open-File Report 81-745, 16 p., 5 plates, 1 sheet.
BB, CG, CB, IL, KR, MK, NK, PM, UG

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

COLEEN QUADRANGLE

Barker, J. C., 1982, Reconnaissance of rare-metal occurrences associated with the Old Crow batholith, eastern Alaska-northwestern Canada: Alaska Division of Geological and Geophysical Surveys Geologic Report 73, p. 43-49.
CO/*

CORDOVA QUADRANGLE

Brouwers, E. M., 1982, Preliminary report on ostracode assemblages from the northeast Gulf of Alaska Continental Shelf, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 151-153.
CV, IB, MI

Brouwers, E. M., 1982, Tabulation of the ostracode assemblages and associated organisms from selected bottom grab samples taken in the northeast Gulf of Alaska, F.R.S. Townsend Cromwell Cruise EGAL-75KC: Part II: U.S. Geological Survey Open-File Report 82-949, 95 p.
OF, IB, YA, BG, CV, MI

Brunns, T. R., and Plafker, George, 1982, Geology, structure, and petroleum potential of the southeastern Alaska and northern Gulf of Alaska continental margins, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 9-52.
OF, BG, BS, CV, CR, DE, IB, MI, MF, PA, SR, SI, YA

Carlson, P. R., and Schwab, W. C., 1982, Northern Gulf of Alaska environmental geology, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait: U.S. Geological Survey Open-File Report 82-928, p. 73-86.
OF, BS, CV, IB, MI, MF, PA, SI, YA

Dickinson, K. A., and Morrone, J. F., 1982, Distribution of uranium and thorium in the Lower Tertiary Orca Group and related rocks in part of the Cordova quadrangle, southern Alaska: U.S. Geological Survey Open-File Report 82-1032, 12 p.
CV/*

Jackson, J. B., and Kurz, F. N., 1982, Gulf of Alaska and Lower Cook Inlet summary report 3, June 1982, second revision of OCS oil and gas activities in the Gulf of Alaska (including Lower Cook Inlet) and their onshore impacts--A summary report, September 1980: U.S. Geological Survey Open-File Report 82-20, 79 p.
AG, OF, AF, CV, IL, KR, KN, SV, TY, UG

Lee, H. J., and Schwab, W. C., 1982, Geotechnical investigations related to geological hazards: northern Gulf of Alaska, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait: U.S. Geological Survey Open-File Report 82-928, p. 87-94.
BG, BS, CV, IB, MI, MF, YA

CORDOVA QUADRANGLE

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.

OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

Rasmussen, L. A., and Meier, M. F., 1982, Continuity equation model of the predicted drastic retreat of Columbia Glacier, Alaska: U.S. Geological Survey Professional Paper 1258-A, p. A1-A23.

AN, CV, SR, VA

Sikonia, W. G., 1982, Finite element glacier dynamics model applied to Columbia Glacier, Alaska: U.S. Geological Survey Professional Paper 1258-B, p. B1-B74.

AN, CV, SR, VA

CRAIG QUADRANGLE

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981, Critical and strategic minerals in Alaska - cobalt, the platinum-group metals, and chromite: U.S. Bureau of Mines Information Circular 8869, 8 p.
AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*, PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*

Bruns, T. R., and Plafker, George, 1982, Geology, structure, and petroleum potential of the southeastern Alaska and northern Gulf of Alaska continental margins, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 9-52.
OF, BG, BS, CV, CR, DE, IB, MI, MF, PA, SR, SI, YA

Burrell, P. D., Cobb, E. H., and Brew, D. A., 1982, Geologic bibliography of the Petersburg project area, Alaska: U.S. Geological Survey Open-File Report 82-483, 30 p.
BC, CR, KC, PE, PA, SD

Gehrels, G. E., Saleeby, J. B., and Berg, H. C., 1982, Geologic framework of a pre-Middle Devonian meta-igneous complex, Annette Island, southeastern Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 165.
CR, DI, KC

Hudson, Travis, Plafker, George, and Dixon, Kirk, 1982, Horizontal offset history of the Chatham Strait fault, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 128-132.
AG, CR, JU, PE, PA, SI, SK

Redman, Earl, 1982, The Keete Inlet thrust fault, Prince of Wales Island: Alaska Division of Geological and Geophysical Surveys Geologic Report 73, p. 17-18.
CR, DE

DE LONG MOUNTAINS QUADRANGLE

Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.

AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA

Frank, C. O., and Zimmerman, Jay, 1982, Petrography of nonultramafic rocks from the Avan Hills complex, De Long Mountains, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 22-27.
DL, MU

Huffman, A. C., Jr., Ahlbrandt, T. S., Pasternack, Ira, Fox, J. E., Bartsch-Winkler, Susan, May, F. E., Scott, R. A., and Materna, W. L., 1981, Measured sections of the Cretaceous Nanushuk Group undivided, western North Slope, Alaska: U.S. Geological Survey Open-File Report 81-176.
DL, LR, MU, PH, PL, UR

Mull, C. G., Tailleur, I. L., Mayfield, C. F., Ellersieck, Inyo, and Curtis, S., 1982, New Upper Paleozoic and Lower Mesozoic stratigraphic units, central and western Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 348-362.
AC, CL, DL, HW, KL, MU, ML, PS, PH

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

Nilsen, T. H., and Moore, T. E., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central and western Brooks Range, Alaska - Report of 1981 field season: U.S. Geological Survey Open-File Report 82-674, 63 p.
AG, AC, AR, BM, CL, DL, HW, KL, MU, NT, PS, SP, TB, WI

Sterne, E. J., Zantop, Half, and Reynolds, R. C., 1982, Clay mineralogy and carbon-nitrogen geochemistry of the Lik and Competition Creek Zn-Pb-Ag prospects, De Long Mountains, Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 625.
DL/*

DEMARCATION POINT QUADRANGLE

Acevedo, William, Walder, Donald, Gaydos, Leonard, and Wray, James, 1982, Vegetation and land cover, Arctic National Wildlife Refuge coastal plain Alaska: U.S. Geological Survey Miscellaneous Investigations Map I-1443, scale 1:250,000.
BA, DP, FI, ML

Dinter, D. A., 1982, Holocene marine sediments on the Middle and Outer Continental Shelf of the Beaufort Sea north of Alaska: U.S. Geological Survey Miscellaneous Investigations Map I-1182-B, 5 p., scale 1:500,000, 2 sheets.

OF, BW, BA, BP, DP, FI, HR, TS

Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA

Grantz, Arthur, Mann, D. M., and May, S. D., 1982, Tracklines of multichannel seismic-reflection data collected by the U.S. Geological Survey in the Beaufort and Chukchi Seas in 1977 for which profiles and stack tapes are available: U.S. Geological Survey Open-File Report 82-735, scale 1:650,000 approx.

OF, BW, BA, BP, DP, FI, HR, PH, SF, WA

Huffman, A. C., Kirk, A. R., and Molenaar, C. M., 1982, Uranium investigations--northeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 41-43.
AG/*, DP/*, ML/*

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

Nilsen, T. H., Moore, T. E., Balin, D. F., and Johnson, S. Y., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central Brooks Range, Alaska - Report of 1980 field season: U.S. Geological Survey Open-File Report 82-199, 85 p.
AG, AC, AR, CH, CL, DP, HW, KL, ML, PS, SP, TB, TS, WI

DEMARCATION POINT QUADRANGLE

Reimnitz, Erk, Barnes, P. W., Rearic, D. M., Minkler, P. W., Kempema, E. W., and Reiss, T. E., 1982, Marine geological investigations in the Beaufort Sea in 1981 and preliminary interpretations for regions from the Canning River to the Canadian border: U.S. Geological Survey Open-File Report 82-974, 67 p.
OF, BA, BP, DP, FI, HR

DILLINGHAM QUADRANGLE

Huck, R. W., and Rawlinson, S. E., 1982, Peat resource inventory of south-central Alaska, a data report: Alaska Division of Geological and Geophysical Surveys Open-File Report 150, 88 p.
AG, AN, DI, TL, TY

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982,
Hydrocarbon reservoir and source-rock characteristics from selected areas
of southwestern Alaska: Alaska Division of Geological and Geophysical
Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA,
NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

Rawlinson, S. E., Huck, R. W., and Hardy, S. B., 1982, Peat resource map,
southwestern Dillingham A-7 quadrangle, Alaska: Alaska Division of
Geological and Geophysical Surveys Open-File Report 151, scale 1:15,840.
DI

DIXON ENTRANCE QUADRANGLE

Bruns, T. R., and Plafker, George, 1982, Geology, structure, and petroleum potential of the southeastern Alaska and northern Gulf of Alaska continental margins, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 9-52.

AG, OF, BG, BS, CV, CR, DE, IB, MI, MF, PA, SR, SI, YA

Gehrels, G. E., Saleeby, J. B., and Berg, H. C., 1982, Geologic framework of a pre-Middle Devonian meta-igneous complex, Annette Island, southeastern Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 165.

CR, DE, KC

Redman, Earl, 1982, The Keete Inlet thrust fault, Prince of Wales Island: Alaska Division of Geological and Geophysical Surveys Geologic Report 73, p. 17-18.

CR, DE

Thompson, T. B., Pierson, J. R., and Lyttle, Thomas, 1982, Petrology and petrogenesis of the Bokan Mountain Granite Complex, southeastern Alaska: Geological Society of America Bulletin, v. 93, no. 9, p. 898-908.

DE

EAGLE QUADRANGLE

Churkin, Michael, Jr., Foster, H. L., Chapman, R. M., and Weber, F. R., 1982,
Terranes and suture zones in east central Alaska: Journal of Geophysical
Research, v. 87, no. 5, p. 3718-3730.
BD, CY, CI, EA, LG, TC

Foster, H. L., and O'Leary, R. M., 1982, Gold found in bedrock of Lost Chicken
Creek gold placer mine, Forty-mile area, Alaska, in Coonrad, W. L., ed.,
The United States Geological Survey in Alaska: Accomplishments during
1980: U.S. Geological Survey Circular 844, p. 62-63.
EA/*

Moore, M. G., 1982, Depositional environments and processes of Calico Bluff
Formation (Carboniferous), east-central Alaska (abs.): American
Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 608.
AG, EA

Weber, F. R., 1982, Two new tephra localities in the Yukon-Tanana Upland, in
Coonrad, W. L., ed., The United States Geological Survey in Alaska:
Accomplishments during 1980: U.S. Geological Survey Circular 844, p.
61-62.
EA

FAIRBANKS QUADRANGLE

Ager, T. A., 1982, Pollen studies of Quaternary-age lake sediments in the Tanana Valley, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 64-67.
BD, FB, MH

Albanese, M. D., 1982, Two Holocene maars in the central Alaska Range: Alaska Division of Geological and Geophysical Surveys Geologic Report 73, p. 19-22.
FB.

Albanese, M. D., 1982, Geochemical reconnaissance of the northern Fairbanks D-1 and southern Livengood A-1 quadrangles, Alaska; summary of data on stream-sediment, pan-concentrate, and rock samples: Alaska Division of Geological and Geophysical Surveys Open-File Report 164, 26 p., 3 plates.
FB/*, LG/*

Albanese, M. D., 1982, Geochemical reconnaissance of the northern Fairbanks D-2 and southern Livengood A-2 quadrangles, Alaska; summary of data on stream-sediment, pan-concentrate, and rock samples: Alaska Division of Geological and Geophysical Surveys Open-File Report 165, 23 p., 3 plates.
FB/*, LG/*

Albanese, M. D., 1982, Geochemical reconnaissance of the Fairbanks D-3 quadrangle, Alaska; summary of data on stream-sediment, pan-concentrate, and rock samples: Alaska Division of Geological and Geophysical Surveys Open-File Report 166, 15 p., 3 plates.
FB/*

Bundtzen, T. K., 1982, Bedrock geology of the Fairbanks mining district, western sector: Alaska Division of Geological and Geophysical Surveys Open-File Report 155, scale 1:24,000, 2 sheets.
FB, LG

Bundtzen, T. K., Robinson, M. S., Kline, J. T., and Albanese, M. A., 1982, Geology of the Clipper Gold Mine, Fairbanks mining district, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 157, 10 p., 1 plate.
FB/*

Burrows, R. L., Emmett, W. W., and Parks, Bruce, 1982, Sediment transport in the Tanana River in the vicinity of Fairbanks, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 67-68.
FB

Conwell, C. N., 1982, Mineral preparation, Grant Gold Mine, Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report No. 74, 15 p.
FB/*

FAIRBANKS QUADRANGLE

- Dickson, R. K., 1982, Uranium mineralization in the Nenana coal field, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 73, p. 37-42.
FB/*, HE/*
- Emmel, K. S., and Coonrod, P. L., 1982, Geological literature on the Copper River basin and middle Tanana River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Special Report 30, 11 p.
AN, FB, GU, KH, LG, TK, TN, VA
- Forbes, R. B., 1982, Bedrock geology and petrology of the Fairbanks mining district, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 169, 68 p.
FB
- Forbes, R. B., and Weber, F. R., 1982, Bedrock geology of the Fairbanks mining district: Alaska Division of Geological and Geophysical Surveys Open-File Report 170, scale 1:63,360, 2 sheets.
FB, LG
- Hawkins, D. B., 1982, Gold content of rocks in the Fairbanks mining district, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 168, 103 p.
FB/*, LG/*
- Hawkins, D. B., 1982, Hierarchical analysis of variance of stream-sediment samples for geochemical reconnaissance, Ester Dome, Fairbanks mining district, Alaska: Alaska Division of Geological and Geophysical Surveys Open File-Report 167, 86 p.
FB
- Krumhardt, A. P., 1982, Arsenic, nitrate, iron, and hardness in ground water, Chena Hot Springs Road, Steele Creek Road, and Gilmore Trail areas, (T. 1 N., R. 1 E., FM), Fairbanks, Alaska: U.S. Geological Survey Open-File Report 82-356, scale 1:2,400 approx., 2 sheets.
FB
- Krumhardt, A. P., 1982, Geohydrology of the Fairbanks North Star Borough, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 68-69.
FB
- Krumhardt, A. P., 1982, Hydrologic information for land-use planning, Badger Road area, Fairbanks, Alaska: U.S. Geological Survey Water-Resources Investigations WRI 82-4097, 18 p.
FB

FAIRBANKS QUADRANGLE

Metz, P. A., 1982, Bedrock geology of the Fairbanks mining district, northeast sector: Alaska Division of Geological and Geophysical Surveys Open-File Report 154, scale 1:24,000.
FB, LG

Ritter, D. F., 1982, Complex river terrace development in the Nenana Valley near Healy, Alaska: Geological Society of America Bulletin, v. 93, no. 4, p. 346-356.
FB, HE

Robinson, M. S., 1982, Bedrock geology of the Fairbanks mining district, southeast section: Alaska Division of Geological and Geophysical Surveys Open-File Report 146, scale 1:24,000.
FB, LG

Robinson, M. S., Smith, T. E., Bundtzen, T. K., and Metz, P. A., 1982, Cleary sequence of the Fairbanks mining district; primary stratigraphic control of lode gold/antimony mineralization (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 228.
FB/*, LG/*

Townshend, J. B., Papp, J. E., and Sauter, E. A., 1981, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska, August 1981: U.S. Geological Survey Open-File Report 81-300H, 23 p.
FB

Townshend, J. B., Papp, J. E., and Sauter, E. A., 1981, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska, September 1981: U.S. Geological Survey Open-File Report 81-300I, 22 p.
FB

Townshend, J. B., Papp, J. E., and Sauter, E. A., 1981, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska, October 1981: U.S. Geological Survey Open-File Report 81-300J, 24 p.
FB

Townshend, J. B., Papp, J. E., and Sauter, E. A., 1981, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska, November 1981: U.S. Geological Survey Open-File Report 81-300K, 23 p.
FB

Townshend, J. B., Papp, J. E., and Sauter, E. A., 1981, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska, December 1981: U.S. Geological Survey Open-File Report 81-300L, 22 p.
FB

Townshend, J. B., Papp, J. E., Sauter, E. A., and Torrence, L. Y., 1982, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska, January 1982: U.S. Geological Survey Open-File Report 82-300A, 22 p.
FB

FAIRBANKS QUADRANGLE

Townshend, J. B., Papp, J. E., Sauter, E. A., and Torrence, L. Y., 1982,
Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska,
February 1982: U.S. Geological Survey Open-File Report 82-300B, 25 p.
FB

Townshend, J. B., Papp, J. E., Sauter, E. A., and Torrence, L. Y., 1982,
Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska,
March 1982: U.S. Geological Survey Open-File Report 82-300C, 23 p.
FB

Townshend, J. B., Papp, J. E., Sauter, E. A., and Torrence, L. Y., 1982,
Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska,
April 1982: U.S. Geological Survey Open-File Report 82-300D, 23 p.
FB

Townshend, J. B., Papp, J. E., Sauter, E. A., Torrence, L. Y., and Cunningham,
T. K., 1982, Preliminary geomagnetic data, College Observatory, Fairbanks,
Alaska, May 1982: U.S. Geological Survey Open-File Report 82-300E,
22 p.
FB

Townshend, J. B., Papp, J. E., Sauter, E. A., Torrence, L. Y., and Cunningham,
T. K., 1982, Preliminary geomagnetic data, College Observatory, Fairbanks,
Alaska, June 1982: U.S. Geological Survey Open-File Report 82-300F,
23 p.
FB

Townshend, J. B., Papp, J. E., Sauter, E. A., Torrence, L. Y., and Cunningham,
T. K., 1982, Preliminary geomagnetic data, College Observatory, Fairbanks,
Alaska, July 1982: U.S. Geological Survey Open-File Report 82-300G,
25 p.
FB

Townshend, J. B., Papp, J. E., Sauter, E. A., Torrence, L. Y., and Cunningham,
T. K., 1982, Preliminary geomagnetic data, College Observatory, Fairbanks,
Alaska, August 1982: U.S. Geological Survey Open-File Report 82-300H,
24 p.
FB

Townshend, J. B., Papp, J. E., Sauter, E. A., Torrence, L. Y., and Cunningham,
T. K., 1982, Preliminary geomagnetic data, College Observatory, Fairbanks
Alaska, September 1982: U.S. Geological Survey Open-File Report 82-300I,
25 p.
FB

Townshend, J. B., Papp, J. E., Sauter, E. A., Torrence, L. Y., and Cunningham,
T. K., 1982, Preliminary geomagnetic data, College Observatory, Fairbanks,
Alaska, October 1982: U.S. Geological Survey Open-File Report 82-300J,
24 p.
FB

FAIRBANKS QUADRANGLE

Townshend, J. B., Papp, J. E., Sauter, E. A., Torrence, L. Y., and Cunningham, T. K., 1982, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska, November 1982: U.S. Geological Survey Open-File Report 82-300K, 24 p.
FB

Townshend, J. B., Papp, J. E., Sauter, E. A., Torrence, L. Y., and Cunningham, T. K., 1982, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska, December 1982: U. S. Geological Survey Open-File Report 82-300L, 23 p.
FB

Wescott, E. M., 1982, Evaluation of geophysical methods in the Fairbanks mining district, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 171, 24 p.
FB, LG

Westgate, J. A., Pewé, T. L., and Gorton, M. P., 1982, Tephrochronology of the Gold Hill Loess in central Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 645-646.
FB, LG

FALSE PASS QUADRANGLE

Jacob, K. H., and McCann, W. R., 1982, Strong ground motions in two seismic gaps: Shumagin Islands, Alaska, and northern Lesser Antilles, Caribbean: U.S. Geological Survey Open-File Report 82-139, 22 p.
CB, FP, PM, SN, SB, UN

Wilson, F. H., and Shew, Nora, 1982, Apparent episodicity of magmatic activity deduced from radiometric age determinations, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 13-15.
AG, CG, FP, KD, PM, SN, SB, SW

FLAXMAN ISLAND QUADRANGLE

Acevedo, William, Walder, Donald, Gaydos, Leonard, and Wray, James, 1982, Vegetation and land cover, Arctic National Wildlife Refuge coastal plain Alaska: U.S. Geological Survey Miscellaneous Investigations Map I-1443, scale 1:250,000.
BA, DP, FI, ML

Barnes, P. W., and Reimnitz, Erk, 1982, Net flow of near-bottom water on the inner Beaufort Sea Shelf as determined from seabed drifters: U.S. Geological Survey Open-File Report 82-717, 10 p.
OF, BP, FI, HR

Barnes, P. W., Reiss, T. E., and Reimnitz, Erk, 1982, Sediment content of nearshore fast ice - Fall 1980, Beaufort Sea, Alaska: U.S. Geological Survey Open-File Report 82-716, 18 p.
OF, BP, HR, FI

Bird, K. J., 1982, Rock unit reports of 228 wells drilled on the North Slope, Alaska: U.S. Geological Survey Open-File Report 82-278, 108 p.
BW, HR, IK, KL, LR, TS, UT, UR, WA, BP, CL, FI, ML, SG

Dinter, D. A., 1982, Holocene marine sediments on the Middle and Outer Continental Shelf of the Beaufort Sea north of Alaska: U.S. Geological Survey Miscellaneous Investigations Map I-1182-B, 5 p., scale 1:500,000, 2 sheets.
OF, BW, BA, BP, DP, FI, HR, TS

Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA

Grantz, Arthur, Dinter, D. A., Hill, E. R., May, S. D., McMullin, R. H., Phillips, R. L., and Reimnitz, Erk, 1982, Geologic framework, hydrocarbon potential, and environmental conditions for exploration and development of proposed oil and gas lease sale 87 in Beaufort and northeast Chukchi Seas - A summary report: U.S. Geological Survey Open-File Report 82-482, 71 p.
OF, BW, BA, BP, FI, HR, MR, TS, WA

Grantz, Arthur, Mann, D. M., and May, S. D., 1982, Tracklines of multichannel seismic-reflection data collected by the U.S. Geological Survey in the Beaufort and Chukchi Seas in 1977 for which profiles and stack tapes are available: U.S. Geological Survey Open-File Report 82-735, scale 1:650,000 approx.
OF, BW, BA, BP, DP, FI, HR, PH, SF, WA

FLAXMAN ISLAND QUADRANGLE

Grantz, Arthur, May, S. D., and Mann, D. M., 1982, Tracklines of multichannel seismic reflection data collected in the Beaufort and Chukchi Seas in 1977 for which demultiplexed field tapes are available from the U.S. Geological Survey: U.S. Geological Survey Open-File Report 82-651, scale 1:500,000.
OF, BW, BA, BP, FI, HR, PH, SF

Kempema, Ed, Reimnitz, Erk, and Barnes, Peter, 1981, Marine geology studies in the Beaufort Sea, Alaska, 1980; location, data type, and records obtained: U.S. Geological Survey Open-File Report 81-241, 3 p., 6 sheets, and 5 rolls of microfilm of shipboard records.
OF, BI, BP, FI, HR

Minkler, P. W., Reimnitz, Erk, and Barnes, P. W., 1982, A summary of U.S. Geological Survey marine geological data collected in the Beaufort Sea, Alaska, July through August 1981: U.S. Geological Survey Open-File Report 82-586, 10 p.
BA, BP, FI, HR

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

Reimnitz, Erk, Barnes, P. W., Rearic, D. M., Minkler, P. W., Kempema, E. W., and Reiss, T. E., 1982, Marine geological investigations in the Beaufort Sea in 1981 and preliminary interpretations for regions from the Canning River to the Canadian Border: U.S. Geological Survey Open-File Report 82-974, 67 p.
OF, BA, BP, DP, FI, HR

Samuels, W. B., Hopkins, Dorothy, and Lanfear, K. J., 1982, An oilspill risk analysis for the Beaufort Sea, Alaska (proposed sale 71) Outer Continental Shelf lease area: U.S. Geological Survey Open-File Report 82-13, 111 p.
OF, BP, FI, HR, TS

GOODNEWS BAY QUADRANGLE

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981,
Critical and strategic minerals in Alaska - cobalt, the platinum-group
metals, and chromite: U.S. Bureau of Mines Information Circular 8869,
8 p.
AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*,
PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*

Imlay, R. W., 1982, Late Bajocian ammonites from southern Alaska: U.S.
Geological Survey Professional Paper 1189, 19 p., 7 plates.
AN, GO, IL, KN

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982,
Hydrocarbon reservoir and source-rock characteristics from selected areas
of southwestern Alaska: Alaska Division of Geological and Geophysical
Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA,
NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane,
southern Alaska, in Coonrad, W. L., ed., The United States Geological
Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey
Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU,
KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR,
SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

GULKANA QUADRANGLE

Burns, L. E., 1982, Gravity and aeromagnetic modelling of a large gabbroic body near the Border Ranges fault, southern Alaska: U.S. Geological Survey Open-File Report 82-460, 72 p., scale 1:250 000, 3 sheets.
GU, TK, VA

Emmel, K. S., and Coonrod, P. L., 1982, Geological literature on the Copper River basin and middle Tanana River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Special Report 30, 11 p.
AN, FB, GU, KH, LG, TK, TN, VA

HAGEMEISTER ISLAND QUADRANGLE

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981,
Critical and strategic minerals in Alaska - cobalt, the platinum-group
metals, and chromite: U.S. Bureau of Mines Information Circular 8869,
8 p.
AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*,
PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982,
Hydrocarbon reservoir and source-rock characteristics from selected areas
of southwestern Alaska: Alaska Division of Geological and Geophysical
Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA,
NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane,
southern Alaska, in Coonrad, W. L., ed., The United States Geological
Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey
Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU,
KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR,
SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

HARRISON BAY QUADRANGLE

Barnes, P. W., and Reimnitz, Erk, 1982, Net flow of near-bottom water on the inner Beaufort Sea Shelf as determined from seabed drifters: U.S. Geological Survey Open-File Report 82-717, 10 p.
OF, BP, FI, HR

Barnes, P. W., Reiss, T. E., and Reimnitz, Erk, 1982, Sediment content of nearshore fast ice - Fall 1980, Beaufort Sea, Alaska: U.S. Geological Survey Open-File Report 82-716, 18 p.
OF, BP, HR, FI

Bird, K. J., 1982, Catalog of digital log data for Government-drilled wells in and adjacent to the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-800, 31 p.
BW, HR, IK, KL, LR, MR, MU, TS, UT, UR, WA, CL

Bird, K. J., 1982, Machine-generated displays of well logs and lithology from 12 wells on the North Slope of Alaska: U.S. Geological Survey Open-File Report 82-290, 5 p., 12 sheets.
BW, HR, IK, LR, MR, SG

Bird, K. J., 1982, Rock unit reports of 228 wells drilled on the North Slope, Alaska: U.S. Geological Survey Open-File Report 82-278, 108 p.
BW, HR, IK, KL, LR, TS, UT, UR, WA, BP, CL, FI, ML, SG

Blanchard, D. C., and Tailleur, I. L., 1982, Preliminary geothermal isograd map, National Petroleum Reserve in Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 46-48.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA

Blanchard, D. C., and Tailleur, I. L., 1982, Temperatures and interval geothermal-gradient determinations from wells in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-391, 82 p.
BW, HR, KL, LR, MR, TS, UT, WA

Bowsher, A. L., ed., 1981, Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, 165 p.
BW, HR, TS, WA, AG, OF, BP

Carter, L. D., 1982, Late Wisconsin desertification in northern Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 461.
HR, IK, TS, UT

HARRISON BAY QUADRANGLE

Carter, L. D., and Galloway, J. P., 1982, Terraces of the Colville River Delta region, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 49-51.

HR

Carter, R. D., 1982, National Petroleum Reserve in Alaska data release, 1980, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 48-49.

BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA

Craig, J. D., and Thrasher, G. P., 1982, Environmental geology of Harrison Bay, northern Alaska: U.S. Geological Survey Open-File Report 82-35, 25 p., scale 1:250,000, 6 sheets.

HR

Dinter, D. A., 1982, Holocene marine sediments on the Middle and Outer Continental Shelf of the Beaufort Sea north of Alaska: U.S. Geological Survey Miscellaneous Investigations Map I-1182-B, 5 p., scale 1:500,000, 2 sheets.

OF, BW, BA, BP, DP, FI, HR, TS

Dunton, K. H., Reimnitz, Erk, and Schonberg, Susan, 1982, An Arctic kelp community in the Alaskan Beaufort Sea: Arctic, v. 35, no. 4, p. 465-484.

OF, HR

Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.

AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA

Galloway, J. P., 1982, Grain-size analyses of 20 eolian sand samples from northern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 51-53.

HR, IK, TS, UT

Grantz, Arthur, Dinter, D. A., Hill, E. R., May, S. D., McMullin, R. H., Phillips, R. L., and Reimnitz, Erk, 1982, Geologic framework, hydrocarbon potential, and environmental conditions for exploration and development of proposed oil and gas lease sale 87 in Beaufort and northeast Chukchi Seas - A summary report: U.S. Geological Survey Open-File Report 82-482, 71 p.

OF, BW, BA, BP, FI, HR, MR, TS, WA

HARRISON BAY QUADRANGLE

Grantz, Arthur, Mann, D. M., and May, S. D., 1982, Tracklines of multichannel seismic-reflection data collected by the U.S. Geological Survey in the Beaufort and Chukchi Seas in 1977 for which profiles and stack tapes are available: U.S. Geological Survey Open-File Report 82-735, scale 1:650,000 approx.

OF, BW, BA, BP, DP, FI, HR, PH, SF, WA

Grantz, Arthur, May, S. D., and Mann, D. M., 1982, Tracklines of multichannel seismic reflection data collected in the Beaufort and Chukchi Seas in 1977 for which demultiplexed field tapes are available from the U.S. Geological Survey: U.S. Geological Survey Open-File Report 82-651, scale 1:500,000.

OF, BW, BA, BP, FI, HR, PH, SF

Gryc, George, 1982, Petroleum exploration in the National Petroleum Reserve in Alaska, in U.S. Geological Survey, U.S. Geological Survey activities, fiscal year 1981: U.S. Geological Survey Circular 875, p. 14-21.

AG, BP, BW, HR, IK, KL, LR, TS, UT, WA

Kempema, Ed, Reimnitz, Erk, and Barnes, Peter, 1981, Marine geology studies in the Beaufort Sea, Alaska, 1980; location, data type, and records obtained: U.S. Geological Survey Open-File Report 81-241, 3 p., 6 sheets, and 5 rolls of microfilm of shipboard records.

OF, BI, BP, FI, HR

Lawver, L. A., 1981, Geothermal gradients on the North Slope, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 81-83.

BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA

Minkler, P. W., Reimnitz, Erk, and Barnes, P. W., 1982, A summary of U.S. Geological Survey marine geological data collected in the Beaufort Sea, Alaska, July through August 1981: U.S. Geological Survey Open-File Report 82-586, 10 p.

BA, BP, FI, HR

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.

AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

Pratt, R. M., 1981, Gas hydrate evaluation and recommendations, National Petroleum Reserve - Alaska, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 114-143.

BW, HR, TS, WA

HARRISON BAY QUADRANGLE

Reimnitz, Erk, Barnes, P. W., Rearic, D. M., Minkler, P. W., Kempema, E. W., and Reiss, T. E., 1982, Marine geological investigations in the Beaufort Sea in 1981 and preliminary interpretations for regions from the Canning River to the Canadian border: U.S. Geological Survey Open-File Report 82-974, 67 p.
OF, BA, BP, DP, FI, HR

Reimnitz, Erk, and Kempema, E. W., 1982, High rates of bedload transport measured from infilling rate of large strudel-scour craters in the Beaufort Sea, Alaska: U.S. Geological Survey Open-File Report 82-588, 19 p.
OF, BP, HR

Samuels, W. B., Hopkins, Dorothy, and Lanfear, K. J., 1982, An oilspill risk analysis for the Beaufort Sea, Alaska (proposed sale 71) Outer Continental Shelf lease area: U.S. Geological Survey Open-File Report 82-13, 111 p.
OF, BP, FI, HR, TS

HEALY QUADRANGLE

Ager, T. A., 1982, Pollen studies of Quaternary-age lake sediments in the Tanana Valley, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 64-67.
BD, FB, HE, MH

Ager, T. A., 1982, Quaternary history of vegetation in the north Alaska Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 109-111.
AG, HE, MH, MM

Csejtey, Bela, Jr., Cox, D. P., Evarts, R. C., Stricker, G. D., and Mullen, M. W., 1982, The Denali fault system--The case for minor rather than major Cenozoic lateral displacement, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 102-106.
AG, HE

Dickson, R. K., 1982, Uranium mineralization in the Nenana coal field, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 73, p. 37-42.
FB/*, HE/*

Gough, L. P., Severson, R. C., and Briggs, P. H., 1982, Field observations and chemical analyses of vegetation, soils, and spoil materials, Jarvis Creek preference coal lease, Alaska: U.S. Geological Survey Open-File Report 82-55, 30 p.
HE, MH

Hillhouse, J. W., and Gromme, C. S., 1982, Limits to northward drift of the Paleocene Cantwell Formation, central Alaska: Geology, v. 10, no. 10, p. 552-556.
HE

King, H. D., 1982, Reconnaissance geochemical surveys of the Healy quadrangle, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 107-108.
HE

Ritter, D. F., 1982, Complex river terrace development in the Nenana Valley near Healy, Alaska: Geological Society of America Bulletin, v. 93, no. 4, p. 346-356.
FB, HE

HEALY QUADRANGLE

Scully, D. R., Krumhardt, A. P., and Kernodle, D. R., 1981, Hydrologic reconnaissance of the Beluga, Peters Creek, and Healy coal areas, Alaska: U.S. Geological Survey Water Resources Investigations WRI 81-56, 79 p.
HE, TL, TY

Silberling, N. J., Richter, D. H., Jones, D. L., and Coney, P. C., 1982, Geologic map of the bedrock part of the Healy A-1 quadrangle south of the Talkeetna-Broxon Gulch fault system, Clearwater Mountains, Alaska: U.S. Geological Survey Open-File Report 81-1288, scale 1:63,360.
HE

Wardlaw, B. R., 1982, Smithian and Spathian (Early Triassic) conodont faunas from the Chulitna terrane, south-central Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 106-107.
HE, MM, TL, TK

HOLY CROSS QUADRANGLE

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982,
Hydrocarbon reservoir and source-rock characteristics from selected areas
of southwestern Alaska: Alaska Division of Geological and Geophysical
Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA,
NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

HOOPER BAY QUADRANGLE

Fisher, M. A., Patton, W. W., Jr., and Holmes, M. L., 1982, Geology of Norton Basin and continental shelf beneath northwestern Bering Sea, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 255-285.

OF, BL, BN, HP, KZ, NM, NR, NL, PH, SL, ST, SC, SP, SO, TE, UL

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.

BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA, NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

HOWARD PASS QUADRANGLE

- Bird, K. J., 1982, Catalog of digital log data for Government-drilled wells in and adjacent to the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-800, 31 p.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA, CL
- Blanchard, D. C., and Tailleur, I. L., 1982, Preliminary geothermal isograd map, National Petroleum Reserve in Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 46-48.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Carter, R. D., 1982, National Petroleum Reserve in Alaska data release, 1980, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 48-49.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Childers, J. M., and Kernodle, D. R., 1981, Hydrologic reconnaissance of the Noatak River Basin, Alaska: U.S. Geological Survey Water Resources Investigation 81-1005, 38 p.
AR, BM, HW, MU, NT
- Ellersieck, Inyo, Jansons, Uldis, Mayfield, C. F., and Tailleur, I. L., 1982, The Story Creek and Whoopee Creek lead-zinc-silver occurrences, western Brooks Range, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 35-38.
HW/*
- Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA
- Lawver, L. A., 1981, Geothermal gradients on the North Slope, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 81-83.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Molenaar, C. M., Egbert, R. M., and Krystnik, L. F., 1982, Depositional facies and reservoir potential of the Fortress Mountain Formation, central North Slope, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 32-33.
CL, HW, KL, MU

HOWARD PASS QUADRANGLE

Mull, C. G., Tailleur, I. L., Mayfield, C. F., Ellersieck, Inyo, and Curtis, S., 1982, New Upper Paleozoic and Lower Mesozoic stratigraphic units, central and western Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 348-362.
AC, CL, DL, HW, KL, MU, ML, PS, PH

Nelson, S. W., and Nelson, W. H., 1982, Geology of the Siniktanneyak Mountain ophiolite, Howard Pass quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1441, scale 1:63,360.
HW

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

Nilsen, T. H., and Moore, T. E., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central and western Brooks Range, Alaska - Report of 1981 field season: U.S. Geological Survey Open-File Report 82-674, 63 p.
AG, AC, AR, BM, CL, DL, HW, KL, MU, NT, PS, SP, TB, WI

Nilsen, T. H., Moore, T. E., Balin, D. F., and Johnson, S. Y., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central Brooks Range, Alaska - Report of 1980 field season: U.S. Geological Survey Open-File Report 82-199, 85 p.
AG, AC, AR, CH, CL, DP, HW, KL, ML, PS, SP, TB, TS, WI

Nokleberg, W. J., and Winkler, G. R., 1982, Stratiform zinc-lead deposits in the Drenchwater Creek area, Howard Pass quadrangle, northwestern Brooks Range, Alaska: U.S. Geological Survey Professional Paper 1209, 22 p., 2 plates.
HW/*

HUGHES QUADRANGLE

Alaska Division of Geological and Geophysical Surveys, 1982, Aeromagnetic map of northern half of Hughes quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 178, scale 1:250,000.
HU

Childers, Joseph, and Kernodle, D. R., 1982, Hydrologic reconnaissance of the Kobuk River basin, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 80-81.
AR, BM, HU, SH, SP

Hamilton, T. D., 1982, A late Pleistocene glacial chronology for the southern Brooks Range: Stratigraphic record and regional significance: Geological Society of America Bulletin, v. 93, no. 8, p. 700-716.
AG, BV, BT, CH, HU, SP, WI

Hitzman, M. W., Smith, T. E., and Proffett, J. M., 1982, Bedrock geology of the Ambler district, southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 75, scale 1:125,000, 2 sheets.
AR, HU, SH, SP

Staatz, M. H., 1981 (1982), Thorianite from the Hogatza placer, north-central Alaska, in Armstrong, F. C., ed., Genesis of uranium- and gold-bearing Precambrian quartz-pebble conglomerates: U.S. Geological Survey Professional Paper 1161-Y, p. Y1-Y2.
HU/*

ICY BAY QUADRANGLE

Brouwers, E. M., 1982, Preliminary report on ostracode assemblages from the northeast Gulf of Alaska continental shelf, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 151-153.
CV, IB, MI

Brouwers, E. M., 1982, Tabulation of the ostracode assemblages and associated fauna and flora from the Van Veen samples taken in the northeast Gulf of Alaska, R/V Discoverer cruise DC2-80-EG, June 1980: U.S. Geological Survey Open-File Report 82-390, 68 p.
OF, IB, YA

Brouwers, E. M., 1982, Tabulation of the ostracode assemblages and associated organisms from selected bottom grab samples taken in the northeast Gulf of Alaska, F.R.S. Townsend Cromwell Cruise EGAL-75KC: Part II: U.S. Geological Survey Open-File Report 82-949, 95 p.
OF, IB, YA, BG, CV, MI

Bruns, T. R., 1982, Structure and petroleum potential of the continental margin between Cross Sound and Icy Bay, northern Gulf of Alaska: U.S. Geological Survey Open-File Report 82-929, 64 p.
OF, BG, IB, MS, SK, YA

Bruns, T. R., and Plafker, George, 1982, Geology, structure, and petroleum potential of the southeastern Alaska and northern Gulf of Alaska continental margins, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 9-52.
AG, OF, BG, BS, CV, CR, DE, IB, MI, MF, PA, SR, SI, YA

Carlson, P. R., and Schwab, W. C., 1982, Northern Gulf of Alaska environmental geology, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait: U.S. Geological Survey Open-File Report 82-928, p. 73-86.
OF, BS, CV, IB, MI, MF, PA, SI, YA

Collins, K. M., and Stadnychenko, Anne, 1981, Gulf of Alaska and Lower Cook Inlet Summary Report 2 June 1981: U.S. Geological Survey Open-File Report 81-607, 49 p.
AG, OF, BG, IB, YA

Jackson, J. B., and Dorrier, R. T., 1980, Outer Continental Shelf oil and gas activities in the Gulf of Alaska (including Lower Cook Inlet) and their onshore impacts: A summary report, September, 1980: U.S. Geological Survey Open-File Report 80-1028, 78 p.
AG, AF, IB, IL, MI, SV

ICY BAY QUADRANGLE

Lee, H. J., and Schwab, W. C., 1982, Geotechnical investigations related to geological hazards: northern Gulf of Alaska, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait: U.S. Geological Survey Open-File Report 82-928, p. 87-94.
BG, BS, CV, IB, MI, MF, YA

McMullin, R. H., 1982, Resource assessment, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 68-72.
OF, AF, BG, IB, IL, MK, SV, YA

Plafker, George, Hudson, Travis, Meyer, Rubin, and Dixon, K. L., 1982, Holocene marine terraces and uplift history in the Yakataga seismic gap near Icy Cape, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 111-115.
AG, BG, IB

Stephens, C. D., and Lahr, J. C., 1982, Seismic studies in southern and southeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska--Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 91-93.
OF, IB, MI, SV

IDITAROD QUADRANGLE

Bundtzen, T. K., and Laird, G. M., 1982, Geologic map of the Iditarod D-2 and eastern D-3 quadrangles: Alaska Division of Geological and Geophysical Surveys Geologic Report 72, scale 1:63,360.
ID

Chapman, R. M., Patton, W. W., Jr., and Moll, E. J., 1982, Preliminary summary of the geology in eastern part of Ophir quadrangle, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 70-73.
ID, MG, MD, NL, OP, RB

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA, NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

IKPIKPUK RIVER QUADRANGLE

- Bird, K. J., 1982, Catalog of digital log data for Government-drilled wells in and adjacent to the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-800, 31 p.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA, CL
- Bird, K. J., 1982, Machine-generated displays of well logs and lithology from 12 wells on the North Slope of Alaska: U.S. Geological Survey Open-File Report 82-290, 5 p., 12 sheets.
BW, HR, IK, LR, MR, SG
- Bird, K. J., 1982, Rock unit reports of 228 wells drilled on the North Slope, Alaska: U.S. Geological Survey Open-File Report 82-278, 108 p.
BW, HR, IK, KL, LR, TS, UT, UR, WA, BP, CL, FI, ML, SG
- Blanchard, D. C., and Tailleur, I. L., 1982, Preliminary geothermal isograd map, National Petroleum Reserve in Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 46-48.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Carter, L. D., 1982, Late Wisconsin desertification in northern Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7 p. 461.
HR, IK, TS, UT
- Carter, R. D., 1982, National Petroleum Reserve in Alaska data release, 1980, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 48-49.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA
- Galloway, J. P., 1982, Grain-size analyses of 20 eolian sand samples from northern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 51-53.
HR, IK, TS, UT
- Gryc, George, 1982, Petroleum exploration in the National Petroleum Reserve in Alaska, in U.S. Geological Survey, U.S. Geological Survey activities, fiscal year 1981: U.S. Geological Survey Circular 875, p. 14-21.
AG, BP, BW, HR, IK, KL, LR, TS, UT, WA

IKPIKPUK RIVER QUADRANGLE

Lawver, L. A., 1981, Geothermal gradients on the North Slope, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 81-83.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA

McCoy, G. A., 1982, Nutrient limitation in two arctic lakes, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 53.
IK

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

ILIAMNA QUADRANGLE

Abadie, V. H., III, 1982, Tertiary Kenai Group, Cook Inlet, Alaska tectonic and depositional model applied to Barranca Formation (Upper Triassic), central Sonora, Mexico (abs): American Association of Petroleum Geologists Bulletin, v. 66, no. 5., p. 542.

IL, KN, SV, TY

Bolm, J. G., McCulloh, T. H., and Stewart, R. J., 1982 Diagenesis of sandstones in Lower Cook Inlet Basin, Alaska and its implication for Mesozoic petroleum plays (abs.): Alaska Geological Society Symposium, Anchorage, Alaska, 1982, Program with Abstracts, p. 8.

OF, AF, IL, KN, SV

Boyce, R. L., 1982, Depositional systems in Naknek Formation, Late Jurassic, Lower Cook Inlet, Alaska (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 551.

AF, IL, KN

Fisher, M. A., and Magoon, L. B., 1982, Geology, structure, and petroleum potential of the Lower Cook Inlet-Shelikof Strait region, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 53-67.

AF, AN, IL, KR, KN, KD, MK, SV, TY, UG

Hampton, M. A., 1982, Lower Cook Inlet environmental geology, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 95-105.

AF, IL, KN, MK, SV

Hampton, M. A., 1982, Synthesis report: Environmental geology of Lower Cook Inlet, Alaska: U.S. Geological Survey Open-File Report 82-197, 55 p.

AF, IL, KN, SV

Imlay, R. W., 1981 (1982), Late Jurassic ammonites from Alaska: U.S. Geological Survey Professional Paper 1190, 40 p., 12 plates.

AF, AN, CG, IL, KR, MC, MK, ML, SV, SW, UG

Imlay, R. W., 1982, Late Bajocian ammonites from southern Alaska: U.S. Geological Survey Professional Paper 1189, 19 p., 7 plates.

AN, GO, IL, KN

Jackson, J. B., and Dorrier, R. T., 1980, Outer Continental Shelf oil and gas activities in the Gulf of Alaska (including Lower Cook Inlet) and their onshore impacts: A summary report, September, 1980: U.S. Geological Survey Open-File Report 80-1028, 78 p.

AG, AF, IB, IL, MI, SV

ILIAMNA QUADRANGLE

Jackson, J. B., and Kurz, F. N., 1982, Gulf of Alaska and Lower Cook Inlet, summary report 3, June 1982, second revision of OCS oil and gas activities in the Gulf of Alaska (including Lower Cook Inlet) and their onshore impacts--A summary report, September 1980: U.S. Geological Survey Open-File Report 82-20, 79 p.
OF, AF, CV, IL, KR, KN, SV, TY, UG

Madonna, J. A., 1982, Clinoptilolite and mordenite deposits of possible economic value at Iliamna Lake, Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 73, p. 13-15.
IL/*

Magoon, L. B., and Claypool, G. E., 1981, Petroleum geology of Cook Inlet basin, Alaska - An exploration model: American Association of Petroleum Geologists Studies in Geology 12, p. 355-374.
OF, AF, IL, KN, SV, TY

McMullin, R. H., 1982, Resource assessment, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 68-72.
OF, AF, BG, IB, IL, MK, SV, YA

Miller, J. W., and Jones, D. L., 1981, A field guide to some common megafossils from post-Callovian Mesozoic rocks of the Alaska Peninsula: U.S. Geological Survey Open-File Report 81-745, 16 p., 5 plates, 1 sheet.
BB, CG, CB, IL, KR, MK, NK, PM, UG

Rappeport, M. L., 1982, An analysis of oceanographic and meteorological conditions for central Lower Cook Inlet, Alaska: U.S. Geological Survey Open-File Report 82-128, 47 p.
AF, IL, KN, SV

Rappeport, M. L., and Cacchione, D. A., 1982, Sediment dynamics, drag partitioning and tidal flow characteristics within a field of large sand waves, lower Cook Trough, Cook Inlet, Alaska (abs.): Eos (American Geophysical Union Transactions), v. 63, no. 45, p. 981.
OF, IL, SV

JUNEAU QUADRANGLE

Balding, G. O., and Dearborn, L. L., 1982, Aquifer data from four well evaluations in the Mendenhall Valley near Juneau, Alaska: U.S. Geological Survey Open-File Report 82-271, 14 p., 1 sheet.
JU

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981, Critical and strategic minerals in Alaska - cobalt, the platinum-group metals, and chromite: U.S. Bureau of Mines Information Circular 8869, 8 p.
AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*, PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*

Czamanske, G. K., Haffty, Joseph, and Nabbs, S. W., 1982, Pt, Pd, and Rh analyses and beneficiation of mineralized mafic rocks from the LaPerouse layered gabbro, Alaska: Economic Geology, v.76, no. 7, p. 2001-2011.
JU/*, MF/*, SI/*

Decker, J. E., and Plafker, George, 1982, Correlation of rocks in the Tarr Inlet suture zone with the Kelp Bay Group, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 119-123.
JU, MF, SI

Hudson, Travis, Dixon, Kirk, and Plafker, George, 1982, Regional uplift in southeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 132-135.
JU, MF, PE, PA, SI, SK, SD, YA

Hudson, Travis, Plafker, George, and Dixon, Kirk, 1982, Horizontal offset history of the Chatham Strait fault, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 128-132.
AG, CR, JU, PE, PA, SI, SK

Perkins, J. A., and Sims, J. D., 1981, Relationships between varve thickness and climatic parameters and paleoclimatic reconstruction: U.S. Geological Survey Open-File Report 81-952, 37 p.
AG, JU, KN, SK

KAGUYAK QUADRANGLE

Hampton, M. A., 1982, Synthesis report: Environmental geology of Kodiak Shelf, Alaska: U.S. Geological Survey Open-File Report 82-59, 76 p.
OF, AF, KG, KD, TI

McClellan, P. H., Fisher, M. A., von Huene, Roland, and Moore, G. W., 1982, Summary and discussion of microfossil biostratigraphy in the western Gulf of Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 148-151.

KG

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.

OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

KANTISHNA RIVER QUADRANGLE

Emmel, K. S., and Coonrod, P. L., 1982, Geological literature on the Copper River basin and middle Tanana River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Special Report 30, 11 p.
AN, FB, GU, KH, LG, TK, TN, VA

KARLUK QUADRANGLE

Albert, N. R. D., 1982, Preliminary map showing reconnaissance photogeologic interpretation of SLAR imagery of the Bristol Bay, Ugashik, and Karluk quadrangles, Alaska: U.S. Geological Survey Open-File Report 82-141, scale 1:250,000, 5 sheets.

BB, UG, KR

Detra, D. E., Detterman, R. L., Cox, D. P., Wilson, F. H., and Theodore, T. G., 1982, Reconnaissance geochemical studies in the Bristol Bay, Ugashik, and Karluk quadrangles, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 87-88.

UG, BB, KR

Detterman, R. L., Allaway, W. H., Jr., Day, G. W., Hopkins, D. M., O'Leary, R. M., and Svec, Edward, 1982, Locality map for scintillometer and analytical data collected in 1981, Ugashik and Karluk quadrangles, Alaska: U.S. Geological Survey Open-File Report 82-53, scale 1:250,000.

KR, UG

Fisher, M. A., and Magoon, L. B., 1982, Geology, structure, and petroleum potential of the Lower Cook Inlet-Shelikof Strait region, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 53-67.

AF, AN, IL, KR, KN, KD, MK, SV, TY, UG

Hampton, M. A., 1982, Shelikof Strait environmental geology, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OSC Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 106-114.

AF, KR, KD, MK

Imlay, R. W., 1981 (1982), Late Jurassic ammonites from Alaska: U.S. Geological Survey Professional Paper 1190, 40 p., 12 plates.

AF, AN, CG, IL, KR, MC, MK, ML, SV, SW, UG

Jackson, J. B., and Kurz, F. N., 1982, Gulf of Alaska and Lower Cook Inlet summary report 3, June 1982, second revision of OCS oil and gas activities in the Gulf of Alaska (including Lower Cook Inlet) and their onshore impacts--A summary report, September 1980: U.S. Geological Survey Open-File Report 82-20, 79 p.

AG, OF, AF, CV, IL, KR, KN, SV, TY, UG

Miller, J. W., and Jones, D. L., 1981, A field guide to some common megafossils from post-Callovian Mesozoic rocks of the Alaska Peninsula: U.S. Geological Survey Open-File Report 81-745, 16 p., 1 sheet, 5 plates.

BB, CG, CB, IL, KR, MK, NK, PM, UG

KARLUK QUADRANGLE

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.

OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

U.S. Geological Survey, 1982, Aeromagnetic map of the Ugashik-Karluk area, Alaska: U.S. Geological Survey Open-File Report 81-1158, scale 1:250,000.
UG, KR

KATEEL RIVER QUADRANGLE

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982,
Hydrocarbon reservoir and source-rock characteristics from selected areas
of southwestern Alaska: Alaska Division of Geological and Geophysical
Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA,
NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

KENAI QUADRANGLE

Abadie, V. H., III, 1982, Tertiary Kenai Group, Cook Inlet, Alaska tectonic and depositional model applied to Barranca Formation (Upper Triassic), central Sonora, Mexico (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 5., p. 542.
IL, KN, SV, TY

Ager, T. A., and Sims, J. D., 1981, Late Quaternary pollen record from Hidden Lake, Kenai Peninsula, Alaska (abs.): American Association of Stratigraphic Palynologists, 14th Annual Meeting, New Orleans, La., 1981, Program and Abstracts, p. 8-9.
KN

Bishop, R. A., 1982, Undrilled reserves in Cook Inlet oil fields (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 7, p. 959.
KN

Bolm, J. G., McCulloh, T. H., and Stewart, R. J., 1982 Diagenesis of sandstones in Lower Cook Inlet Basin, Alaska and its implication for Mesozoic petroleum plays (abs.): Alaska Geological Society Symposium, Anchorage, Alaska, 1982, Program with Abstracts, p. 8.
OF, AF, IL, KN, SV

Boyce, R. L., 1982, Depositional systems in Naknek Formation, Late Jurassic, Lower Cook Inlet, Alaska (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 551.
AF, IL, KN

Fisher, M. A., and Magoon, L. B., 1982, Geology, structure, and petroleum potential of the Lower Cook Inlet-Shelikof Strait region, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 53-67.
AF, AN, IL, KR, KN, KD, MK, SV, TY, UG

Hampton, M. A., 1982, Lower Cook Inlet environmental geology, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 95-105.
AF, IL, KN, MK, SV

Hampton, M. A., 1982, Synthesis report: Environmental geology of Lower Cook Inlet, Alaska: U.S. Geological Survey Open-File Report 82-197, 55 p.
AF, IL, KN, SV

Imlay, R. W., 1982, Late Bajocian ammonites from southern Alaska: U.S. Geological Survey Professional Paper 1189, 19 p., 7 plates.
AN, GO, IL, KN

KENAI QUADRANGLE

Jackson, J. B., and Kurz, F. N., 1982, Gulf of Alaska and Lower Cook Inlet summary report 3, June 1982, second revision of OCS oil and gas activities in the Gulf of Alaska (including Lower Cook Inlet) and their onshore impacts--A summary report, September 1980: U.S. Geological Survey Open-File Report 82-20, 79 p.

AG, OF, AF, CV, IL, KR, KN, SV, TY, UG

Magoon, L. B., and Claypool, G. E., 1981, Petroleum geology of Cook Inlet basin, Alaska - An exploration model: Tulsa, Okla., American Association of Petroleum Geologists Studies in Geology 12, p. 355-374.

OF, AF, IL, KN, SV, TY

Nelson, G. L., 1981, Hydrology and the effects of industrial pumping in the Nikiski area, Alaska: U.S. Geological Survey Water Resources Investigations Open-File Report 81-685, 22 p.

KN

Nelson, G. L., and Johnson, P. R., 1981, Groundwater reconnaissance of part of the lower Kenai Peninsula, Alaska: U.S. Geological Survey Water Resources Investigations Open-File Report 81-905, 32 p.

KN, SV

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.

OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

Perkins, J. A., and Sims, J. D., 1981, Relationships between varve thickness and climatic parameters and paleoclimatic reconstruction: U.S. Geological Survey Open-File Report 81-952, 37 p.

AG, JU, KN, SK

Plafker, George, Bruns, T. R., Winkler, G. R., and Tysdal, R. G., 1982, Cross section of the eastern Aleutian Arc, from Mount Spurr to the Aleutian Trench near Middleton Island, Alaska: Geological Society of America Map and Chart Series MC-28P.

BS, KN, MI, SR, TY

Rappeport, M. L., 1982, An analysis of oceanographic and meteorological conditions for central Lower Cook Inlet, Alaska: U.S. Geological Survey Open-File Report 82-128, 47 p.

AF, IL, KN, SV

Rymer, M. J., and Sims, J. D., 1982, Lake-sediment evidence for the date of deglaciation of the Hidden Lake area, Kenai Peninsula, Alaska: Geology, v. 10, no. 6, p. 314-316.

KN

KENAI QUADRANGLE

Scott, K. M., 1982, Erosion and sedimentation in the Kenai River, Alaska:
U.S. Geological Survey Professional Paper 1235, 35 p.
AN, KN, SR

Stephens, C. D., Lahr, J. C., and Rogers, J. A., 1982, Review of earthquake
activity and current status of seismic monitoring in the region of the
Bradley Lake Hydroelectric Project, southern Kenai Peninsula, Alaska:
November 27, 1980-November 30, 1981: U.S. Geological Survey Open-File
Report 82-417, 26 p.
AG, BS, KN, SV, SR

KETCHIKAN QUADRANGLE

Barker, Fred, and Arth, J. G., 1982, "Central Gneiss Complex" of the Coast Range batholith: The roots of a high-K, calc-alkaline arc?: Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 439.
AG, KC

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981, Critical and strategic minerals in Alaska - cobalt, the platinum-group metals, and chromite: U.S. Bureau of Mines Information Circular 8869, 8 p.
AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*, PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*

Berg, H. C., 1982, The Alaska Mineral Resource Assessment Program: Guide to information about the geology and mineral resources of the Ketchikan and Prince Rupert quadrangles, southeastern Alaska: U.S. Geological Survey Circular 855, 24 p.
KC/*, PR/*

Berg, H. C., and Clautice, K. H., 1982, Status of mineral resource information for the Annette Islands Reserve, southeastern Alaska: U.S. Bureau of Indian Affairs Administrative Report BIA-84, 77 p., 3 pls.
KC/*

Berg, H. C., and Cruz, E. L., 1982, Map and table describing fossil collections and related samples in the Ketchikan and Prince Rupert quadrangles, southeastern Alaska: U.S. Geological Survey Open-File Report 82-1088, 27 p., 1 sheet.
KC, PR

Burrell, P. D., Cobb, E. H., and Brew, D. A., 1982, Geologic bibliography of the Petersburg project area, Alaska: U.S. Geological Survey Open-File Report 82-483, 30 p.
BC, CR, KC, PE, PA, SD

Gehrels, G. E., Saleeby, J. B., and Berg, H. C., 1982, Geologic framework of a pre-Middle Devonian meta-igneous complex, Annette Island, southeastern Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 165.
CR, DI, KC

Hudson, Travis, Arth, J. G., and Muth, K. G., 1981, Geochemistry of intrusive rocks associated with molybdenite deposits, Ketchikan quadrangle, southeastern Alaska: Economic Geology, v. 76, no. 5, p. 1225-1232.
KC/*

KETCHIKAN QUADRANGLE

Silberling, N. J., Wardlaw, B. R., and Berg, H. C., 1982, New paleontologic age determinations from the Taku terrane, southeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 117-119.

AG, KC, PR

Stephens, J., and Smith, P., 1982, Quartz Hill, Alaska (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 7, p. 984.
KC/*

KILLIK RIVER QUADRANGLE

Barton, H. N., Odland, S. K., O'Leary, R. M., and Day, G. W., 1982, Geochemical data for the Killik River and Chandler Lake quadrangles, Alaska: U.S. Geological Survey Open-File Report 82-1026, 52 p. KL, CL

Bird, K. J., 1982, Catalog of digital log data for Government-drilled wells in and adjacent to the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-800, 31 p.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA, CL

Bird, K. J., 1982, Rock unit reports of 228 wells drilled on the North Slope, Alaska: U.S. Geological Survey Open-File Report 82-278, 108 p.
BW, HR, IK, KL, LR, TS, UR, WA, BP, CL, FI, ML, SG

Blanchard, D. C., and Tailleur, I. L., 1982, Preliminary geothermal isograd map, National Petroleum Reserve in Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 46-48.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA

Blanchard, D. C., and Tailleur, I. L., 1982, Temperatures and interval geothermal-gradient determinations from wells in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-391, 82 p.
BW, HR, KL, LR, MR, TS, UT, WA

Brosge, W. P., and Patton, W. W., Jr., 1982, Regional bedrock geologic maps along the Dalton Highway, Yukon Crossing to Toolik, Alaska: U.S. Geological Survey Open-File Report 82-1071, 11 p., scale 1:500,000.
CH, CL, KL, PS, SP, WI

Carter, R. D., 1982, National Petroleum Reserve in Alaska data release, 1980, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 48-49.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA

Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA

Gryc, George, 1982, Petroleum exploration in the National Petroleum Reserve in Alaska, in U.S. Geological Survey, U.S. Geological Survey activities, fiscal year 1981: U.S. Geological Survey Circular 875, p. 14-21.
AG, BP, BW, HR, IK, KL, LR, TS, UT, WA

KILLIK RIVER QUADRANGLE

Hamilton, T. D., 1982, Quaternary stratigraphic sections with radiocarbon dates, Killik River quadrangle, Alaska: U.S. Geological Survey Open-File Report 82-606, 33 p., 1 sheet.

KL

Hillhouse, J. W., and Gromme, Sherman, 1982, Cretaceous overprint revealed by paleomagnetic study in the northern Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 43-46.

AC, CL, KL, SP

Lawver, L. A., 1981, Geothermal gradients on the North Slope, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 81-83.

BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA

Molenaar, C. M., Egbert, R. M., and Krystinik, L. F., 1982, Depositional facies and reservoir potential of the Fortress Mountain Formation, central North Slope, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 32-33.

CL, HW, KL, MU

Mull, C. G., Tailleur, I. L., Mayfield, C. F., Ellersieck, Inyo, and Curtis, S., 1982, New Upper Paleozoic and Lower Mesozoic stratigraphic units, central and western Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 348-362.

AC, CL, DL, HW, KL, MU, ML, PS, PH

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.

OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.

AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

Nilsen, T. H., and Moore, T. E., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central and western Brooks Range, Alaska - Report of 1981 field season: U.S. Geological Survey Open-File Report 82-674, 63 p.

AG, AC, AR, BM, CL, DL, HW, KL, MU, NT, PS, SP, TB, WI

KILLIK RIVER QUADRANGLE

Nilsen, T. H., Moore, T. E., Balin, D. F., and Johnson, S. Y., 1982,
Sedimentology and stratigraphy of the Kanayut Conglomerate, central Brooks
Range, Alaska - Report of 1980 field season: U.S. Geological Survey Open-
File Report 82-199, 85 p.
AG, AC, AR, CH, CL, DP, HW, KL, ML, PS, SP, TB, TS, WI

KISKA QUADRANGLE

Kay, S. M., and Kay, R. W., 1982, Mafic mineralogy in calc-alkaline Aleutian volcanic rocks: evidence for primitive magmas and magma mixing (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 526.

AD, AK, KK, RI

Panuska, B. C., 1982, Radiometric-age determinations from Kiska Island, Aleutian Islands, Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 73, p. 23-27.

KK

KODIAK QUADRANGLE

Allison, R. C., and Marincovich, Louie, Jr., 1981 (1982), A late Oligocene or earliest Miocene molluscan fauna from Sitkinak Island, Alaska: U. S. Geological Survey Professional Paper 1233, 11 p., 3 pl.
KD, TI

Fisher, M. A., and Magoon, L. B., 1982, Geology, structure, and petroleum potential of the Lower Cook Inlet-Shelikof Strait region, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 53-67.

AF, AN, IL, KR, KN, KD, MK, SV, TY, UG

Hampton, M. A., 1982, Shelikof Strait environmental geology, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OSC Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 106-114.

AF, KR, KD, MK

Hampton, M. A., 1982, Synthesis report: Environmental geology of Kodiak Shelf, Alaska: U.S. Geological Survey Open-File Report 82-59, 76 p.
OF, AF, KG, KD, TI

Hampton, M. A., and Kvenvolden, K. A., 1981, Geology and geochemistry of gascharged sediment on Kodiak Shelf, Alaska: Geo-Marine Letters, v. 1, no. 2, p. 141-147.
OF, KD

Moore, G. W., 1982, Offshore survey of the Pillar Mountain landslide, Kodiak, Alaska: U.S. Geological Survey Open-File Report 82-960, 12 p.
OF, KD

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

Wilson, F. H., and Shew, Nora, 1982, Apparent episodicity of magmatic activity deduced from radiometric age determinations, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 13-15.
AG, CG, FP, KD, PM, SN, SB, SW

KOTZEBUE QUADRANGLE

Fisher, M. A., Patton, W. W., Jr., and Holmes, M. L., 1982, Geology of Norton Basin and continental shelf beneath northwestern Bering Sea, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 255-285.

OF, BN, HP, KZ, NM, NR, NL, PH, SL, ST, SC, SP, SO, TE, UL

Grantz, Arthur, Dinter, D. A., Hill, Edwin, and Chase, T. E., 1982, Map showing tracklines of high-resolution Uniboom seismic-reflection profiles collected August 31 through September 21, 1980, in the Chukchi Sea, Alaska: U.S. Geological Survey Open-File Report 82-527, scale 1:1,000,000.

OF, KZ, NT, PH, PL, SF

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.

BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA, NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

KUSKOKWIM BAY QUADRANGLE

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982,
Hydrocarbon reservoir and source-rock characteristics from selected areas
of southwestern Alaska: Alaska Division of Geological and Geophysical
Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA,
NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

KWIGUK QUADRANGLE

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982,
Hydrocarbon reservoir and source-rock characteristics from selected areas
of southwestern Alaska: Alaska Division of Geological and Geophysical
Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA,
NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

LAKE CLARK QUADRANGLE

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.

OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

LIME HILLS QUADRANGLE

Gilbert, W. G., 1981, Preliminary geologic map and geochemical data, Cheeneetnuk River area, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 153, 10 p., 2 pl., scale 1:63,360. LH, MG

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.

OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

Solie, D. N., and Dickey, D. B., 1982, Coal occurrences and analyses, Farewell-White Mountain area, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 160, 17 p., 1 pl. LH, MG

LIVENGOOD QUADRANGLE

Albanese, M. D., 1982, Geochemical reconnaissance of the northern Fairbanks D-1 and southern Livengood A-1 quadrangles, Alaska; summary of data on stream-sediment, pan-concentrate, and rock samples: Alaska Division of Geological and Geophysical Surveys Open-File Report 164, 26 p., 3 plates. FB/*, LG/*

Albanese, M. D., 1982, Geochemical reconnaissance of the northern Fairbanks D-2 and southern Livengood A-2 quadrangles, Alaska; summary of data on stream-sediment, pan-concentrate, and rock samples: Alaska Division of Geological and Geophysical Surveys Open-File Report 165, 23 p., 3 plates. FB/*, LG/*

Bundtzen, T. K., 1982, Bedrock geology of the Fairbanks mining district, western sector: Alaska Division of Geological and Geophysical Surveys Open-File Report 155, scale 1:24,000, 2 sheets
FB, LG

Churkin, Michael, Jr., Foster, H. L., Chapman, R. M., and Weber, F. R., 1982, Terranes and suture zones in east central Alaska: Journal of Geophysical Research, v. 87, no. 5, p. 3718-3730.
BD, CR, CI, EA, LG, TC

Emmel, K. S., and Coonrod, P. L., 1982, Geological literature on the Copper River basin and middle Tanana River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Special Report 30, 11 p.
AN, FB, GU, KH, LG, TK, TN, VA

Forbes, R. B., and Weber, F. R., 1982, Bedrock geology of the Fairbanks mining district: Alaska Division of Geological and Geophysical Surveys Open-File Report 170, scale 1:63,360, 2 sheets.
FB, LG

Hawkins, D. B., 1982, Gold content of rocks in the Fairbanks mining district, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 168, 103 p.
FB/*, LG/*

Metz, P. A., 1982, Bedrock geology of the Fairbanks mining district, northeast sector: Alaska Division of Geological and Geophysical Surveys Open-File Report 154, scale 1:24,000.
FB, LG

Robinson, M. S., 1982, Bedrock geology of the Fairbanks mining district, southeast section: Alaska Division of Geological and Geophysical Surveys Open-File Report 146, scale 1:24,000.
FB, LG

LIVENGOOD QUADRANGLE

Robinson, M. S., Smith, T. E., Bundtzen, T. K., and Metz, P. A., 1982, Cleary sequence of the Fairbanks mining district; primary stratigraphic control of lode gold/antimony mineralization (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 228.
FB/*, LG/*

Wescott, E. M., 1982, Evaluation of geophysical methods in the Fairbanks mining district, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 171, 24 p.
FB, LG

Westgate, J. A., Pewé, T. L., and Gorton, M. P., 1982, Tephrochronology of the Gold Hill Loess in central Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 645-646.
FB, LG

Williams, J. R., 1982, Design review - Trans-Alaska Oil Pipeline, 1974-1976: U. S. Geological Survey Open-File Report 82-225, 139 p.
BP, BT, BD, CH, FB, GU, LG, MH, PS, SG, VA, WI

LOOKOUT RIDGE QUADRANGLE

- Bird, K. J., 1982, Catalog of digital log data for Government-drilled wells in and adjacent to the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-800, 31 p.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA, CL
- Bird, K. J., 1982, Machine-generated displays of well logs and lithology from 12 wells on the North Slope of Alaska: U.S. Geological Survey Open-File Report 82-290, 5 p., 12 sheets.
BW, HR, IK, LR, MR, SG
- Bird, K. J., 1982, Rock unit reports of 228 wells drilled on the North Slope, Alaska: U.S. Geological Survey Open-File Report 82-278, 108 p.
BW, HR, IK, KL, LR, TS, UT, UR, WA, BP, CL, FI, ML, SG
- Blanchard, D. C., and Tailleur, I. L., 1982, Preliminary geothermal isograd map, National Petroleum Reserve in Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 46-48.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Blanchard, D. C., and Tailleur, I. L., 1982, Temperatures and interval geothermal-gradient determinations from wells in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-391, 82 p.
BW, HR, KL, LR, MR, TS, UT, WA
- Carter, R. D., 1982, National Petroleum Reserve in Alaska data release, 1980, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 48-49.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA
- Gryc, George, 1982, Petroleum exploration in the National Petroleum Reserve in Alaska, in U.S. Geological Survey, U.S. Geological Survey activities, fiscal year 1981: U.S. Geological Survey Circular 875, p. 14-21.
AG, BP, BW, HR, IK, KL, LR, TS, UT, WA
- Huffman, A. C., Jr., Ahlbrandt, T. S., Pasternack, Ira, Fox, J. E., Bartsch-Winkler, Susan, May, F. E., Scott, R. A., and Materna, W. L., 1981, Measured sections of the Cretaceous Nanushuk Group undivided, western North Slope, Alaska: U.S. Geological Survey Open-File Report 81-176.
DL, LR, MU, PH, PL, UR

LOOKOUT RIDGE QUADRANGLE

Lawver, L. A., 1981, Geothermal gradients on the North Slope, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 81-83.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

MARSHALL QUADRANGLE

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982,
Hydrocarbon reservoir and source-rock characteristics from selected areas
of southwestern Alaska: Alaska Division of Geological and Geophysical
Surveys Professional Report 77, 35 p., 7 sheets.

BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA,
NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

McCARTHY QUADRANGLE

Armstrong, A. K., and MacKevett, E. M., Jr., 1982, Stratigraphy and diagenetic history of the lower part of the Triassic Chitistone Limestone, Alaska: U.S. Geological Survey Professional Paper 1212-A, p. A1-A26.
MC

Imlay, R. W., 1981 (1982), Late Jurassic ammonites from Alaska: U.S. Geological Survey Professional Paper 1190, 40 p., 12 plates.
AF, AN, CG, IL, KR, MC, MK, ML, SV, SW, UG

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

Nye, C. J., 1982, The Wrangell volcanoes: voluminous volcanism accompanying microplate accretion (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 221.
AG, MC, VA

McGRATH QUADRANGLE

Bundtzen, T. K., Kline, J. T., and Clough, J. G., 1982, Preliminary geology of McGrath B-2 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 149, 22 p., scale 1:40,000.
MG

Chapman, R. M., Patton, W. W., Jr., and Moll, E. J., 1982, Preliminary summary of the geology in eastern part of Ophir quadrangle, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 70-73.
ID, MG, MD, NL, OP, RB

Dickey, D. B., Gilbert, W. G., and Kline, J. T., 1982, Cenozoic nonmarine sedimentary rocks and structure of the Farewell fault segment of the Denali fault system, southwest Alaska (abs.): Geological Society of America Programs with Abstracts, v. 14, no. 4, p. 160.
MG

Gilbert, W. G., 1981, Preliminary geologic map and geochemical data, Cheeneetnuk River area, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 153, 10 p., 2 pl., scale 1:63,360.
LH, MG

Gilbert, W. G., Solie, D. N., and Dickey, D. B., 1982, Preliminary bedrock geology of the McGrath B-3 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 148, scale 1:40,000.
MG

Mamet, B. L., and Plafker, George, 1982, A Late Devonian (Frasnian) microbiota from the Farewell-Lyman Hills area, west-central Alaska: U.S. Geological Survey Professional Paper 1216-A, p. A1-A12, 4 plates.
MG

Patton, W. W., Jr., and Moll, E. J., 1982, Structural and stratigraphic sections along a transect between the Alaska Range and Norton Sound, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 76-78.
AG, MG, MD, MM, NR, NL, OP, RU, TL, UL

Solie, D. N., and Dickey, D. B., 1982, Coal occurrences and analyses, Farewell-White Mountain area, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 160, 17 p., 1 pl.
LH, MG

MEADE RIVER QUADRANGLE

- Bird, K. J., 1982, Catalog of digital log data for Government-drilled wells in and adjacent to the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-800, 31 p.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA, CL
- Bird, K. J., 1982, Machine-generated displays of well logs and lithology from 12 wells on the North Slope of Alaska: U.S. Geological Survey Open-File Report 82-290, 5 p., 12 sheets.
BW, HR, IK, LR, MR, SG
- Bird, K. J., 1982, Rock unit reports of 228 wells drilled on the North Slope, Alaska: U.S. Geological Survey Open-File Report 82-278, 108 p.
BW, HR, IK, KL, LR, TS, UT, UR, WA, BP, CL, FI, ML, SG
- Blanchard, D. C., and Tailleur, I. L., 1982, Preliminary geothermal isograd map, National Petroleum Reserve in Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 46-48.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Blanchard, D. C., and Tailleur, I. L., 1982, Temperatures and interval geothermal-gradient determinations from wells in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-391, 82 p.
BW, HR, KL, LR, MR, TS, UT, WA
- Carter, R. D., 1982, National Petroleum Reserve in Alaska data release, 1980, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 48-49.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA
- Grantz, Arthur, Dinter, D. A., Hill, E. R., May, S. D., McMullin, R. H., Phillips, R. L., and Reimnitz, Erk, 1982, Geologic framework, hydrocarbon potential, and environmental conditions for exploration and development of proposed oil and gas lease sale 87 in Beaufort and northeast Chukchi Seas - A summary report: U.S. Geological Survey Open-File Report 82-482, 71 p.
OF, BW, BA, BP, FI, HR, MR, TS, WA
- Lawver, L. A., 1981, Geothermal gradients on the North Slope, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 81-83.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA

MEADE RIVER QUADRANGLE

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.

AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

MEDFRA QUADRANGLE

Chapman, R. M., Patton, W. W., Jr., and Moll, E. J., 1982, Preliminary summary of the geology in eastern part of Ophir quadrangle, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 70-73.
ID, MG, MD, NL, OP, RB

Moll, E. J., and Patton, W. W., Jr., 1982, Preliminary report on the Late Cretaceous and early Tertiary volcanic and related plutonic rocks in western Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 73-76.
AG, MD, OP, UN

Patton, W. W., Jr., Cady, J. W., and Moll, E. J., 1982, Aeromagnetic interpretation of the Medfra quadrangle, Alaska: U.S. Geological Survey Open-File Report 80-811E, 15 p., scale 1:250,000, 2 sheets.
MD

Patton, W. W., Jr., and Moll, E. J., 1982, Structural and stratigraphic sections along a transect between the Alaska Range and Norton Sound, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 76-78.
AG, MG, MD, MM, NR, NL, OP, RU, TL, UL

MIDDLETON ISLAND QUADRANGLE

- Brouwers, E. M., 1982, Preliminary report on ostracode assemblages from the northeast Gulf of Alaska Continental Shelf, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 151-153.
CV, IB, MI
- Brouwers, E. M., 1982, Tabulation of the ostracode assemblages and associated organisms from selected bottom grab samples taken in the northeast Gulf of Alaska, F.R.S. Townsend Cromwell Cruise EGAL-75KC: Part II: U.S. Geological Survey Open-File Report 82-949, 95 p.
OF, BG, CV, IB, MI, YA
- Brunns, T. R., and Plafker, George, 1982, Geology, structure, and petroleum potential of the southeastern Alaska and northern Gulf of Alaska continental margins, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 9-52.
AG, OF, BG, BS, CV, CR, DE, IB, MI, MF, PA, SR, SI, YA
- Carlson, P. R., and Schwab, W. C., 1982, Northern Gulf of Alaska environmental geology, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait: U.S. Geological Survey Open-File Report 82-928, p. 73-86.
OF, BS, CV, IB, MI, MF, PA, SI, YA
- Jackson, J. B., and Dorrier, R. T., 1980, Outer Continental Shelf oil and gas activities in the Gulf of Alaska (including Lower Cook Inlet) and their onshore impacts: A summary report, September, 1980: U.S. Geological Survey Open-File Report 80-1028, 78 p.
AG, AF, IB, IL, MI, SV
- Lee, H. J., and Schwab, W. C., 1982, Geotechnical investigations related to geological hazards: northern Gulf of Alaska, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait: U.S. Geological Survey Open-File Report 82-928, p. 87-94.
BG, BS, CV, IB, MI, MF, YA
- Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

MIDDLETON ISLAND QUADRANGLE

Plafker, George, Bruns, T. R., Winkler, G. R., and Tysdal, R. G., 1982, Cross section of the eastern Aleutian Arc, from Mount Spurr to the Aleutian Trench near Middleton Island, Alaska: Geological Society of America Map and Chart Series MC-28P.

AG, OF, MI

Stephens, C. D., and Lahr, J. C., 1982, Seismic studies in southern and southeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 91-93.

AG, OF, IB, MI, SV

MISHEGUK MOUNTAIN QUADRANGLE

- Barnes, D. F., Mayfield, C. F., Morin, R. L., and Brynn, Sean, 1982, Gravity measurements useful in the preliminary evaluation of the Nimiuktuk barite deposit, Alaska: *Economic Geology*, v. 77, no. 1, p. 185-189.
MU/*
- Bird, K. J., 1982, Catalog of digital log data for Government-drilled wells in and adjacent to the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-800, 31 p.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA, CL
- Blanchard, D. C., and Tailleur, I. L., 1982, Preliminary geothermal isograd map, National Petroleum Reserve in Alaska, in Coonrad, W. L., ed., *The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844*, p. 46-48.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Carter, R. D., 1982, National Petroleum Reserve in Alaska data release, 1980, in Coonrad, W. L., ed., *The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844*, p. 48-49.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Childers, J. M., and Kernodle, D. R., 1981, Hydrologic reconnaissance of the Noatak River basin, Alaska: U.S. Geological Survey Water Resources Investigation 81-1005, 38 p.
AR, BM, HW, MU, NT
- Curtis, S. M., Ellersieck, Inyo, Mayfield, C. F., and Tailleur, I. L., 1982, Reconnaissance geologic map of southwestern Misheguk Mountain quadrangle, Alaska: U.S. Geological Survey Open-File Report 82-611, 42 p., scale 1:63,360, 2 sheets.
MU
- Ellersieck, Inyo, Curtis, S. M., Mayfield, C. F., and Tailleur, I. L., 1982, Reconnaissance geologic map of south-central Misheguk Mountain quadrangle, Alaska: U.S. Geological Survey Open-File Report 82-612, 37 p., scale 1:63,360, 2 sheets.
MU
- Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA
- Frank, C. O., and Zimmerman, Jay, 1982, Petrography of nonultramafic rocks from the Avan Hills complex, De Long Mountains, Alaska, in Coonrad, W. L., ed., *The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844*, p. 22-27.
DL, MU

MISHEGUK MOUNTAIN QUADRANGLE

- Huffman, A. C., Jr., Ahlbrandt, T. S., Pasternack, Ira, Fox, J. E., Bartsch-Winkler, Susan, May, F. E., Scott, R. A., and Materna, W. L., 1981, Measured sections of the Cretaceous Nanushuk Group undivided, western North Slope, Alaska: U.S. Geological Survey Open-File Report 81-176. DL, LR, MU, PH, PL, UR
- Lawver, L. A., 1981, Geothermal gradients on the North Slope, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 81-83. BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Mayfield, C. F., Curtis, S. M., Ellersieck, Inyo, and Tailleur, I. L., 1982, Reconnaissance geologic map of southeastern Misheguk Mountain quadrangle, Alaska: U.S. Geological Survey Open-File Report 82-613, 39 p., scale 1:63,360, 2 sheets. MU
- Molenaar, C. M., Egbert, R. M., and Krystnik, L. F., 1982, Depositional facies and reservoir potential of the Fortress Mountain Formation, central North Slope, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 32-33. CL, HW, KL, MU
- Mull, C. G., Tailleur, I. L., Mayfield, C. F., Ellersieck, Inyo, and Curtis, S. M., 1982, New Upper Paleozoic and Lower Mesozoic stratigraphic units, central and western Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 348-362. AC, CL, DL, HW, KL, MU, ML, PS, PH
- Nilson, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32. AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI
- Nilson, T. H., and Moore, T. E., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central and western Brooks Range, Alaska - Report of 1981 field season: U.S. Geological Survey Open-File Report 82-674, 63 p. AG, AC, AR, BM, CL, DL, HW, KL, MU, NT, PS, SP, TB, WI
- Zimmerman, Jay, and Frank, C. O., 1982, Possible obduction-related metamorphic rocks at the base of the ultramafic zone, Avan Hills complex, De Long Mountains, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 27-28. MU

MT FAIRWEATHER QUADRANGLE

- Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981, Critical and strategic minerals in Alaska - cobalt, the platinum-group metals, and chromite: U.S. Bureau of Mines Information Circular 8869, 8 p.
AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*, PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*
- Bingham, M. P., and Powell, R. D., 1982, Comparison of glaciomarine lithofacies: modern fjord and Pleistocene icesheet (abs.): Geological Society of America Programs with Abstracts, v. 14, no. 7, p. 444.
MF
- Brunns, T. R., and Plafker, George, 1982, Geology, structure, and petroleum potential of the southeastern Alaska and northern Gulf of Alaska continental margins, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 9-52.
AG, OF, BG, BS, CV, CR, DE, IB, MI, MF, PA, SR, SI, YA
- Carlson, P. R., and Schwab, W. C., 1982, Northern Gulf of Alaska environmental geology, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait: U.S. Geological Survey Open-File Report 82-928, p. 73-86.
OF, BS, CV, IB, MI, MF, PA, SI, YA
- Czamanske, G. K., Haffty, Joseph, and Nabbs, S. W., 1982, Pt, Pd, and Rh analyses and beneficiation of mineralized mafic rocks from the LaPerouse layered gabbro, Alaska: Economic Geology, v.76, no. 7, p. 2001-2011.
JU/*, MF/*, SI/*
- Decker, J. E., and Plafker, George, 1982, Correlation of rocks in the Tarr Inlet suture zone with the Kelp Bay Group, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 119-123.
JU, MF, SI
- Hessin, T. D., 1982, Geochemical studies in the West Chichagof-Yakobi Wilderness, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 135-136.
MF, SI
- Hessin, T. D., and Crenshaw, G. L., 1981, Geochemical map showing the distribution and abundance of sulfate and fluoride in unfiltered water samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-P, scale 1:125,000.
MF, SI

MT FAIRWEATHER QUADRANGLE

Hessin, T. D., and Day, G. W., 1981, Geochemical map showing the distribution and abundance of cobalt, chromium, and nickel in the nonmagnetic heavy-mineral concentrate samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-T, scale 1:125,000.
MF/*, SI/*

Hessin, T. D. Everman, W. K., and Crenshaw, G. L., 1981, Geochemical map showing anomalous patterns for the element copper in stream sediments, filtered waters, and nonmagnetic heavy-mineral concentrates in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-O, scale 1:125,000.
MF/*, SI/*

Hessin, T. D., Everman, W. K., and Crenshaw, G. L., 1981, Geochemical map showing the distribution and abundance of copper, zinc, molybdenum, arsenic, and uranium in filtered water samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-N, scale 1:125,000.
MF, SI

Hessin, T. D., Everman, W. K., and Crenshaw, G. L., 1981, Map showing stream-sediment samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-M, scale 1:125,000.
MF, SI

Hessin, T. D., and Hoffman, J. D., 1981, Geochemical map showing the distribution and abundance of cobalt, chromium, and nickel in stream-sediment samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle Alaska: U.S. Geological Survey Open-File Report 81-27-R, scale 1:125,000.
MF/*, SI/*

Hessin, T. D., Maslowski, M. G., and Cooley, E. F., 1981, Geochemical map showing the distribution and abundance of copper, lead, zinc, and barium in the nonmagnetic, heavy-mineral concentrate samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-S, scale 1:125,000.
MF/*, SI/*

Hessin, T. D., Maslowski, M. G., and Day, G. W., 1981, Geochemical map showing the distribution and abundance of copper, lead, and barium in stream-sediment samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-Q, scale 1:125,000.
MF/*, SI/*

MT FAIRWEATHER QUADRANGLE

Hessin, T. D., Maslowski, M. G., and Day, G. W., 1981, Geochemical map showing the distribution and abundance of silver, arsenic, gold, tin, and tungsten in the nonmagnetic heavy-mineral concentrate samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-U, scale 1:250,000. MF/*, SI/*

Himmelberg, G. R., and Loney, R. A., 1982, The La Perouse layered gabbro, southeastern Alaska--An example of multiple magma emplacement (abs.): Geological Society of America Programs with Abstracts, v. 14, no. 7, p. 515.
MF

Hudson, Travis, Dixon, Kirk, and Plafker, George, 1982, Regional uplift in southeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 132-135.

JU, MF, PE, PA, SI, SK, SD, YA

Kimball, A. L., 1982, Mineral land assessment of Yakobi Island and adjacent parts of Chichagof Island, southeastern Alaska: U.S. Bureau of Mines Mineral Land Assessment Report MLA 97-82.
MF/*, SI/*

Lee, H. J., and Schwab, W. C., 1982, Geotechnical investigations related to geological hazards: northern Gulf of Alaska, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait: U.S. Geological Survey Open-File Report 82-928, p. 87-94.
BG, BS, CV, IB, MI, MF, YA

Molnia, B. F., and Wheeler, M. C., 1982, Map showing environmental geology of Gulf of Alaska coastal area, Glacier Bay National Monument: U.S. Geological Survey Miscellaneous Field Studies Map MF-1207, scale 1:63,360. OF, MF

Nilson, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

MT HAYES QUADRANGLE

Ager, T. A., 1982, Pollen studies of Quaternary-age lake sediments in the Tanana Valley, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 64-67.

AG, BD, FB, MH

Ager, T. A., 1982, Quaternary history of vegetation in the north Alaska Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 109-111.

AG, HE, MH, MM

Aleinikoff, J. N., Nokleberg, W. J., and Herzon, P. L., 1982, Age intrusion and metamorphism of the East Susitna Batholith, Mount Hayes B-6 quadrangle, eastern Alaska Range, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 100-102.

MH

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981, Critical and strategic minerals in Alaska - cobalt, the platinum-group metals, and chromite: U.S. Bureau of Mines Information Circular 8869, 8 p.

AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*, PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*

Evenson, E. B., Stephens, G. C., Curtin, G. C., and Tripp, R. B., 1982, Geochemical exploration using englacial debris, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 108-110.

AG, MH

Foley, J. T., 1982, Alkaline igneous rocks in the eastern Alaska Range: Alaska Division of Geological and Geophysical Surveys Geologic Report 73, p. 1-5.

MH

Gough, L. P., Severson, R. C., and Briggs, P. H., 1982, Field observations and chemical analyses of vegetation, soils, and spoil materials, Jarvis Creek preference coal lease, Alaska: U.S. Geological Survey Open-File Report 82-55, 30 p.

HE, MH

Nokleberg, W. J., Albert, N. R. D., Bond, G. C., Herzon, P. L., Miyaoka, R. T., Nelson, W. H., Richter, D. H., Smith, T. E., Stout, J. H., Yeend, Warren, and Zehner, R. E., 1982, Geologic map of the southern part of Mount Hayes quadrangle, Alaska: U.S. Geological Survey Open-File Report 82-52, 26 p., scale 1:250,000.

MH

MT HAYES QUADRANGLE

Nokleberg, W. J., Zehner, R. E., and Miyaoka, R. T., 1982, Geologic setting of the Maclarens metamorphic belt, Mount Hayes A-6 and B-6 quadrangles, eastern Alaska Range, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 97-100.

MH/*

O'Leary, R. M., Risoli, D. A., Curtin, G. C., Tripp, R. B., McDougal, C. M., and Huston, D. L., 1982, Final analytical results of stream-sediments, glacial debris, and nonmagnetic heavy-mineral concentrate samples from the Mt. Hayes quadrangle, Alaska: U.S. Geological Survey Open-File Report 82-325, 128 p., scale 1:250,000.

MH

Williams, J. R., 1982, Design review - Trans-Alaska Oil Pipeline, 1974-1976: U. S. Geological Survey Open-File Report 82-225, 139 p.
BP, BT, BD, CH, FB, GU, LG, MH, PS, SG, VA, WI

MT KATMAI QUADRANGLE

Fisher, M. A., and Magoon, L. B., 1982, Geology, structure, and petroleum potential of the Lower Cook Inlet-Shelikof Strait region, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 53-67. AF, AN, IL, KR, KN, KD, MK, SV, TY, UG

Hampton, M. A., 1982, Lower Cook Inlet environmental geology, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 95-105. AF, IL, KN, MK, SV

Hampton, M. A., 1982, Shelikof Strait environmental geology, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 106-114. AF, KR, KD, MK

Imlay, R. W., 1981 (1982), Late Jurassic ammonites from Alaska: U.S. Geological Survey Professional Paper 1190, 40 p., 12 plates. AF, AN, CG, IL, KR, MC, MK, ML, SV, SW, UG

McMullin, R. H., 1982, Resource assessment, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 68-72. OF, AF, BG, IB, IL, MK, SV, YA

Miller, J. W., Detterman, R. L., and Case, J. E., 1982, Lower Cretaceous (Albian) rocks on the Alaska Peninsula, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 83-86. MK

Miller, J. W., and Jones, D. L., 1981, A field guide to some common megafossils from post-Callovian Mesozoic rocks of the Alaska Peninsula: U.S. Geological Survey Open-File Report 81-745, 16 p., 1 sheet, 5 plates. BB, CG, CB, IL, KR, MK, NK, PM, UG

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 93-97. OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

MT KATMAI QUADRANGLE

Swanson, S. E., and Kienle, Juergen, 1982, Plate subduction and volcanism in the eastern Aleutian Arc: 2, petrology (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 628.
AG, MK

MT MCKINLEY QUADRANGLE

Ager, T. A., 1982, Quaternary history of vegetation in the north Alaska Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 109-111.
HE, MH, MM

Patton, W. W., Jr., and Moll, E. J., 1982, Structural and stratigraphic sections along a transect between the Alaska Range and Norton Sound, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 76-78.
AG, MG, MD, MM, NR, NL, OP, RU, TL, UL

Wardlaw, B. R., 1982, Smithian and Spathian (Early Triassic) conodont faunas from the Chulitna terrane, south-central Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 106-107.
HE, MM, TL, TK

MT MICHELSON QUADRANGLE

Acevedo, William, Walker, Donald, Gaydos, Leonard, and Wray, James, 1982, Vegetation and land cover, Arctic National Wildlife Refuge coastal plain Alaska: U.S. Geological Survey Miscellaneous Investigations Map I-1443, scale 1:250,000.
BA, DP, FI, ML

Bird, K. J., 1982, Rock unit reports of 228 wells drilled on the North Slope, Alaska: U.S. Geological Survey Open-File Report 82-278, 108 p.
BW, HR, IK, KL, LR, TS, UT, UR, WA, BP, CL, FI, ML, SG

Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA

Huffman, A. C., Kirk, A. R., and Molenaar, C. M., 1982, Uranium investigations--northeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 41-43.
AG/*, DP/*, ML/*

Imlay, R. W., 1981 (1982), Late Jurassic ammonites from Alaska: U.S. Geological Survey Professional Paper 1190, 40 p., 12 plates.
AF, AN, CG, IL, KR, MC, MK, ML, SV, SW, UG

Molenaar, C. M., Huffman, A. C., and Kirk, A. R., 1982, Cretaceous-Lower Tertiary depositional relations, northeastern Alaska (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 608.
AG, ML

Molenaar, C. M., Huffman, A. C., and Kirk, A. R., 1982, Cretaceous-lower Tertiary depositional relations, northeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 33-35.
ML

Mull, C. G., Tailleur, I. L., Mayfield, C. F., Ellersieck, Inyo, and Curtis, S. M., 1982, New Upper Paleozoic and Lower Mesozoic stratigraphic units, central and western Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 348-362.
AC, CL, DL, HW, KL, MU, ML, PS, PH

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

MT MICHELSON QUADRANGLE

Nilsen, T. H., Moore, T. E., Balin, D. F., and Johnson, S. Y., 1982,
Sedimentology and stratigraphy of the Kanayut conglomerate, central Brooks
Range, Alaska - Report of 1980 field season: U.S. Geological Survey Open-
File Report 82-199, 85 p.
AG, AC, AR, CH, CL, DP, HW KL, ML, PS, SP, TB, TS, WI

MT ST ELIAS QUADRANGLE

Bruns, T. R., 1982, Structure and petroleum potential of the continental margin between Cross Sound and Icy Bay, northern Gulf of Alaska: U.S. Geological Survey Open-File Report 82-929, 64 p.
OF, BG, IB, MS, SK, YA

Buland, Ray, and Taggart, James, 1981, A mantle wave magnitude for the St. Elias, Alaska, earthquake of 28 February 1979: Seismological Society of America Bulletin, v. 71, no. 4, p. 1143-1159.
BG, MS

Page, R. A., Hassler, M. H., Stephens, C. D., and Criley, E. E., 1982, Focal depth of aftershocks of the 1979 St. Elias, Alaska, earthquake (abs.): Eos (American Geophysical Union Transactions), v. 63, no. 45, p. 1039.
AG, MS

NABESNA QUADRANGLE

Gedney, Larry, and Estes, Steven, 1982, A recent earthquake on the Denali fault in the southeast Alaska Range: Alaska Division of Geological and Geophysical Surveys Geologic Report 73, p. 51-54.
AG, NB

Lowe, P. C., Richter, D. H., Smith, R. L., and Schmoll, H. R., 1982, Geologic map of the Nabesna B-5 quadrangle, Alaska: U.S. Geological Survey Geologic Quadrangle Map GQ-1566, scale 1:63,360.
NB

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

NAKNEK QUADRANGLE

Miller, J. W., and Jones, D. L., 1981, A field guide to some common megafossils from post-Callovian Mesozoic rocks of the Alaska Peninsula: U.S. Geological Survey Open-File Report 81-745, 16 p., 1 sheet, 5 plates. BB, CG, CB, IL, KR, MK, NK, PM, UG

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.

OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

NOATAK QUADRANGLE

Childers, J. M., and Kernodle, D. R., 1981, Hydrologic reconnaissance of the Noatak River Basin, Alaska: U.S. Geological Survey Water Resources Investigation 81-1005, 38 p.
AR, BM, HW, MU, NT

Grantz, Arthur, Dinter, D. A., Hill, Edwin, and Chase, T. E., 1982, Map showing tracklines of high-resolution Uniboom seismic-reflection profiles collected August 31 through September 21, 1980, in the Chukchi Sea, Alaska: U.S. Geological Survey Open-File Report 82-527, scale 1:1,000,000.
OF, KZ, NT, PH, PL, SF

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA, NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

Nilsen, T. H., and Moore, T. E., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central and western Brooks Range, Alaska - Report of 1981 field season: U.S. Geological Survey Open-File Report 82-674, 63 p.
AG, AC, AR, BM, CL, DL, HW, KL, MU, NT, PS, SP, TB, WI

NOME QUADRANGLE

Fisher, M. A., 1982, Geology of Norton Basin, northern Bering Sea (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 569.
AG, OF, NM, SC, SO

Fisher, M. A., 1982, Petroleum geology of Norton Basin, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 286-301.
AG, OF, BL, NM, NR, SL, ST, SC, SO, UL

Fisher, M. A., Patton, W. W., Jr., and Holmes, M. L., 1982, Geology of Norton Basin and continental shelf beneath northwestern Bering Sea, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 255-285.

OF, BN, HP, KZ, NM, NR, NL, PH, SL, ST, SC, SP, SO, TE, UL

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA, NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

Hamilton, T. D., and Hopkins, D. M., 1982, Correlation of northern Alaskan glacial deposits - A provisional stratigraphic framework, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 15-18.
AG, NM, SO

NORTON BAY QUADRANGLE

Fisher, M. A., 1982 Petroleum geology of Norton Basin, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 286-301.
AG, OF, BL, NM, NR, SL, ST, SC, SO, UL

Fisher, M. A., Patton, W. W., Jr., and Holmes, M. L., 1982, Geology of Norton Basin and continental shelf beneath northwestern Bering Sea, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 255-285.
OF, BN, HP, KZ, NM, NR, NL, PH, SL, ST, SC, SP, SO, TE, UL

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA, NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

Patton, W. W., Jr., and Moll, E. J., 1982, Structural and stratigraphic sections along a transect between the Alaska Range and Norton Sound, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 76-78.
AG, MG, MD, MM, NR, NL, OP, RU, TL, UL

NULATO QUADRANGLE

Chapman, R. M., Patton, W. W., Jr., and Moll, E. J., 1982, Preliminary summary of the geology in eastern part of Ophir quadrangle, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 70-73.
ID, MG, MD, NL, OP, RB

Fisher, M. A., Patton, W. W., Jr., and Holmes, M. L., 1982, Geology of Norton Basin and continental shelf beneath northwestern Bering Sea, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 255-285.

OF, BN, HP, KZ, NM, NR, NL, PH, SL, ST, SC, SP, SO, TE, UL

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.

BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA, NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

Patton, W. W., Jr., and Moll, E. J., 1982, Structural and stratigraphic sections along a transect between the Alaska Range and Norton Sound, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 76-78.

AG, MG, MD, MM, NR, NL, OP, RU, TL, UL

NUNIVAK ISLAND QUADRANGLE

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982,
Hydrocarbon reservoir and source-rock characteristics from selected areas
of southwestern Alaska: Alaska Division of Geological and Geophysical
Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA,
NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

NUSHAGAK BAY QUADRANGLE

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982,
Hydrocarbon reservoir and source-rock characteristics from selected areas
of southwestern Alaska: Alaska Division of Geological and Geophysical
Surveys Professional Report 77, 35 p., 7 sheets.

BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA,
NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane,
southern Alaska, in Coonrad, W. L., ed., The United States Geological
Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey
Circular 844, p. 93-97.

OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU,
KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR,
SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

OPHIR QUADRANGLE

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981, Critical and strategic minerals in Alaska - cobalt, the platinum-group metals, and chromite: U.S. Bureau of Mines Information Circular 8869, 8 p.

AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*, PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*

Chapman, R. M., Patton, W. W., Jr., and Moll, E. J., 1982, Preliminary summary of the geology in eastern part of Ophir quadrangle, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 70-73.

ID, MG, MD, NL, OP, RB

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.

BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA, NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

Moll, E. J., and Patton, W. W., Jr., 1982, Preliminary report on the Late Cretaceous and early Tertiary volcanic and related plutonic rocks in western Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 73-76.

AG, MD, OP, UN

Patton, W. W., Jr., and Moll, E. J., 1982, Structural and stratigraphic sections along a transect between the Alaska Range and Norton Sound, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 76-78.

AG, MG, MD, MM, NR, NL, OP, RU, TL, UL

PETERSBURG QUADRANGLE

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981, Critical and strategic minerals in Alaska - cobalt, the platinum-group metals, and chromite: U.S. Bureau of Mines Information Circular 8869, 8 p.
AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*, PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*

Burrell, P. D., Cobb, E. H., and Brew, D. A., 1982, Geologic bibliography of the Petersburg project area, Alaska: U.S. Geological Survey Open-File Report 82-483, 30 p.
BC, CR, KC, PE, PA, SD

Dickinson, K. A., and Campbell, J. A., 1982, The potential for uranium deposits in the Tertiary Kootznahoo Formation of the southern part of the Admiralty trough, southeastern Alaska: U.S. Geological Survey Open-File Report 82-983, 20 p.
PE/*

Hudson, Travis, Dixon, Kirk, and Plafker, George, 1982, Regional uplift in southeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 132-135.
JU, MF, PE, PA, SI, SK, SD, YA

Hudson, Travis, Plafker, George, and Dixon, Kirk, 1982, Horizontal offset history of the Chatham Strait fault, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 128-132.
AG, CR, JU, PE, PA, SI, SK

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

Panuska, B. C., and Decker, John, 1982, Paleomagnetic pilot study of the Gravina-Nutzotin belt, Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 223.
AG, PE

PHILIP SMITH MTS QUADRANGLE

Brosge, W. P., and Patton, W. W., Jr., 1982, Regional bedrock geologic maps along the Dalton Highway, Yukon Crossing to Toolik, Alaska: U.S. Geological Survey Open-File Report 82-1071, 11 p., scale 1:500,000.
CH, CL, KL, PS, SP, WI

Ellis, J. M., and Calkin, P. E., 1982, 1977-1981: an interval of descending ELA's and cooling temperatures, central Brooks Range, Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 483.
PS

Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA

Mull, C. G., Tailleur, I. L., Mayfield, C. F., Ellersieck, Inyo, and Curtis, S., 1982, New Upper Paleozoic and Lower Mesozoic stratigraphic units, central and western Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 348-362.
AC, CL, DL, HW, KL, MU, ML, PS, PH

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

Nilsen, T. H., and Moore, T. E., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central and western Brooks Range, Alaska - Report of 1981 field season: U.S. Geological Survey Open-File Report 82-674, 63 p.
AG, AC, AR, BM, CL, DL, HW, KL, MU, NT, PS, SP, TB, WI

Nilsen, T. H., Moore, T. E., Balin, D. F., and Johnson, S. Y., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central Brooks Range, Alaska - Report of 1980 field season: U.S. Geological Survey Open-File Report 82-199, 85 p.
AG, AC, AR, CH, CL, DP, HW, KL, ML, PS, SP, TB, TS, WI

Williams, J. R., 1982, Design review - Trans-Alaska Oil Pipeline, 1974-1976: U. S. Geological Survey Open-File Report 82-225, 139 p.
BP, BT, BD, CH, FB, GU, LG, MH, PS, SG, VA, WI

POINT HOPE QUADRANGLE

Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA

Fisher, M. A., Patton, W. W., Jr., and Holmes, M. L., 1982, Geology of Norton Basin and Continental Shelf beneath northwestern Bering Sea, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 255-285.

OF, BN, HP, KZ, NM NR, NL, PH, SL, ST, SC, SP, SO, TE, UL

Grantz, Arthur, Dinter, D. A., Hill, Edwin, and Chase, T. E., 1982, Map showing tracklines of high-resolution Uniboom seismic-reflection profiles collected August 31 through September 21, 1980, in the Chukchi Sea, Alaska: U.S. Geological Survey Open-File Report 82-527, scale 1:1,000,000.

OF, KZ, NT, PH, PL, SF

Grantz, Arthur, Mann, D. M., and May, S. D., 1982, Tracklines of multichannel seismic-reflection data collected by the U.S. Geological Survey in the Beaufort and Chukchi Seas in 1977 for which profiles and stack tapes are available: U.S. Geological Survey Open-File Report 82-735, scale 1:650,000 approx.

OF, BW, BA, BP, DP, FI, HR, PH, SF, WA

Grantz, Arthur, May, S. D., and Mann, D. M., 1982, Tracklines of multichannel seismic reflection data collected in the Beaufort and Chukchi Seas in 1977 for which demultiplexed field tapes are available from the U.S. Geological Survey: U.S. Geological Survey Open-File Report 82-651, scale 1:500,000.

OF, BW, BA, BP, FI, HR, PH, SF

Huffman, A. C., Jr., Ahlbrandt, T. S., Pasternack, Ira, Fox, J. E., Bartsch-Winkler, Susan, May, F. E., Scott, R. A., and Materna, W. L., 1981, Measured sections of the Cretaceous Nanushuk Group undivided, western North Slope, Alaska: U.S. Geological Survey Open-File Report 81-176.

DL, LR, MU, PH, PL, UR

Lachenbruch, A. H., Sass, J. H., Marshall, B. V., and Moses, T. H., Jr., 1982, Thermal regime of permafrost at Prudhoe Bay, Alaska: U.S. Geological Survey Open-File Report 82-535, 77 p.

BW, BP, PH

Mull, C. G., Tailleur, I. L., Mayfield, C. F., Ellersieck, Inyo, and Curtis, S. M., 1982, New Upper Paleozoic and Lower Mesozoic stratigraphic units, central and western Brooks Range, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 348-362.

AC, CL, DL, HW, KL, MU, ML, PS, PH

POINT HOPE QUADRANGLE

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.

AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

POINT LAY QUADRANGLE

Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA

Grantz, Arthur, Dinter, D. A., Hill, Edwin, and Chase, T. E., 1982, Map showing tracklines of high-resolution Uniboom seismic-reflection profiles collected August 31 through September 21, 1980, in the Chukchi Sea, Alaska: U.S. Geological Survey Open-File Report 82-527, scale 1:1,000,000.

OF, KZ, NT, PH, PL, SF

Grantz, Arthur, Mann, D. M., and May, S. D., 1982, Tracklines of multichannel seismic-reflection data collected by the U.S. Geological Survey in the Beaufort and Chukchi Seas in 1977 for which profiles and stack tapes are available: U.S. Geological Survey Open-File Report 82-735, scale 1:650,000 approx.

OF, BW, BA, BP, DP, FI, HR, PH, PL, SF, WA

Grantz, Arthur, May, S. D., and Mann, D. M., 1982, Tracklines of multichannel seismic reflection data collected in the Beaufort and Chukchi Seas in 1977 for which demultiplexed field tapes are available from the U.S. Geological Survey: U.S. Geological Survey Open-File Report 82-651, scale 1:500,000.

OF, BW, BA, BP, FI, HR, PH, PL, SF

Huffman, A. C., Jr., Ahlbrandt, T. S., Pasternack, Ira, Fox, J. E., Bartsch-Winkler, Susan, May, F. E., Scott, R. A., and Materna, W. L., 1981, Measured sections of the Cretaceous Nanushuk Group undivided, western North Slope, Alaska: U.S. Geological Survey Open-File Report 81-176.

DL, LR, MU, PH, PL, UR

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.

AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

PORT ALEXANDER QUADRANGLE

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981, Critical and strategic minerals in Alaska - cobalt, the platinum-group metals, and chromite: U.S. Bureau of Mines Information Circular 8869, 8 p.
AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*, PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*

Bruns, T. R., and Plafker, George, 1982, Geology, structure, and petroleum potential of the southeastern Alaska and northern Gulf of Alaska continental margins, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 9-52.

AG, OF, BG, BS, CV, CR, DE, IB, MI, MF, PA, SR, SI, YA

Burrell, P. D., Cobb, E. H., and Brew, D. A., 1982, Geologic bibliography of the Petersburg project area, Alaska: U.S. Geological Survey Open-File Report 82-483, 30 p.

BC, CR, KC, PE, PA, SD

Carlson, P. R., and Schwab, W. C., 1982, Northern Gulf of Alaska environmental geology, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait: U.S. Geological Survey Open-File Report 82-928, p. 73-86.

OF, BS, CV, IB, MI, MF, PA, SI, YA

Cowan, D. S., 1982, Geological evidence for post-40 m.y.b.p. large scale northwestward displacement of part of southeastern Alaska: Geology, v. 10, no. 6, p. 309-313.

AG, PA, SI

Hudson, Travis, Dixon, Kirk, and Plafker, George, 1982, Regional uplift in southeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 132-135.

JU, MF, PE, PA, SI, SK, SD, YA

Hudson, Travis, Plafker, George, and Dixon, Kirk, 1982, Horizontal offset history of the Chatham Strait fault, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 128-132.

AG, CR, JU, PE, PA, SI, SK

PORT ALEXANDER QUADRANGLE

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.

OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

PORT MOLLER QUADRANGLE

Jacob, K. H., and McCann, W. R., 1982, Strong ground motions in two seismic gaps: Shumagin Islands, Alaska, and northern Lesser Antilles, Caribbean: U.S. Geological Survey Open-File Report 82-139, 22 p.
CB, FP, PM, SN, SB, UN

Miller, J. W., and Jones, D. L., 1981, A field guide to some common megafossils from post-Callovian Mesozoic rocks of the Alaska Peninsula: U.S. Geological Survey Open-File Report 81-745, 16 p., 5 plates, 1 sheet.
BB, CB, CG, IL, KR, MK, NK, PM, UG

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

Wilson, F. H., and Shew, Nora, 1982, Apparent episodicity of magmatic activity deduced from radiometric age determinations, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 13-15.
AG, CG, FP, KD, PM, SN, SB, SW

PRINCE RUPERT QUADRANGLE

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981, Critical and strategic minerals in Alaska - cobalt, the platinum-group metals, and chromite: U.S. Bureau of Mines Information Circular 8869, 8 p.
AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*, PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*

Berg, H. C., 1982, The Alaska Mineral Resource Assessment Program: Guide to information about the geology and mineral resources of the Ketchikan and Prince Rupert quadrangles, southeastern Alaska: U.S. Geological Survey Circular 855, 24 p.
KC/*, PR/*

Berg, H. C., and Cruz, E. L., 1982, Map and table describing fossil collections and related samples in the Ketchikan and Prince Rupert quadrangles, southeastern Alaska: U.S. Geological Survey Open-File Report 82-1088, 27 p., scale 1:250,000, 1 sheet.
KC, PR

Silberling, N. J., Wardlaw, B. R., and Berg, H. C., 1982, New paleontologic age determinations from the Taku terrane, southeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 117-119.
AG, KC, PR

RAT ISLANDS QUADRANGLE

Kay, S. M., and Kay, R. W., 1982, Mafic mineralogy in calc-alkaline Aleutian volcanic rocks: evidence for primitive magmas and magma mixing (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7, p. 526.

AD, AK, KK, RI

RUBY QUADRANGLE

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981, Critical and strategic minerals in Alaska - cobalt, the platinum-group metals, and chromite: U.S. Bureau of Mines Information Circular 8869, 8 p.
AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*, PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*

Chapman, R. M., Patton, W. W., Jr., and Moll, E. J., 1982, Preliminary summary of the geology in eastern part of Ophir quadrangle, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 70-73.

ID, MG, MD, NL, OP, RB

Patton, W. W., Jr., and Moll, E. J., 1982, Structural and stratigraphic sections along a transect between the Alaska Range and Norton Sound, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 76-78.

AG, MG, MD, MM, NR, NL, OP, RU, TL, UL

RUSSIAN MISSION QUADRANGLE

Decker, J. E., and Hoare, J. M., 1982, Sedimentology of the Cretaceous Kuskokwim Group, southwest Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 81-83.
RM, SM

Globerman, B. R., Coe, R. S., Hoare, J. M., and Decker, J. E., 1982, Paleomagnetism of Late Jurassic - Early Cretaceous volcaniclastic rocks from the Russian Mission region, southwestern Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 166.
RM

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA, NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

SAGAVANIRKTOK QUADRANGLE

- Bird, K. J., 1982, Machine-generated displays of well logs and lithology from 12 wells on the North Slope of Alaska: U.S. Geological Survey Open-File Report 82-290, 5 p., 12 sheets.
BW, HR, IK, LR, MR, SG
- Bird, K. J., 1982, Rock unit reports of 228 wells drilled on the North Slope, Alaska: U.S. Geological Survey Open-File Report 82-278, 108 p.
BW, HR, IK, KL, LR, TS, UT, UR, WA, BP, CL, FI, ML, SG
- Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA
- Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI
- Williams, J. R., 1982, Design review - Trans-Alaska Oil Pipeline, 1974-1976: U. S. Geological Survey Open-File Report 82-225, 139 p.
BP, BT, BD, CH, FB, GU, LG, MH, PS, SG, VA, WI

SAMALGA ISLAND QUADRANGLE

Alpha, T. R., Scholl, D. W., and Vallier, T. L., 1982, Amlia corridor, Alaska
oblique map: U.S. Geological Survey Open-File Report 82-138, scale
1:1,000,000.
OF, AD, AM, AK, SA, SU, UK

SEGUAM QUADRANGLE

Alpha, T. R., Scholl, D. W., and Vallier, T. L., 1982, Amlia corridor, Alaska oblique map: U.S. Geological Survey Open-File Report 82-138, scale 1:1,000,000.
OF, AD, AM, AK, SA, SU, UK

Friesen, W. B., 1982, Petrography of igneous rocks from Amlia Island, Aleutian Island Arc, Alaska: U.S. Geological Survey Open-File Report 82-302, 31 p.
AK, SU

McLean, Hugh, 1982, Sedimentology photo (Filled lava tube and pillow lava indicating submarine flow. Rocks are late Eocene or early Oligocene exposed on Amlia Island, central Aleutian Islands, Alaska): Journal of Sedimentary Petrology, v. 52, no. 3, p. 1046.
SU

Scholl, D.W., Vallier, T. L., and Stevenson, A. J., 1982, Sedimentation and deformation in the Amlia fracture zone sector of the Aleutian Trench: Marine Geology, v. 48, no. 1/2, p. 105-134.
AG, OF, SU

SELAWIK QUADRANGLE

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982,
Hydrocarbon reservoir and source-rock characteristics from selected areas
of southwestern Alaska: Alaska Division of Geological and Geophysical
Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA,
NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

SELDOVIA QUADRANGLE

Abadie, V. H., III, 1982, Tertiary Kenai Group, Cook Inlet, Alaska tectonic and depositional model applied to Barranca Formation (Upper Triassic), central Sonora, Mexico (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 5., p. 542.
IL, KN, SV, TY

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981, Critical and strategic minerals in Alaska - cobalt, the platinum-group metals, and chromite: U.S. Bureau of Mines Information Circular 8869, 8 p.
AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*, PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*

Bolm, J. G., McCulloh, T. H., and Stewart, R. J., 1982 Diagenesis of sandstones in Lower Cook Inlet Basin, Alaska and its implication for Mesozoic petroleum plays (abs.): Alaska Geological Society Symposium, Anchorage, Alaska, 1982, Program with Abstracts, p. 8.
OF, AF, IL, KN, SV

Fisher, M. A., and Magoon, L. B., 1982, Geology, structure, and petroleum potential of the Lower Cook Inlet-Shelikof Strait region, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 53-67.

AF, AN, IL, KR, KN, KD, MK, SV, TY, UG

Hampton, M. A., 1982, Lower Cook Inlet environmental geology, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 95-105.

AF, IL, KN, MK, SV

Hampton, M. A., 1982, Synthesis report: Environmental geology of Lower Cook Inlet, Alaska: U.S. Geological Survey Open-File Report 82-197, 55 p.
AF, IL, KN, SV

Imlay, R. W., 1981 (1982), Late Jurassic ammonites from Alaska: U.S. Geological Survey Professional Paper 1190, 40 p., 12 plates.
AF, AN, CG, IL, KR, MC, MK, ML, SV, SW, UG

Jackson, J. B., and Kurz, F. N., 1982, Gulf of Alaska and Lower Cook Inlet summary report 3, June 1982, second revision of OCS oil and gas activities in the Gulf of Alaska (including Lower Cook Inlet) and their onshore impacts--A summary report, September 1980: U.S. Geological Survey Open-File Report 82-20, 79 p.
AG, OF, AF, CV, IL, KR, KN, SV, TY, UG

SELDOMIA QUADRANGLE

- Magoon, L. B., and Claypool, G. E., 1981, Petroleum geology of Cook Inlet basin, Alaska - An exploration model: Tulsa, Okla., American Association of Petroleum Geologists Studies in Geology 12, p. 355-374.
OF, AF, IL, KN, SV, TY
- McMullin, R. H., 1982, Resource assessment, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 68-72.
OF, AF, BG, IB, IL, MK, SV, YA
- Nelson, G. L., and Johnson, P. R., 1981, Groundwater reconnaissance of part of the lower Kenai Peninsula, Alaska: U.S. Geological Survey Water Resources Investigations Open-File Report 81-905, 32 p.
KN, SV
- Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA
- Rappeport, M. L., 1982, An analysis of oceanographic and meteorological conditions for central Lower Cook Inlet, Alaska: U.S. Geological Survey Open-File Report 82-128, 47 p.
AF, IL, KN, SV
- Rappeport, M. L., and Cacchione, D. A., 1982, Sediment dynamics, drag partitioning and tidal flow characteristics within a field of large sand waves, lower Cook Trough, Cook Inlet, Alaska (abs.): Eos (American Geophysical Union Transactions), v. 63, no. 45, p. 981.
OF, IL, SV
- Rawlinson, S. E., 1982, Paleoenvironments of deposition, paleocurrent directions, and the provenance of Tertiary deposits along Kachemak Bay, Kenai Peninsula, Alaska (abs.): Geological Society of America Programs with Abstracts, v. 14, no. 4, p. 226.
SV
- Stephens, C. D., and Lahr, J. C., 1982, Seismic studies in southern and southeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska--Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 91-93.
OF, IB, MI, SV

SELDOVIA QUADRANGLE

Stephens, C. D., Lahr, J. C., and Rogers, J. A., 1982, Review of earthquake activity and current status of seismic monitoring in the region of the Bradley Lake Hydroelectric Project, southern Kenai Peninsula, Alaska: November 27, 1980-November 30, 1981: U.S. Geological Survey Open-File Report 82-417, 26 p.
AG, BS, KN, SV, SR

SEWARD QUADRANGLE

Bartsch-Winkler, S. R., and Garrow, H. C., 1982, Depositional system approaching maturity at Portage Flats, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 115-117.

SR

Bruns, T. R., and Plafker, George, 1982, Geology, structure, and petroleum potential of the southeastern Alaska and northern Gulf of Alaska continental margins, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 9-52.

OF, BG, BS, CV, CR, DE, IB, MI, MF, PA, SR, SI, YA

Kurtak, J. M., 1982, A manganese occurrence on Chenega Island, Prince William Sound, Alaska: U.S. Bureau of Mines Mineral Land Assessment MLA 124-82, 9 p.
SR/*

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.

OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

Plafker, George, Bruns, T. R., Winkler, G. R., and Tysdal, R. G., 1982, Cross section of the eastern Aleutian Arc, from Mount Spurr to the Aleutian Trench near Middleton Island, Alaska: Geological Society of America Map and Chart Series MC-28P.

BS KN, MI, SR, TY

Rasmussen, L. A., and Meier, M. F., 1982, Continuity equation model of the predicted drastic retreat of Columbia Glacier, Alaska: U.S. Geological Survey Professional Paper 1258-A, p. A1-A23.

AN, CV, SR, VA

Scott, K. M., 1982, Erosion and sedimentation in the Kenai River, Alaska: U.S. Geological Survey Professional Paper 1235, 35 p.
AN, KN, SR

Sikonia, W. G., 1982, Finite element glacier dynamics model applied to Columbia Glacier, Alaska: U.S. Geological Survey Professional Paper 1258-B, p. B1-B74.

AN, CV, SR, VA

SEWARD QUADRANGLE

Stephens, C. D., Lahr, J. C., and Rogers, J. A., 1982, Review of earthquake activity and current status of seismic monitoring in the region of the Bradley Lake Hydroelectric Project, southern Kenai Peninsula, Alaska: November 27, 1980-November 30, 1981: U.S. Geological Survey Open-File Report 82-417, 26 p.
AG, BS, KN, SV, SR

Tysdal, R. G., and Case, J. E., 1982, Metalliferous mineral resource potential of the Seward and Blying Sound quadrangles, southern Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-880-H, 23 p., scale 1:250,000, 2 sheets.
BS/*, SR/*

SHISHMAREF QUADRANGLE

Fisher, M. A., Patton, W. W., Jr., and Holmes, M. L., 1982, Geology of Norton Basin and continental shelf beneath northwestern Bering Sea, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 255-285.

OF, BN, BL, HP, KZ, NM, NR, NL, PH, SL, ST, SC, SH, SO, TE, UL

Grantz, Arthur, Dinter, D. A., Hill, Edwin, and Chase, T. E., 1982, Map showing tracklines of high-resolution Uniboom seismic-reflection profiles collected August 31 through September 21, 1980, in the Chukchi Sea, Alaska: U.S. Geological Survey Open-File Report 82-527, scale 1:1,000,000.

OF, KZ, NT, PH, PL, SF

Grantz, Arthur, Mann, D. M., and May, S. D., 1982, Tracklines of multichannel seismic-reflection data collected by the U.S. Geological Survey in the Beaufort and Chukchi Seas in 1977 for which profiles and stack tapes are available: U.S. Geological Survey Open-File Report 82-735, scale 1:650,000 approx.

OF, BW, BA, BP, DP, FI, HR, PH, SF, WA

Grantz, Arthur, May, S. D., and Mann, D. M., 1982, Tracklines of multichannel seismic reflection data collected in the Beaufort and Chukchi Seas in 1977 for which demultiplexed field tapes are available from the U.S. Geological Survey: U.S. Geological Survey Open-File Report 82-651, scale 1:500,000.

OF, BW, BA, BP, FI, HR, PH, SF

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.

BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA, NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

SHUNGNAK QUADRANGLE

Alaska Division of Geological and Geophysical Surveys, 1982, Aeromagnetic map, northern portion of Shungnak quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 177, scale 1:250,000. SH

Childers, Joseph, and Kernodle, D. R., 1982, Hydrologic reconnaissance of the Kobuk River basin, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 80-81.
AR, BM, HU, SH, SP

Hitzman, M. W., Smith, T. E., and Proffett, J. M., 1982, Bedrock geology of the Ambler district, southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 75, scale 1:125,000, 2 sheets.
AR, HU, SH, SP

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA, NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

SIMEONOF ISLAND QUADRANGLE

Jacob, K. H., and McCann, W. R., 1982, Strong ground motions in two seismic gaps: Shumagin Islands, Alaska, and northern Lesser Antilles, Caribbean: U.S. Geological Survey Open-File Report 82-139, 22 p.
CB, FP, PM, SN, SB, UN

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TI, TY, UG, UK, VA

Wilson, F. H., and Shew, Nora, 1982, Apparent episodicity of magmatic activity deduced from radiometric age determinations, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 13-15.
AG, CG, FP, KD, PM, SN, SB, SW

SITKA QUADRANGLE

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981, Critical and strategic minerals in Alaska - cobalt, the platinum-group metals, and chromite: U.S. Bureau of Mines Information Circular 8869, 8 p.
AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*, PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*

Bruns, T. R., and Plafker, George, 1982, Geology, structure, and petroleum potential of the southeastern Alaska and northern Gulf of Alaska continental margins, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 9-52.

OF, BG, BS, CV, CR, DE, IB, MI, MF, PA, SR, SI, YA

Carlson, P. R., and Schwab, W. C., 1982, Northern Gulf of Alaska environmental geology, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait: U.S. Geological Survey Open-File Report 82-928, p. 73-86.

OF, BS, CV, IB, MI, MF, PA, SI, YA

Cowan, D. S., 1982, Geological evidence for post-40 m.y.b.p. large scale northwestward displacement of part of southeastern Alaska: *Geology*, v. 10, no. 6, p. 309-313.

AG, PA, SI

Czamanske, G. K., Haffty, Joseph, and Nabbs, S. W., 1982, Pt, Pd, and Rh analyses and beneficiation of mineralized mafic rocks from the La Perouse layered gabbro, Alaska: *Economic Geology*, v. 76, no. 7, p. 2001-2011.

JU/*, MF/*, SI/*

Decker, John, 1982, Geochemical signature of the Goon Dip Greenstone on Chichagof Island, southeastern Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 73, p. 29-35.

SI

Decker, John, 1982, Sandstone petrography and subduction zone metamorphism of Upper Cretaceous trench turbidites, Chichagof Island, southeastern Alaska (abs.): *Geological Society of America Programs with Abstracts*, v. 14, no. 4, p. 159.

SI

Decker, J. E., and Plafker, George, 1982, Correlation of rocks in the Tarr Inlet suture zone with the Kelp Bay Group, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 119-123.

JU, MF, SI

SITKA QUADRANGLE

Hessin, T. D., 1982, Geochemical studies in the West Chichagof-Yakobi Wilderness, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 135-136.
MF, SI

Hessin, T. D., and Crenshaw, G. L., 1981, Geochemical map showing the distribution and abundance of sulfate and fluoride in unfiltered water samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-P, scale 1:125,000.
MF, SI

Hessin, T. D., and Day, G. W., 1981, Geochemical map showing the distribution and abundance of cobalt, chromium, and nickel in the nonmagnetic heavy-mineral concentrate samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-T, scale 1:125,000.
MF/*, SI/*

Hessin, T. D., Everman, W. K., and Crenshaw, G. L., 1981, Geochemical map showing anomalous patterns for the element copper in stream sediments, filtered waters, and nonmagnetic heavy-mineral concentrates in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-O, scale 1:125,000.
MF/*, SI/*

Hessin, T. D., Everman, W. K., and Crenshaw, G. L., 1981, Geochemical map showing the distribution and abundance of copper, zinc, molybdenum, arsenic, and uranium in filtered water samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-N, scale 1:125,000.
MF, SI

Hessin, T. D., Everman, W. K., and Crenshaw, G. L., 1981, Map showing stream-sediment samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-M, scale 1:125,000.
MF, SI

Hessin, T. D., and Hoffman, J. D., 1981, Geochemical map showing the distribution and abundance of cobalt, chromium, and nickel in stream-sediment samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle Alaska: U.S. Geological Survey Open-File Report 81-27-R, scale 1:125,000.
MF/*, SI/*

SITKA QUADRANGLE

Hessin, T. D., Maslowski, M. G., and Cooley, E. F., 1981, Geochemical map showing the distribution and abundance of copper, lead, zinc, and barium in the nonmagnetic, heavy-mineral concentrate samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-S, scale 1:125,000.
MF/*, SI/*

Hessin, T. D., Maslowski, M. G., and Day, G. W., 1981, Geochemical map showing the distribution and abundance of copper, lead, and barium in stream-sediment samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-Q, scale 1:125,000.
MF/*, SI/*

Hessin, T. D., Maslowski, M. G., and Day, G. W., 1981, Geochemical map showing the distribution and abundance of silver, arsenic, gold, tin, and tungsten in the nonmagnetic heavy-mineral concentrate samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-U, scale 1:250,000.
MF/*, SI/*

Hudson, Travis, Dixon, Kirk, and Plafker, George, 1982, Regional uplift in southeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 132-135.

JU, MF, PE, PA, SI, SK, SD, YA

Hudson, Travis, Plafker, George, and Dixon, Kirk, 1982, Horizontal offset history of the Chatham Strait fault, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 128-132.

AG, CR, JU, PE, PA, SI, SK

Karl, S. M., Decker, J. E., and Johnson, B. R., 1982, Discrimination of Wrangellia and the Chugach terrane in the Kelp Bay Group on Chichagof and Baranof Islands, southeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 124-128.

AG, SI

Kimball, A. L., 1982, Mineral land assessment of Yakobi Island and adjacent parts of Chichagof Island, southeastern Alaska: U.S. Bureau of Mines Mineral Land Assessment Report MLA 97-82.

MF/*, SI/*

SITKA QUADRANGLE

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.

OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

Peterson, G. R., Bleiwas, D. I., and Thomas, P. R., 1981, Cobalt availability, domestic - a minerals availability system assessment: U.S. Bureau of Mines Information Circular 8848, 31 p.

AR/*, SI/*

SKAGWAY QUADRANGLE

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981, Critical and strategic minerals in Alaska - cobalt, the platinum-group metals, and chromite: U.S. Bureau of Mines Information Circular 8869, 8 p.
AG, AR, CA, CR, GO, HG, JU, KC, MF, MH, OP, PE, PA, PR, RB, SV, SI, SK, SD, TL, VA

Bruns, T. R., 1982, Structure and petroleum potential of the continental margin between Cross Sound and Icy Bay, northern Gulf of Alaska: U.S. Geological Survey Open-File Report 82-929, 64 p.
OF, BG, IB, MS, SK, YA

Hudson, Travis, Dixon, Kirk, and Plafker, George, 1982, Regional uplift in southeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 132-135.
JU, MF, PE, PA, SI, SK, SD, YA

Hudson, Travis, Plafker, George, and Dixon, Kirk, 1982, Horizontal offset history of the Chatham Strait fault, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 128-132.
AG, CR, JU, PE, PA, SI, SK

March, G. D., 1982, Photointerpretive map of the surficial geology of the Skagway B-1 quadrangle: Alaska Division of Geological and Geophysical Surveys Open-File Report 159, scale 1:63,360.
SK

March, G. D., 1982, Photointerpretive map of the surficial geology of the Skagway B-2 quadrangle: Alaska Division of Geological and Geophysical Surveys Open-File Report 161, scale 1:63,360.
SK

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

Perkins, J. A., and Sims, J. D., 1981, Relationships between varve thickness and climatic parameters and paleoclimatic reconstruction: U.S. Geological Survey Open-File Report 81-952, 37 p.
AG, JU, KN, SK

SLEETMUTE QUADRANGLE

Decker, J. E., and Hoare, J. M., 1982, Sedimentology of the Cretaceous Kuskokwim Group, southwest Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 81-83.
RM, SM

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA, NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

SOLOMON QUADRANGLE

Fisher, M. A., 1982, Geology of Norton Basin, northern Bering Sea (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 569.
AG, OF, NM, SC, SO

Fisher, M. A., 1982 Petroleum geology of Norton Basin, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 286-301.
AG, OF, BL, NM, NR, SL, ST, SC, SO, UL

Fisher, M. A., Patton, W. W., Jr., and Holmes, M. L., 1982, Geology of Norton Basin and continental shelf beneath northwestern Bering Sea, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 255-285.
OF, BN, HP, KZ, NM, NR, NL, PH, SL, ST, SC, SP, SO, TE, UL

Hamilton, T. D., and Hopkins, D. M., 1982, Correlation of northern Alaskan glacial deposits - A provisional stratigraphic framework, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 15-18.
AG, NM, SO

King, H. D., Sutley, S. J., and McDougal, C. M., 1982, Analytical data for minus-80-mesh stream-sediment samples collected during 1981 from the Solomon and Bendeleben quadrangles, Alaska: U.S. Geological Survey Open-File Report 82-964, 46 p., scale 1:250,000, 2 sheets.
BN/*, SO/*

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA, NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

ST LAWRENCE QUADRANGLE

Fisher, M. A., 1982 Petroleum geology of Norton Basin, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 286-301.
AG, OF, BL, NM, NR, SL, ST, SC, SO, UL

Fisher, M. A., 1982, Preliminary interpretation of geophysical data over the projected offshore location of the Kaltag fault, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 136-139.
AG, OF, BL, SL

Fisher, M. A., Patton, W. W., Jr., and Holmes, M. L., 1982, Geology of Norton Basin and continental shelf beneath northwestern Bering Sea, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 255-285.
OF, BN, HP, KZ, NM, NR, NL, PH, SL, ST, SC, SP, SO, TE, UL

ST MATTHEW QUADRANGLE

Fisher, M. A., Patton, W. W., Jr., and Holmes, M. L., 1982, Geology of Norton Basin and Continental Shelf beneath northwestern Bering Sea, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 255-285.

OF, BN, HP, KZ, NM, NR, NL, PH, SL, ST, SC, SP, SO, TE, UL

ST MICHAEL QUADRANGLE

Ager, T. A., and Bradbury, Platt, 1982, Quaternary history of vegetation and climate of the Yukon Delta - Norton Sound area, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 78-80.
AG, SC

Fisher, M. A., 1982, Geology of Norton Basin, northern Bering Sea (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 569.
AG, OF, NM, SC, SO

Fisher, M. A., 1982 Petroleum geology of Norton Basin, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 286-301.
AG, OF, BL, NM, NR, SL, ST, SC, SO, UL

Fisher, M. A., Patton, W. W., Jr., and Holmes, M. L., 1982, Geology of Norton Basin and continental shelf beneath northwestern Bering Sea, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 255-285.
OF, BN, HP, KZ, NM, NR, NL, PH, SL, ST, SC, SP, SO, TE, UL

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA, NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

STEPOVAK BAY QUADRANGLE

Jacob, K. H., and McCann, W. R., 1982, Strong ground motions in two seismic gaps: Shumagin Islands, Alaska, and northern Lesser Antilles, Caribbean: U.S. Geological Survey Open-File Report 82-139, 22 p.
CB, FP, PM, SN, SB, UN

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

Wilson, F. H., and Shew, Nora, 1982, Apparent episodicity of magmatic activity deduced from radiometric age determinations, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 13-15.
AG, CG, FP, KD, PM, SN, SB, SW

SUMDUM QUADRANGLE

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981,
Critical and strategic minerals in Alaska - cobalt, the platinum-group
metals, and chromite: U.S. Bureau of Mines Information Circular 8869,
8 p.
AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*,
PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*

Burrell, P. D., Cobb, E. H., and Brew, D. A., 1982, Geologic bibliography of
the Petersburg project area, Alaska: U.S. Geological Survey Open-File
Report 82-483, 30 p.
BC, CR, KC, PE, PA, SD

Hudson, Travis, Dixon, Kirk, and Plafker, George, 1982, Regional uplift in
southeastern Alaska, in Coonrad, W. L., ed., The United States Geological
Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey
Circular 844, p. 132-135.
JU, MF, PE, PA, SI, SK, SD, YA

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane,
southern Alaska, in Coonrad, W. L., ed., The United States Geological
Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey
Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU,
KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR,
SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

SURVEY PASS QUADRANGLE

Alaska Division of Geological and Geophysical Surveys, 1982, Aeromagnetic map of Survey Pass quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 175, scale 1:250,000.
SP

Brosge, W. P., and Patton, W. W., Jr., 1982, Regional bedrock geologic maps along the Dalton Highway, Yukon Crossing to Toolik, Alaska: U.S. Geological Survey Open-File Report 82-1071, 11 p., scale 1:500,000.
CH, CL, KL, PS, SP, WI

Cady, J. W., and Hackett, S. W., 1982, Map showing aeromagnetic survey and interpretation of the Survey Pass quadrangle, Brooks Range, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1176-G, 13 p., scale 1:250,000, 3 sheets.
SP

Cathrall, J. B., 1982, Evidence from stream-sediment geochemical and biogeochemical data, mineral occurrences, and Landsat images for potential mineralized target areas in the Brooks Range, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 41.
SP/*

Cathrall, J. B., 1982, Potential mineralized target areas in the Brooks Range schist belt are characterized by anomalous stream-sediment geochemistry, magnetic and lithologic signature, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 40-41.
SP/*

Cathrall, J. B., Billings, T. M., Cooley, E. F., and O'Leary, R. M., 1981, Maps showing anomalous drainage areas of selected elements in the Survey Pass quadrangle, Brooks Range, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1176-D, scale 1:250,000.
SP/*

Childers, Joseph, and Kernodle, D. R., 1982, Hydrologic reconnaissance of the Kobuk River basin, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 80-81.
AR, BM, HU, SH, SP

Hamilton, T. D., 1982, A late Pleistocene glacial chronology for the southern Brooks Range: Stratigraphic record and regional significance: Geological Society of America Bulletin, v. 93, no. 8, p. 700-716.
AG, BV, BT, CH, HE, HU, MH, SP, WI

SURVEY PASS QUADRANGLE

Hillhouse, J. W., and Gromme, Sherman, 1982, Cretaceous overprint revealed by paleomagnetic study in the northern Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 43-46.
AC, CL, KL, SP

Hitzman, M. W., Smith, T. E., and Proffett, J. M., 1982, Bedrock geology of the Ambler district, southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 75, scale 1:125,000, 2 sheets.
AR, HU, SH, SP

Nelson, S. W., and Grybeck, Donald, 1981 (1982), Map showing distribution of metamorphic rocks in the Survey Pass quadrangle, Brooks Range, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1176-C, scale 1:250,000, 1 sheet. SP

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, SP, TB, TS, UT, UR, WA, WI

Nilsen, T. H., and Moore, T. E., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central and western Brooks Range, Alaska - Report of 1981 field season: U.S. Geological Survey Open-File Report 82-674, 63 p.
AG, AC, AR, BM, CL, DL, HW, KL, MU, NT, PS, SP, TB, WI

Nilsen, T. H., Moore, T. E., Balin, D. F., and Johnson, S. Y., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central Brooks Range, Alaska - Report of 1980 field season: U.S. Geological Survey Open-File Report 82-199, 85 p.
AG, AC, AR, CH, CL, DP, HW, KL, ML, PS, SP, TB, TS, WI

SUTWIK ISLAND QUADRANGLE

Case, J. E., Cox, D. P., Detra, D. E., Detterman, R. L., and Wilson, F. H., 1982, Aeromagnetic survey of the Chignik and Sutwik Island quadrangles in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 88-89.
CG, SW

Cox, D. P., Detra, D. E., and Detterman, R. L., 1981, Mineral resource maps of the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053-K, scale 1:250,000, 2 sheets.
CG/*, SW/*

Detterman, R. L., Case, J. E., Cox, D. P., Detra, D. E., Miller, T. P., and Wilson, F. H., 1981, The Alaska Mineral Resource Assessment Program -- Background information to accompany folio of geologic and resource maps of the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Circular 802, 16 p.
CG/*, SW/*

Detterman, R. L., Miller, T. P., Yount, M. E., and Wilson, F. H., 1981, Geologic map of the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Investigation Series Map I-1229, scale 1:250,000.
BB, CG, SW

Detterman, R. L., Miller, T. P., Yount, M. E., and Wilson, F. H., 1981, Quaternary geologic map of the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Investigation Series Map I-1292, scale 1:250,000.
CG, SW

Detterman, R. L., Yount, M. E., and Case, J. E., 1981, Megafossil sample locality map, checklists, and stratigraphic sections of the Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053-N, scale 1:250,000, 2 sheets.
CG, SW

Imlay, R. W., 1981 (1982), Late Jurassic ammonites from Alaska: U.S. Geological Survey Professional Paper 1190, 40 p., 12 plates.
AF, AN, CG, IL, KR, MC, MK, ML, SV, SW, UG

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

SUTWIK ISLAND QUADRANGLE

Wilson, F. H., Gaum, W. C., and Herzon, P. L., 1981 (1982), Maps and tables showing geochronology and whole-rock geochemistry, Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1053-M, scale 1:250,000, 3 sheets.
BB, CG, SW

Wilson, F. H., and Shew, Nora, 1982, Apparent episodicity of magmatic activity deduced from radiometric age determinations, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 13-15.
AG, CG, FP, KD, PM, SN, SB, SW

TABLE MTN QUADRANGLE

Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.

AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.

AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

Nilsen, T. H., and Moore, T. E., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central and western Brooks Range, Alaska - Report of 1981 field season: U.S. Geological Survey Open-File Report 82-674, 63 p.

AG, AC, AR, BM, CL, DL, HW, KL, MU, NT, PS, SP, TB, WI

Nilsen, T. H., Moore, T. E., Balin, D. F., and Johnson, S. Y., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central Brooks Range, Alaska - Report of 1980 field season: U.S. Geological Survey Open-File Report 82-199, 85 p.

AG, AC, AR, CH, CL, DP, HW, KL, ML, PS, SP, TB, TS, WI

TALKEETNA QUADRANGLE

Ager, T. A., 1982, Quaternary history of vegetation in the north Alaska Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 109-111.

AG, HE, MH, MM, TL

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981, Critical and strategic minerals in Alaska - cobalt, the platinum-group metals, and chromite: U.S. Bureau of Mines Information Circular 8869, 8 p.

AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*, PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*

Burns, L. E., 1982, Gravity and aeromagnetic modelling of a large gabbroic body near the Border Ranges fault, southern Alaska: U.S. Geological Survey Open-File Report 82-460, 72 p., scale 1:250 000, 3 sheets.

GU, TK, VA

Huck, R. W., and Rawlinson, S. E., 1982, Peat resource inventory of south-central Alaska, a data report: Alaska Division of Geological and Geophysical Surveys Open-File Report 150, 88 p.

AG, AN, DI, TL, TY

Merritt, R. D., Eakins, G. R., and Clough, J. G., 1982, Coal investigation of the Susitna Lowland, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 142, 84 p., 4 pl.

AN, TL, TM, TY

Patton, W. W., Jr., and Moll, E. J., 1982, Structural and stratigraphic sections along a transect between the Alaska Range and Norton Sound, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 76-78.

AG, MG, MD, MM, NR, NL, OP, RB, TL, UL

Rawlinson, S. E., Huck, R. W., and Hardy, S. B., 1982, Peat resource map, north-central Talkeetna A-1 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 150C, scale 1:15,840.

TL

Rawlinson, S. E., Huck, R. W., and Hardy, S. B., 1982, Peat resource map, northwestern Talkeetna A-1 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 150D, scale 1:15,840.

TL

Rawlinson, S. E., Huck, R. W., and Hardy, S. B., 1982, Peat resource map, south-central Talkeetna A-1 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 150F, scale 1:15,840.

TL

TALKEETNA QUADRANGLE

- Rawlinson, S. E., Huck, R. W., and Hardy, S. B., 1982, Peat resource map, south-central Talkeetna B-1 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 150A, scale 1:15,840. TL
- Rawlinson, S. E., Huck, R. W., and Hardy, S. B., 1982, Peat resource map, southeastern Talkeetna A-1 and southwestern Talkeetna Mountains A-6 quadrangles, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 150E, scale 1:15,840. TL, TM
- Rawlinson, S. E., Huck, R. W., and Hardy, S. B., 1982, Peat resource map, southwestern Talkeetna A-1 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 150G, Scale 1:15,840. TL
- Rawlinson, S. E., Huck, R. W., and Hardy, S. B., 1982, Peat resource map, southwestern Talkeetna B-1 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 150B, scale 1:15,840. TL
- Scully, D. R., Krumhardt, A. P., and Kernodle, D. R., 1981, Hydrologic reconnaissance of the Beluga, Peters Creek, and Healy coal areas, Alaska: U.S. Geological Survey Water Resources Investigations 81-56, 79 p.
HE, TL, TY
- Wardlaw, B. R., 1982, Smithian and Spathian (Early Triassic) conodont faunas from the Chulitna terrane, south-central Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 106-107.
HE, MM, TL, TK

TALKEETNA MTNS QUADRANGLE

Ager, T. A., 1982, Quaternary history of vegetation in the north Alaska Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 109-111.
AG, HE, MH, MM, TL, TK

Barker, Fred, and Grantz, Arthur, 1982, Talkeetna Formation in the southeastern Talkeetna Mountains, southern Alaska: An early Jurassic andesitic intraoceanic island arc (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 147.
TK

Emmel, K. S., and Coonrod, P. L., 1982, Geological literature on the Copper River basin and middle Tanana River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Special Report 30, 11 p.
TC, MH

Merritt, R. D., Eakins, G. R., and Clough, J. G., 1982, Coal investigation of the Susitna Lowland, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 142, 84 p., 4 pl.
AN, TL, TK, TY

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

Rawlinson, S. E., Huck, R. W., and Hardy, S. B., 1982, Peat resource map, southeastern Talkeetna A-1 and southwestern Talkeetna Mountains A-6 quadrangles, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 150E, scale 1:15,840.
TL, TK

Wardlaw, B. R., 1982, Smithian and Spathian (Early Triassic) conodont faunas from the Chulitna terrane, south-central Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 106-107.
HE, MM, TL, TK

TANACROSS QUADRANGLE

Churkin, Michael, Jr., Foster, H. L., Chapman, R. M., and Weber, F. R., 1982,
Terranes and suture zones in east central Alaska: Journal of Geophysical
Research, v. 87, no. 5, p. 3718-3730.
BD, CR, CI, EA, LG, TC

TANANA QUADRANGLE

Chapman, R. M., Yeend, Warren, Brosge, W. P., and Reiser, H. N., 1982,
Reconnaissance geologic map of the Tanana quadrangle, Alaska: U.S.
Geological Survey Open-File Report 82-734, 20 p., scale 1:250,000.
TN

Emmel, K. S., and Coonrod, P. L., 1982, Geological literature on the Copper
River basin and middle Tanana River basin, Alaska: Alaska Division of
Geological and Geophysical Surveys Special Report 30, 11 p.
TC, MH

TAYLOR MTNS QUADRANGLE

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982,
Hydrocarbon reservoir and source-rock characteristics from selected areas
of southwestern Alaska: Alaska Division of Geological and Geophysical
Surveys Professional Report 77, 35 p., 7 sheets.

BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA,
NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane,
southern Alaska, in Coonrad, W. L., ed., The United States Geological
Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey
Circular 844, p. 93-97.

OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU,
KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR,
SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

TELLER QUADRANGLE

Fisher, M. A., Patton, W. W., Jr., and Holmes, M. L., 1982, Geology of Norton Basin and continental shelf beneath northwestern Bering Sea, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 255-285.

OF, BN, HP, KZ, NM, NR, NL, PH, SL, ST, SC, SP, SO, TE, UL

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.

BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA, NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

TESHEKPUK QUADRANGLE

- Bird, K. J., 1982, Catalog of digital log data for Government-drilled wells in and adjacent to the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-800, 31 p.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA, CL
- Bird, K. J., 1982, Rock unit reports of 228 wells drilled on the North Slope, Alaska: U.S. Geological Survey Open-File Report 82-278, 108 p.
BW, HR, IK, KL, LR, TS, UT, UR, WA, BP, CL, FI, ML, SG
- Blanchard, D. C., and Tailleur, I. L., 1982, Preliminary geothermal isograd map, National Petroleum Reserve in Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 46-48.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Blanchard, D. C., and Tailleur, I. L., 1982, Temperatures and interval geothermal-gradient determinations from wells in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-391, 82 p.
BW, HR, KL, LR, MR, TS, UT, WA
- Bowsher, A. L., ed., 1981, Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, 165 p.
AG, OF, BP, BW, HR, TS, WA
- Carter, L. D., 1982, Late Wisconsin desertification in Northern Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7 p. 461.
HR, IK, TS, UT
- Carter, R. D., 1982, National Petroleum Reserve in Alaska data release, 1980, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 48-49.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Dinter, D. A., 1982, Holocene marine sediments on the Middle and Outer Continental Shelf of the Beaufort Sea north of Alaska: U.S. Geological Survey Miscellaneous Investigations Map I-1182-B, 5 p., scale 1:500,000, 2 sheets.
OF, BW, BA, BP, DP, FI, HR, TS
- Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA

TESHEKPUK QUADRANGLE

Galloway, J. P., 1982, Grain-size analyses of 20 eolian sand samples from northern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 51-53.
HR, IK, TS, UT

Grantz, Arthur, Dinter, D. A., Hill, E. R., May, S. D., McMullin, R. H., Phillips, R. L., and Reimnitz, Erk, 1982, Geologic framework, hydrocarbon potential, and environmental conditions for exploration and development of proposed oil and gas lease sale 87 in Beaufort and northeast Chukchi Seas - A summary report: U.S. Geological Survey Open-File Report 82-482, 71 p.

OF, BW, BA, BP, FI, HR, MR, TS, WA

Gryc, George, 1982, Petroleum exploration in the National Petroleum Reserve in Alaska, in U.S. Geological Survey, U.S. Geological Survey activities, fiscal year 1981: U.S. Geological Survey Circular 875, p. 14-21.
AG, BP, BW, HR, IK, KL, LR, TS, UT, WA

Kienzle, J. K., 1981, Seismic technology and permafrost, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 63-65.
AG, TS

Lawver, L. A., 1981, Geothermal gradients on the North Slope, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 81-83.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UR, WA

Magoon, L. B., and Claypool, G. E., 1982, National Petroleum Reserve - Alaska Inigok No.1 - use of Lopatin's method to reconstruct thermal maturity: Pacific Petroleum Geologist Newsletter, Jan. 1982, p. 4-6.
TS

Nilson, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

Nilson, T. H., Moore, T. E., Balin, D. F., and Johnson, S. Y., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central Brooks Range, Alaska - Report of 1980 field season: U.S. Geological Survey Open-File Report 82-199, 85 p.
AG, AC, AR, CH, CL, DP, HW, KL, ML, PS, SP, TB, TS, WI

TESHEKPUK QUADRANGLE

Payne, T. G., 1982, Use of microcomputer in mapping depth of stratigraphic horizons in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-1054, 42 p.
BW, TS

Pratt, R. M., 1981, Gas hydrate evaluation and recommendations, National Petroleum Reserve - Alaska, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 114-143.
BW, HR, TS, WA

Samuels, W. B., Hopkins, Dorothy, and Lanfear, K. J., 1982, An oilspill risk analysis for the Beaufort Sea, Alaska (proposed sale 71) Outer Continental Shelf lease area: U.S. Geological Survey Open-File Report 82-13, 111 p.
OF, BP, FI, HR, TS

TRINITY ISLANDS QUADRANGLE

Allison, R. C., and Marinovich, Louie, Jr., 1981 (1982), A late Oligocene or earliest Miocene molluscan fauna from Sitkinak Island, Alaska: U. S. Geological Survey Professional Paper 1233, 11 p., 3 pl.
KD, TI

Hampton, M. A., 1982, Synthesis report: Environmental geology of Kodiak Shelf, Alaska: U.S. Geological Survey Open-File Report 82-59, 76 p.
OF, AF, KG, KD, TI

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

TYONEK QUADRANGLE

Abadie, V. H., III, 1982, Tertiary Kenai Group, Cook Inlet, Alaska tectonic and depositional model applied to Barranca Formation (Upper Triassic), central Sonora, Mexico (abs): American Association of Petroleum Geologists Bulletin, v. 66, no. 5., p. 542.

IL, KN, SV, TY

Bartsch-Winkler, Susan, 1982, Physiography, texture, and bedforms in Knik Arm, upper Cook Inlet, Alaska, during June and July 1980: U.S. Geological Survey Open-File Report 82-464, 6 p., scale 1:63,360, 1 sheet.

AN, TY

Chleborad, A. F., Yehle, L. A., Schmoll, H. R., Gardner, C. A., and Dearborn, L. L., 1982, Preliminary geotechnical and geophysical logs from drill hole 2C-80 in the Capps coal field, Cook Inlet region, Alaska: U.S. Geological Survey Open-File Report 82-884, 11 p., 2 sheets.

TY

Fisher, M. A., and Magoon, L. B., 1982, Geology, structure, and petroleum potential of the lower Cook Inlet-Shelikof Strait region, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 53-67.

AF, AN, IL, KR, KN, KD, MK, SV, TY, UG

Hinkley, T. K., Smith, K. S., Peard, J. L., and Tompkins, M. L., 1982, Whole-rock chemical composition of some samples from two drill hole cores in the Capps coal field, Beluga coal area, south-central Alaska: U.S. Geological Survey Open-File Report 82-672, 50 p.

TY

Huck, R. W., and Rawlinson, S. E., 1982, Peat resource inventory of south-central Alaska, a data report: Alaska Division of Geological and Geophysical Surveys Open-File Report 150, 88 p.

AG, AN, DI, TL, TY

Jackson, J. B., and Kurz, F. N., 1982, Gulf of Alaska and Lower Cook Inlet summary report 3, June 1982, second revision of OCS oil and gas activities in the Gulf of Alaska (including Lower Cook Inlet) and their onshore impacts--A summary report, September 1980: U.S. Geological Survey Open-File Report 82-20, 79 p.

AG, OF, AF, CV, IL, KR, KN, SV, TY, UG

Magoon, L. B., and Claypool, G. E., 1981, Petroleum geology of Cook Inlet basin, Alaska - An exploration model: American Association of Petroleum Geologists Studies in Geology 12, p. 355-374.

OF, AF, IL, KN, SV, TY

TYONEK QUADRANGLE

Merritt, R. D., Eakins, G. R., and Clough, J. G., 1982, Coal investigation of the Susitna Lowland, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 142, 84 p., 4 pl.
AN, TL, TM, TY

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.

OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

Plafker, George, Bruns, T. R., Winkler, G. R., and Tysdal, R. G., 1982, Cross section of the eastern Aleutian Arc, from Mount Spurr to the Aleutian Trench near Middleton Island, Alaska: Geological Society of America Map and Chart Series MC-28P.

BS KN, MI, SR, TY

Rawlinson, S. E., Huck, R. W., and Hardy, S. B., 1982, Peat resource map, Tyonek B-1 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 150M, scale 1:63,360.
TY

Rawlinson, S. E., Huck, R. W., and Hardy, S. B., 1982, Peat resource map, Tyonek C-1 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 150K, scale 1:31,680.
TY

Rawlinson, S. E., Huck, R. W., and Hardy, S. B., 1982, Peat resource map, Tyonek D-1 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Map 150I, scale 1:31,680.
TY

Scully, D. R., Krumhardt, A. P., and Kernodle, D. R., 1981, Hydrologic reconnaissance of the Beluga, Peters Creek, and Healy coal areas, Alaska: U.S. Geological Survey Water Resources Investigations 81-56, 79 p.
HE, TL, TY

Wescott, E. M., and Witte, W. K., 1982, Gravity survey of the lower Susitna basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 162, 7 p., scale 1:63,360, 2 sheets.
AN, TY

UGASHIK QUADRANGLE

- Albert, N. R. D., 1982, Preliminary map showing reconnaissance photogeologic interpretation of SLAR imagery of the Bristol Bay, Ugashik, and Karluk quadrangles, Alaska: U.S. Geological Survey Open-File Report 82-141, scale 1:250,000, 5 sheets.
BB, UG, KR
- Detra, D. E., Detterman, R. L., Cox, D. P., Wilson, F. H., and Theodore, T. G., 1982, Reconnaissance geochemical studies in the Bristol Bay, Ugashik, and Karluk quadrangles, Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 87-88.
UG, BB, KR
- Detterman, R. L., Allaway, W. H., Jr., Day, G. W., Hopkins, D. M., O'Leary, R. M., and Svec, Edward, 1982, Locality map for scintillometer and analytical data collected in 1981, Ugashik and Karluk quadrangles, Alaska: U.S. Geological Survey Open-File Report 82-53, scale 1:250,000.
KR, UG
- Fisher, M. A., and Magoon, L. B., 1982, Geology, structure, and petroleum potential of the Lower Cook Inlet-Shelikof Strait region, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 53-67.
AF, AN, IL, KR, KN, KD, MK, SV, TY, UG
- Imlay, R. W., 1981 (1982), Late Jurassic ammonites from Alaska: U.S. Geological Survey Professional Paper 1190, 40 p., 12 plates.
AF, AN, CG, IL, KR, MC, MK, ML, SV, SW, UG
- Jackson, J. B., and Kurz, F. N., 1982, Gulf of Alaska and Lower Cook Inlet summary report 3, June 1982, second revision of OCS oil and gas activities in the Gulf of Alaska (including Lower Cook Inlet) and their onshore impacts--A summary report, September 1980: U.S. Geological Survey Open-File Report 82-20, 79 p.
AG, OF, AF, CV, IL, KR, KN, SV, TY, UG
- Miller, J. W., and Jones, D. L., 1981, A field guide to some common megafossils from post-Callovian Mesozoic rocks of the Alaska Peninsula: U.S. Geological Survey Open-File Report 81-745, 16 p., 5 plates, 1 sheet.
BB, CG, CB, IL, KR, MK, NK, PM, UG
- Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

UGASHIK QUADRANGLE

U.S. Geological Survey, 1982, Aeromagnetic map of the Ugashik-Karluk area, Alaska: U.S. Geological Survey Open-File Report 81-1158, scale 1:250,000.
UG, KR

Wilson, F. H., 1982, Map and tables showing preliminary results of K-Ar age studies in the Ugashik quadrangle, Alaska Peninsula: U.S. Geological Survey Open-File Report 82-140, scale 1:250,000.
UG

Wilson, F.H., and Shew, Nora, 1982, Preliminary results of potassium-argon age determinations from the Ugashik quadrangle, Alaska Peninsula, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 86-87.
UG

UMIAT QUADRANGLE

- Bird, K. J., 1982, Catalog of digital log data for Government-drilled wells in and adjacent to the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-800, 31 p.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA, CL
- Bird, K. J., 1982, Rock unit reports of 228 wells drilled on the North Slope, Alaska: U.S. Geological Survey Open-File Report 82-278, 108 p.
BW, HR, IK, KL, LR, TS, UT, UR, WA, BP, CL, FI, ML, SG
- Blanchard, D. C., and Tailleur, I. L., 1982, Temperatures and interval geothermal-gradient determinations from wells in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-391, 82 p.
BW, HR, KL, LR, MR, TS, UT, WA
- Carter, L. D., 1982, Late Wisconsin desertification in Northern Alaska (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 7 p. 461.
HR, IK, TS, UT
- Carter, L. D., and Galloway, J. P., 1981, Earth flows along Henry Creek, northern Alaska: Arctic, v. 34, no. 4, p. 325-328.
UT
- Carter, R. D., 1982, National Petroleum Reserve in Alaska data release, 1980, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 48-49.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA
- Galloway, J. P., 1982, Grain-size analyses of 20 eolian sand samples from northern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 51-53.
HR, IK, TS, UT
- Gryc, George, 1982, Petroleum exploration in the National Petroleum Reserve in Alaska, in U.S. Geological Survey, U.S. Geological Survey activities, fiscal year 1981: U.S. Geological Survey Circular 875, p. 14-21.
AG, BP, BW, HR, IK, KL, LR, TS, UT, WA

UMIAT QUADRANGLE

Lawver, L. A., 1981, Geothermal gradients on the North Slope, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 81-83.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

UMNAK QUADRANGLE

Alpha, T. R., Scholl, D. W., and Vallier, T. L., 1982, Amlia corridor, Alaska oblique map: U.S. Geological Survey Open-File Report 82-138, scale 1:1,000,000.
OF, AD, AM, AK, SA, SU, UK

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

UNALAKLEET QUADRANGLE

Fisher, M. A., 1982 Petroleum geology of Norton Basin, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 286-301.
AG, OF, BL, NM, NR, SL, ST, SC, SO, UL

Fisher, M. A., Patton, W. W., Jr., and Holmes, M. L., 1982, Geology of Norton Basin and continental shelf beneath northwestern Bering Sea, Alaska: American Association of Petroleum Geologists Bulletin, v. 66, no. 3, p. 255-285.
OF, BN, BL, HP, KZ, NM, NR, NL, PH, SL, ST, SC, SH, SO, TE, UL

Lyle, W. M., Palmer, I. F., Jr., Bolm, J. G., and Flett, T. O., 1982, Hydrocarbon reservoir and source-rock characteristics from selected areas of southwestern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 77, 35 p., 7 sheets.
BI, BM, BN, BH, BL, CA, CM, DI, GO, HG, HC, HP, ID, KT, KZ, KB, KW, MA, NT, NM, NR, NL, NI, NG, OP, RM, SC, SE, SF, SH, SM, SO, TA, TE, UL

Moll, E. J., and Patton, W. W., Jr., 1982, Preliminary report on the Late Cretaceous and early Tertiary volcanic and related plutonic rocks in western Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 73-76.
AG, MD, OP, UL

Patton, W. W., Jr., and Moll, E. J., 1982, Structural and stratigraphic sections along a transect between the Alaska Range and Norton Sound, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 76-78.
AG, MG, MD, MM, NR, NL, OP, RU, TL, UL

UNALASKA QUADRANGLE

Jacob, K. H., and McCann, W. R., 1982, Strong ground motions in two seismic gaps: Shumagin Islands, Alaska, and northern Lesser Antilles, Caribbean: U.S. Geological Survey Open-File Report 82-139, 22 p.
CB, FP, PM, SN, SB, UN

Reeder, J. W., 1982, Hydrothermal resources of Makushin Volcano region of Unalaska Island, Alaska (abs.): American Association of Petroleum Geologists Bulletin, v. 66, no. 7, p. 982.
UN

Reeder, J. W., 1982, Hydrothermal resources of the northern part of Unalaska Island: Alaska Division of Geological and Geophysical Surveys Open-File Report 163, 17 p.
UN

UTUKOK RIVER QUADRANGLE

- Bird, K. J., 1982, Catalog of digital log data for Government-drilled wells in and adjacent to the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-800, 31 p.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA, CL
- Bird, K. J., 1982, Rock unit reports of 228 wells drilled on the North Slope, Alaska: U.S. Geological Survey Open-File Report 82-278, 108 p.
BW, HR, IK, KL, LR, TS, UT, UR, WA, BP, CL, FI, ML, SG
- Blanchard, D. C., and Tailleur, I. L., 1982, Preliminary geothermal isograd map, National Petroleum Reserve in Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 46-48.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Carter, R. D., 1982, National Petroleum Reserve in Alaska data release, 1980, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 48-49.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA
- Huffman, A. C., Jr., Ahlbrandt, T. S., Pasternack, Ira, Fox, J. E., Bartsch-Winkler, Susan, May, F. E., Scott, R. A., and Materna, W. L., 1981, Measured sections of the Cretaceous Nanushuk Group undivided, western North Slope, Alaska: U.S. Geological Survey Open-File Report 81-176.
DL, LR, MU, PH, PL, UR
- Lawver, L. A., 1981, Geothermal gradients on the North Slope, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 81-83.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Nilsen, T. H., Brosig, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

VALDEZ QUADRANGLE

Barker, J. C., Still, J. C., Mowatt, T. C., and Mulligan, J. J., 1981, Critical and strategic minerals in Alaska - cobalt, the platinum-group metals, and chromite: U.S. Bureau of Mines Information Circular 8869, 8 p.
AG/*, AR/*, CA/*, CR/*, GO/*, HG/*, JU/*, KC/*, MF/*, MH/*, OP/*, PE/*, PA/*, PR/*, RB/*, SV/*, SI/*, SK/*, SD/*, TL/*, VA/*

Burns, L. E., 1982, Gravity and aeromagnetic modelling of a large gabbroic body near the Border Ranges fault, southern Alaska: U.S. Geological Survey Open-File Report 82-460, 72 p., scale 1:250 000, 3 sheets.
GU, TK, VA

Emmel, K. S., and Coonrod, P. L., 1982, Geological literature on the Copper River basin and middle Tanana River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Special Report 30, 11 p.
TC, MH, VA

Miller, R. J., Winkler, G. R., O'Leary, R. M., and Cooley, E. F., 1982, Analyses of rock, stream sediment, and heavy-mineral concentrate samples from the Valdez quadrangle, Alaska: U.S. Geological Survey Open-File Report 82-451, 225 p., scale 1:250,000, 2 sheets.
VA/*

Nilsen, T. H., 1982, Accretion model for the Cretaceous Chugach terrane, southern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U. S. Geological Survey Circular 844, p. 93-97.
OF, AF, AN, BG, BS, BB, CG, CB, CV, CR, DI, FP, GO, GU, HG, IB, IL, JU, KG, KR, KN, KD, LC, LH, MC, MI, MF, MK, NB, NK, NG, PE, PM, SV, SN, SR, SI, SK, SB, SD, SW, TK, TA, TI, TY, UG, UK, VA

Nye, C. J., 1982, The Wrangell volcanoes: voluminous volcanism accompanying microplate accretion (abs.): Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 221. AG, MC, VA

Pickthorn, W. J., 1982, Stable isotope and fluid inclusion study of the Port Valdez gold district, southern Alaska: Los Angeles, University of Calif., M.S. thesis, 66 p., 6 sheets.
VA

Rasmussen, L. A., and Meier, M. F., 1982, Continuity equation model of the predicted drastic retreat of Columbia Glacier, Alaska: U.S. Geological Survey Professional Paper 1258-A, p. A1-A23.
AN, CV, SR, VA

Sikonia, W. G., 1982, Finite element glacier dynamics model applied to Columbia Glacier, Alaska: U.S. Geological Survey Professional Paper 1258-B, p. B1-B74.
AN, CV, SR, VA

VALDEZ QUADRANGLE

U.S. Geological Survey, 1982, Land use and land cover and associated maps for Valdez, Alaska: U.S. Geological Survey Open-File Report 82-7, scale 1:250,000, 2 sheets.

VA

Williams, J. R., 1982, Design review - Trans-Alaska Oil Pipeline, 1974-1976: U. S. Geological Survey Open-File Report 82-225, 139 p.
BP, BT, BD, CH, FB, GU, LG, MH, PS, SG, VA, WI

Yehle L. A., 1981 (1982), Preliminary surficial geologic map of the Valdez B-1 quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1364, scale 1:63,360.

VA

WAINWRIGHT QUADRANGLE

- Bird, K. J., 1982, Catalog of digital log data for Government-drilled wells in and adjacent to the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-800, 31 p.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA, CL
- Bird, K. J., 1982, Rock unit reports of 228 wells drilled on the North Slope, Alaska: U.S. Geological Survey Open-File Report 82-278, 108 p.
BW, HR, IK, KL, LR, TS, UT, UR, WA, BP, CL, FI, ML, SG
- Blanchard, D. C., and Tailleur, I. L., 1982, Temperatures and interval geothermal-gradient determinations from wells in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-File Report 82-391, 82 p.
BW, HR, KL, LR, MR, TS, UT, WA
- Carter, R. D., 1982, National Petroleum Reserve in Alaska data release, 1980, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 48-49.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA
- Emmel, K. S., 1982, Geological literature on the North Slope of Alaska, 1974-1980: Alaska Division of Geological and Geophysical Surveys Special Report 29, 127 p., 1 sheet.
AG, AC, BW, BA, BP, CL, DL, DP, FI, HR, HW, IK, KL, LR, PS, PH, PL, SG, TB, TS, UT, UR, WA
- Grantz, Arthur, Dinter, D. A., Hill, E. R., May, S. D., McMullin, R. H., Phillips, R. L., and Reimnitz, Erk, 1982, Geologic framework, hydrocarbon potential, and environmental conditions for exploration and development of proposed oil and gas lease sale 87 in Beaufort and northeast Chukchi Seas - A summary report: U.S. Geological Survey Open-File Report 82-482, 71 p.
OF, BW, BA, BP, FI, HR, MR, TS, WA
- Grantz, Arthur, Mann, D. M., and May, S. D., 1982, Tracklines of multichannel seismic-reflection data collected by the U.S. Geological Survey in the Beaufort and Chukchi Seas in 1977 for which profiles and stack tapes are available: U.S. Geological Survey Open-File Report 82-735, scale 1:650,000 approx.
OF, BW, BA, BP, DP, FI, HR, PH, SF, WA
- Gryc, George, 1982, Petroleum exploration in the National Petroleum Reserve in Alaska, in U.S. Geological Survey, U.S. Geological Survey activities, fiscal year 1981: U.S. Geological Survey Circular 875, p. 14-21.
AG, BP, BW, HR, IK, KL, LR, TS, UT, WA

WAINWRIGHT QUADRANGLE

Hall, G. H., 1981, Recognition of hydrates by use of open hole logs of NPRA wells, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open- File Report 81-1298, p. 40-43.
WA

Lawver, L. A., 1981, Geothermal gradients on the North Slope, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 81-83.
BW, HR, HW, IK, KL, LR, MR, MU, TS, UT, UR, WA

Marcus, K. L., and Rog, S. R., Jr., 1982, Middle Cretaceous coal bearing stratigraphy from Wainwright, North Slope, Alaska (abs.): Geological Society of America Programs with Abstracts, v. 14, no. 4, p. 183.
WA

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

Pratt, R. M., 1981, Gas hydrate evaluation and recommendations, National Petroleum Reserve - Alaska, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 114-143.
BW, HR, TS, WA

Tailleur, I. L., and Bowsher, A. L., 1981, Potential fuel resource of coal-gas clathrate in northwestern Alaska, in Bowsher, A. L., ed., Proceedings of a workshop on clathrates (gas hydrates) in the National Petroleum Reserve in Alaska, 1979, Menlo Park, Calif.: U.S. Geological Survey Open-File Report 81-1298, p. 147-152.
WA

WISEMAN QUADRANGLE

Alaska Division of Geological and Geophysical Surveys, 1982, Aeromagnetic map of Wiseman quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 176, scale 1:250,000.
WI

Brosge, W. P., and Patton, W. W., Jr., 1982, Regional bedrock geologic maps along the Dalton Highway, Yukon Crossing to Toolik, Alaska: U.S. Geological Survey Open-File Report 82-1071, 11 p., scale 1:500,000, 1 sheet.
CH, CL, KL, PS, SP, WI

Dillon, J. T., 1982, Source of lode- and placer-gold deposits of the Chandalar and upper Koyukuk districts, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 158, 1 plate, scale 1:250,000.
CH/*, WI/*

Hackett, S. W., and Dillon, J. T., 1982, Physical rock property values for selected rock types, southwestern corner, Wiseman quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 143, 1 sheet, scale 1:250,000.
WI

Hamilton, T. D., 1982, A late Pleistocene glacial chronology for the southern Brooks Range: Stratigraphic record and regional significance: Geological Society of America Bulletin, v. 93, no. 8, p. 700-716.
AG, BV, BT, CH, HE, HU, MH, SP, WI

Henning, M. W., 1982, Reconnaissance geology and stratigraphy of the Skajit Formation, Wiseman B-5 quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report 147, scale 1:63,360.
WI

Nilsen, T. H., Brosge, W. P., Moore, T. E., Dutro, J. T., Jr., and Balin, D. F., 1982, Significance of the Endicott Group for tectonic models of the Brooks Range, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 28-32.
AR, AC, BM, BW, BA, BP, CH, CL, CS, DL, DP, FI, HR, HW, IK, KL, LR, MR, PS, PH, PL, SG, TB, TS, UT, UR, WA, WI

Nilsen, T. H., and Moore, T. E., 1982, Sedimentology and stratigraphy of the Kanayut Conglomerate, central and western Brooks Range, Alaska - Report of 1981 field season: U.S. Geological Survey Open-File Report 82-674, 63 p.
AG, AC, AR, BM, CL, DL, HW, KL, MU, NT, PS, SP, TB, WI

WISEMAN QUADRANGLE

Nilsen, T. H., Moore, T. E., Balin, D. F., and Johnson, S. Y., 1982,
Sedimentology and stratigraphy of the Kanayut Conglomerate, central Brooks
Range, Alaska - Report of 1980 field season: U.S. Geological Survey Open-
File Report 82-199, 85 p.
AG, AC, AR, CH, CL, DP, HW KL, ML, PS, SP, TB, TS, WI

Williams, J. R., 1982, Design review - Trans-Alaska Oil Pipeline, 1974-1976:
U. S. Geological Survey Open-File Report 82-225, 139 p.
BP, BT, BD, CH, FB, GU, LG, MH, PS, SG, VA, WI

YAKUTAT QUADRANGLE

- Brouwers, E. M.. 1982, Tabulation of the ostracode assemblages and associated fauna and flora from the Van Veen samples taken in the northeast Gulf of Alaska, R/V Discoverer cruise DC2-80-EG, June 1980: U.S. Geological Survey Open-File Report 82-390, 68 p.
OF, IB, YA
- Brouwers, E. M., 1982, Tabulation of the ostracode assemblages and associated organisms from selected bottom grab samples taken in the northeast Gulf of Alaska, F.R.S. Townsend Cromwell Cruise EGAL-75KC: Part II: U.S. Geological Survey Open-File Report 82-949, 95 p.
OF, IB, YA, BG, CV, MI
- Brunn, T. R., 1982, Structure and petroleum potential of the continental margin between Cross Sound and Icy Bay, northern Gulf of Alaska: U.S. Geological Survey Open-File Report 82-929, 64 p.
OF, BG, IB, MS, SK, YA
- Brunn, T. R., and Plafker, George, 1982, Geology, structure, and petroleum potential of the southeastern Alaska and northern Gulf of Alaska continental margins, in Brunn, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 9-52.
AG, OF, BG, BS, CV, CR, DE, IB, MI, MF, PA, SR, SI, YA
- Carlson, P. R., and Schwab, W. C., 1982, Northern Gulf of Alaska environmental geology, in Brunn, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait: U.S. Geological Survey Open-File Report 82-928, p. 73-86.
OF, BS, CV, IB, MI, MF, PA, SI, YA
- Collins, K. M., and Stadnychenko, Anne, 1981, Gulf of Alaska and Lower Cook Inlet Summary Report 2 June 1981: U.S. Geological Survey Open-File Report 81-607, 49 p.
AG, OF, BG, IB, YA
- Hudson, Travis, Dixon, Kirk, and Plafker, George, 1982, Regional uplift in southeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 132-135.
JU, MF, PE, PA, SI, SK, SD, YA
- Lee, H. J., and Schwab, W. C., 1982, Geotechnical investigations related to geological hazards: northern Gulf of Alaska, in Brunn, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait: U.S. Geological Survey Open-File Report 82-928, p. 87-94.
BG, BS, CV, IB, MI, MF, YA

YAKUTAT QUADRANGLE

McMullin, R. H., 1982, Resource assessment, in Bruns, T. R., ed., Hydrocarbon resource report for proposed OCS Lease Sale 88: southeastern Alaska, northern Gulf of Alaska, Cook Inlet, and Shelikof Strait, Alaska: U.S. Geological Survey Open-File Report 82-928, p. 68-72.
OF, AF, BG, IB, IL, MK, SV, YA

Molnia, B. F., and Rappeport, M. L., 1982, Mosaic of pockmarked sea-floor area near the Alsek River, northeastern Gulf of Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 146-148.
OF, YA